

## **konote**

Konote is designed to be a multipurpose productivity tool. It currently only supports task generation.

### **Tasks**

There are three main types of tasks - long term goals, projects, and quick todos.

The main purpose of these tasks is to log todos that do not have a due date.

### **Long Term Goals**

These are things like learning a new language, acquiring a new skill, or taking a course.

In the console, type `konote ltg <name of long term goal>` to add one to your list.

### **Projects**

These are the next level below. It might be something like learning a specific grammar structure within the language, learning a certain skill, or completing a project within that course.

In the console, type `konote pr <name of long term goal>` to add one to your list.

### **Quick Todos**

These are things you can get done in less than an hour, like doing a problem set, getting a workout done, or cleaning your room.

In the console, type `konote qt <name of long term goal>` to add one to your list.

### **Viewing Tasks You Made**

Go to your home directory, then a folder named `konote_files` and find a file called `Tasks.yaml`.

This file stores all the tasks you have made. You can edit it directly, and new tasks will be created

## **Coming Features**

### **Frequency Based todos.**

Each tasks has a certain frequency associated with it.

For example you might brush your teeth twice a day, go for a walk once a day, and do bicep curls every other day.

If you do bicep curls once every two days, then the JSON file would list the task with a frequency of 2.

If you walk every day, then the JSON file would list the task with a frequency of 1.

The program stores an `init_date`, which is the date of when you first added that todo.

The number of days between the current date and the `init_date` are calculated, and modular arithmetic is done on the value stored in the `freq` field for the todo.

Eg. if you initialized the program 2021-08-04 and the current date was 2021-08-08 and the frequency of bicep curls was 2, then konote would find the number of days between these two days (which is 4 days), then take this value modulo 2, and get 0. Because the result is 0, you have to do bicep curls today.

Konote would be able to remind you of this.

### **JSON Structure**

`todos * task_name * frequency * init_date`

`freq_log * isoformat date * dictionary of tasks due on that date, and if they are IN_PROGRESS, DONE, or TODO`

### **Konote console input**

Konote will let you do this by having you enter `konote freq init`. The date that you entered this will be recorded.

To add new frequency based todos, you enter `konote freq add <name of task> <frequency of task>`