Software Engineering Group Project Use Case Document Group 18

Author: Archie Malvern [arm36]

Config. Ref.: UIGroup18 Date: 2023-02-26

Version: 1.0 Status: Release

Department of Computer Science, Aberystwyth University, Aberystwyth, Ceredigion, SY23 3DB, U.K.

© Aberystwyth University 2023

CONTENTS

1	INTRODUCTION						
	1.1	Purpose of this Document	2				
	1.2	Scope	2				
	1.3	Objectives	2				
2	TY	PICAL USERS	2				
	2.1	Casual Chess Players	2				
	2.2	Advanced Chess Players	2				
3	USI	E CASES	3				
	3.1	UC-1.1 Starting a game	3				
	3.2	UC-1.2 Playing a game	3				
	3.3	UC-1.3 Continuing a game	3				
	3.4	UC-1.4 Viewing a previous game	3				
	3.5	UC-1.5 Exiting the game	3				
4	ERI	ROR CONDITIONS	3				
	4.1	EC-1.1 The player attempts to move a piece to an invalid space	3				
	4.2	EC-1.2 Two players pick the same name	4				
	4.3	EC-1.3 File reading error	4				
	4.4	EC-1.4 Player tries go to a turn that does not exist	4				
\mathbf{R}	EFEI	RENCES	5				
D	OCU	MENT HISTORY	5				

1 INTRODUCTION

1.1 Purpose of this Document

This document aims to specify the use cases of the chess tutor program, to assist in the design of it's user interface.

1.2 Scope

Document includes each step different types of users would take during operation of the program, hypothetical background information for said users, and potential error conditions that should be considered in the design of the user interface. This document was produced following the User Interface Specification Standards [1], and is based on the LATEX template [2].

1.3 Objectives

The objective of this document is to assist in the design and development of the user interface for the chess tutor, ensuring that a wide variety of use cases and error conditions are accounted for.

2 TYPICAL USERS

2.1 Casual Chess Players

This includes players that are completely new to the game or do not play often. These players would want to learn the rules of the game, or at least gain a better understanding. Two subclasses of this general class could be users that are completely new and need to learn the rules from scratch, and users that have played the game before and have a rough understanding of the rules, but may need a reminder or may not be familiar with certain obscure rules. Below is a hypothetical example of a typical user of this class:

Sarah and Gareth are both casual chess players. Sarah has played before, and has a rough understanding of the game's rules, while Gareth has never played before. Sarah uses the tutor's display to quickly remind herself which moves are valid with which pieces, and to learn about new manoeuvres that are otherwise quite obscure. Gareth carefully looks at the display to work out which moves he can use with which pieces to memorise the roles of each different piece.

2.2 Advanced Chess Players

This includes players that play the game frequently, and are highly competent at chess. These players would want to use the program as a standard chess program, perhaps using it to remind themselves of some more obscure rules if need be. Below is a hypothetical example of a typical user of this class: Morgan and Sam are two competitive chess players. They use the program to play a game of chess against each other, then use the replay functions to analyse their strategies and improve their performance in future matches. They also upload their configuration files online for other players to view and take inspiration for their own chess matches, and download them to review themselves.

3 USE CASES

3.1 UC-1.1 Starting a game

One player opens the program and clicks the *New Game* menu option. One player enters their name and picks whether they're playing white or black, and clicks *Next*. There are also accessibility options for colour-blindness on these screens. The other player types their name and is assigned the opposite colour to the first player. The players are then presented with a chess board interface.

3.2 UC-1.2 Playing a game

The player who has selected white goes first in accordance to the rules of chess, and selects a piece. The potential spaces said piece can move are highlighted with a green background (with the exception of certain colour-blind modes). The player can then click on one of these spaces to move the piece. If the player selects an invalid space, the piece will not move, and the piece will snap back to place if dragged over. The current player's name is shown in the corner alongside the colour they have chosen, and a question mark bubble is displayed at the side of the screen which the player can click for a brief tutorial on what their selected piece can do. When a player is in check, it highlights the background of the king piece alongside the piece putting it in check in red (also with the exception of certain colour-blind modes); the same is done for checkmate, but the game is ended and the word Checkmate is displayed on screen, alongside the name of the winner, i.e. "Checkmate! Mary Wins!". The player is then prompted to start a new game, replay the game or quit. On the game screen there are draw and resign buttons, where a player can choose to offer a draw or resign the game. When the draw button is selected, the other player is prompted to either accept or reject the draw.

3.3 UC-1.3 Continuing a game

A player can click the *Continue* menu option when the program starts, to view a list of previously saved games. The player can select one of these files and click *Load* to load the game back to it's exact previous state, or select *Erase* to delete a save.

3.4 UC-1.4 Viewing a previous game

A player can select the *Replay* option to view a list of previous games. The player can then select one and click the *View* button to open a chess board interface with a *Pause*, *Play*, *Previous* and *Next* button. The *Play* button plays each turn in order, the *Pause* button pauses on the current turn, the *Previous* button rewinds to a previous turn and the *Next* button advances to the next turn.

3.5 UC-1.5 Exiting the game

The player can exit a running game by clicking on the cross icon in the top right corner of the program window, or by clicking the exit button on the menu screen. A pop up dialogue will ask the player to confirm they would like to quit, and if the *Confirm* button is clicked, the program will cease.

4 ERROR CONDITIONS

4.1 EC-1.1 The player attempts to move a piece to an invalid space

This error is triggered when the player tries to make an invalid move. The piece snaps back into it's previous position. A message is not necessary for this error.

4.2 EC-1.2 Two players pick the same name

When two players try to pick the same name, a hyphen and the player's colour is added to the end of the name, i.e. "James-White" and "James-Black". This is in order to avoid conflicts.

4.3 EC-1.3 File reading error

If the save file being read in is invalid, an error message is displayed then the program ceases to read in the file and returns to the menu.

4.4 EC-1.4 Player tries go to a turn that does not exist

If the player selects *Next* on the last turn of playback, or *Previous* on the first turn, an error message is displayed to inform the user that such a turn does not exist.

REFERENCES

- [1] Software Engineering Group Projects User Interface Specification Standards. C. W. Loftus, SE.QA.04. 1.4 Release.
- [2] Software Engineering Group Project LaTeX Document Example. N.W. Hardy, C.W. Loftus, SE-N66-TEST. 1.4 Release.

DOCUMENT HISTORY

Version	Issue No.	Date	Changes made to Document	Changed by
0.1	N/A	2023-02-07	Initial draft document	arm36
0.2	N/A	2023-02-07	Added an additional use case	arm36
0.3	N/A	2023-02-14	Added some early error conditions	arm36
0.4	N/A	2023-02-20	Made the document more consistent with the presentation	arm36
0.5	18	2023-02-26	Prepared the document for review	arm36
1.0	18	2023-02-28	Initial release	arm36