

Name :- Akash Mete

Class:- TE Computer

ERP :-52

Subject :-LP2(IS) (DES)

Code:-

Hexadecimal to binary conversion

def hex2bin(s):

```
    mp = {'0' : "0000",  
          '1' : "0001",  
          '2' : "0010",  
          '3' : "0011",  
          '4' : "0100",  
          '5' : "0101",  
          '6' : "0110",  
          '7' : "0111",  
          '8' : "1000",  
          '9' : "1001",  
          'A' : "1010",  
          'B' : "1011",  
          'C' : "1100",  
          'D' : "1101",  
          'E' : "1110",  
          'F' : "1111" }
```

```
    bin = ""
```

```
    for i in range(len(s)):
```

```
        bin = bin + mp[s[i]]
```

```
    return bin
```

Binary to hexadecimal conversion

def bin2hex(s):

```
    mp = {"0000" : '0',  
          "0001" : '1',  
          "0010" : '2',  
          "0011" : '3',  
          "0100" : '4',  
          "0101" : '5',  
          "0110" : '6',  
          "0111" : '7',  
          "1000" : '8',  
          "1001" : '9',  
          "1010" : 'A',  
          "1011" : 'B',  
          "1100" : 'C',  
          "1101" : 'D',  
          "1110" : 'E',
```

```

    "1111" : 'F' }
hex = ""
for i in range(0,len(s),4):
    ch = ""
    ch = ch + s[i]
    ch = ch + s[i + 1]
    ch = ch + s[i + 2]
    ch = ch + s[i + 3]
    hex = hex + mp[ch]

return hex

# Binary to decimal conversion
def bin2dec(binary):

    binary1 = binary
    decimal, i, n = 0, 0, 0
    while(binary != 0):
        dec = binary % 10
        decimal = decimal + dec * pow(2, i)
        binary = binary//10
        i += 1
    return decimal

# Decimal to binary conversion
def dec2bin(num):
    res = bin(num).replace("0b", "")
    if(len(res)%4 != 0):
        div = len(res) / 4
        div = int(div)
        counter =(4 * (div + 1)) - len(res)
        for i in range(0, counter):
            res = '0' + res
    return res

# Permute function to rearrange the bits
def permute(k, arr, n):
    permutation = ""
    for i in range(0, n):
        permutation = permutation + k[arr[i] - 1]
    return permutation

# shifting the bits towards left by nth shifts
def shift_left(k, nth_shifts):
    s = ""
    for i in range(nth_shifts):
        for j in range(1,len(k)):
            s = s + k[j]

```

```

s = s + k[0]
k = s
s = ""
return k

```

calculating xow of two strings of binary number a and b

```

def xor(a, b):
    ans = ""
    for i in range(len(a)):
        if a[i] == b[i]:
            ans = ans + "0"
        else:
            ans = ans + "1"
    return ans

```

Table of Position of 64 bits at initial level: Initial Permutation Table

```

initial_perm = [58, 50, 42, 34, 26, 18, 10, 2,
                60, 52, 44, 36, 28, 20, 12, 4,
                62, 54, 46, 38, 30, 22, 14, 6,
                64, 56, 48, 40, 32, 24, 16, 8,
                57, 49, 41, 33, 25, 17, 9, 1,
                59, 51, 43, 35, 27, 19, 11, 3,
                61, 53, 45, 37, 29, 21, 13, 5,
                63, 55, 47, 39, 31, 23, 15, 7]

```

Expansion D-box Table

```

exp_d = [32, 1, 2, 3, 4, 5, 4, 5,
         6, 7, 8, 9, 8, 9, 10, 11,
         12, 13, 12, 13, 14, 15, 16, 17,
         16, 17, 18, 19, 20, 21, 20, 21,
         22, 23, 24, 25, 24, 25, 26, 27,
         28, 29, 28, 29, 30, 31, 32, 1 ]

```

Straight Permutation Table

```

per = [ 16, 7, 20, 21,
        29, 12, 28, 17,
        1, 15, 23, 26,
        5, 18, 31, 10,
        2, 8, 24, 14,
        32, 27, 3, 9,
        19, 13, 30, 6,
        22, 11, 4, 25 ]

```

S-box Table

```

sbox = [[[14, 4, 13, 1, 2, 15, 11, 8, 3, 10, 6, 12, 5, 9, 0, 7],
         [ 0, 15, 7, 4, 14, 2, 13, 1, 10, 6, 12, 11, 9, 5, 3, 8],
         [ 4, 1, 14, 8, 13, 6, 2, 11, 15, 12, 9, 7, 3, 10, 5, 0],
         [15, 12, 8, 2, 4, 9, 1, 7, 5, 11, 3, 14, 10, 0, 6, 13 ]],

```

```
[[15, 1, 8, 14, 6, 11, 3, 4, 9, 7, 2, 13, 12, 0, 5, 10],
 [3, 13, 4, 7, 15, 2, 8, 14, 12, 0, 1, 10, 6, 9, 11, 5],
 [0, 14, 7, 11, 10, 4, 13, 1, 5, 8, 12, 6, 9, 3, 2, 15],
 [13, 8, 10, 1, 3, 15, 4, 2, 11, 6, 7, 12, 0, 5, 14, 9 ]],
```

```
[ [10, 0, 9, 14, 6, 3, 15, 5, 1, 13, 12, 7, 11, 4, 2, 8],
 [13, 7, 0, 9, 3, 4, 6, 10, 2, 8, 5, 14, 12, 11, 15, 1],
 [13, 6, 4, 9, 8, 15, 3, 0, 11, 1, 2, 12, 5, 10, 14, 7],
 [1, 10, 13, 0, 6, 9, 8, 7, 4, 15, 14, 3, 11, 5, 2, 12 ]],
```

```
[ [7, 13, 14, 3, 0, 6, 9, 10, 1, 2, 8, 5, 11, 12, 4, 15],
 [13, 8, 11, 5, 6, 15, 0, 3, 4, 7, 2, 12, 1, 10, 14, 9],
 [10, 6, 9, 0, 12, 11, 7, 13, 15, 1, 3, 14, 5, 2, 8, 4],
 [3, 15, 0, 6, 10, 1, 13, 8, 9, 4, 5, 11, 12, 7, 2, 14] ],
```

```
[ [2, 12, 4, 1, 7, 10, 11, 6, 8, 5, 3, 15, 13, 0, 14, 9],
 [14, 11, 2, 12, 4, 7, 13, 1, 5, 0, 15, 10, 3, 9, 8, 6],
 [4, 2, 1, 11, 10, 13, 7, 8, 15, 9, 12, 5, 6, 3, 0, 14],
 [11, 8, 12, 7, 1, 14, 2, 13, 6, 15, 0, 9, 10, 4, 5, 3 ]],
```

```
[ [12, 1, 10, 15, 9, 2, 6, 8, 0, 13, 3, 4, 14, 7, 5, 11],
 [10, 15, 4, 2, 7, 12, 9, 5, 6, 1, 13, 14, 0, 11, 3, 8],
 [9, 14, 15, 5, 2, 8, 12, 3, 7, 0, 4, 10, 1, 13, 11, 6],
 [4, 3, 2, 12, 9, 5, 15, 10, 11, 14, 1, 7, 6, 0, 8, 13] ],
```

```
[ [4, 11, 2, 14, 15, 0, 8, 13, 3, 12, 9, 7, 5, 10, 6, 1],
 [13, 0, 11, 7, 4, 9, 1, 10, 14, 3, 5, 12, 2, 15, 8, 6],
 [1, 4, 11, 13, 12, 3, 7, 14, 10, 15, 6, 8, 0, 5, 9, 2],
 [6, 11, 13, 8, 1, 4, 10, 7, 9, 5, 0, 15, 14, 2, 3, 12] ],
```

```
[ [13, 2, 8, 4, 6, 15, 11, 1, 10, 9, 3, 14, 5, 0, 12, 7],
 [1, 15, 13, 8, 10, 3, 7, 4, 12, 5, 6, 11, 0, 14, 9, 2],
 [7, 11, 4, 1, 9, 12, 14, 2, 0, 6, 10, 13, 15, 3, 5, 8],
 [2, 1, 14, 7, 4, 10, 8, 13, 15, 12, 9, 0, 3, 5, 6, 11] ] ]
```

Final Permutation Table

```
final_perm = [ 40, 8, 48, 16, 56, 24, 64, 32,
 39, 7, 47, 15, 55, 23, 63, 31,
 38, 6, 46, 14, 54, 22, 62, 30,
 37, 5, 45, 13, 53, 21, 61, 29,
 36, 4, 44, 12, 52, 20, 60, 28,
 35, 3, 43, 11, 51, 19, 59, 27,
 34, 2, 42, 10, 50, 18, 58, 26,
 33, 1, 41, 9, 49, 17, 57, 25 ]
```

```
def encrypt(pt, rkb, rk):
    pt = hex2bin(pt)
```

```

# Initial Permutation
pt = permute(pt, initial_perm, 64)
print("After initial permutation", bin2hex(pt))

# Splitting
left = pt[0:32]
right = pt[32:64]
for i in range(0, 16):
    # Expansion D-box: Expanding the 32 bits data into 48 bits
    right_expanded = permute(right, exp_d, 48)

    # XOR RoundKey[i] and right_expanded
    xor_x = xor(right_expanded, rkb[i])

    # S-boxes: substituting the value from s-box table by calculating row and column
    sbx_str = ""
    for j in range(0, 8):
        row = bin2dec(int(xor_x[j * 6] + xor_x[j * 6 + 5]))
        col = bin2dec(int(xor_x[j * 6 + 1] + xor_x[j * 6 + 2] + xor_x[j * 6 + 3] + xor_x[j * 6 + 4]))
        val = sbx[j][row][col]
        sbx_str = sbx_str + dec2bin(val)

    # Straight D-box: After substituting rearranging the bits
    sbx_str = permute(sbx_str, per, 32)

    # XOR left and sbx_str
    result = xor(left, sbx_str)
    left = result

# Swapper
if(i != 15):
    left, right = right, left
print("Round ", i + 1, " ", bin2hex(left), " ", bin2hex(right), " ", rk[i])

# Combination
combine = left + right

# Final permutation: final rearranging of bits to get cipher text
cipher_text = permute(combine, final_perm, 64)
return cipher_text

pt = "123456ABCD132536"
key = "AABB09182736CCDD"

# Key generation
# --hex to binary
key = hex2bin(key)

```

```

# --parity bit drop table
keyp = [57, 49, 41, 33, 25, 17, 9,
        1, 58, 50, 42, 34, 26, 18,
        10, 2, 59, 51, 43, 35, 27,
        19, 11, 3, 60, 52, 44, 36,
        63, 55, 47, 39, 31, 23, 15,
        7, 62, 54, 46, 38, 30, 22,
        14, 6, 61, 53, 45, 37, 29,
        21, 13, 5, 28, 20, 12, 4 ]

# getting 56 bit key from 64 bit using the parity bits
key = permute(key, keyp, 56)

# Number of bit shifts
shift_table = [1, 1, 2, 2,
               2, 2, 2, 2,
               1, 2, 2, 2,
               2, 2, 2, 1 ]

# Key- Compression Table : Compression of key from 56 bits to 48 bits
key_comp = [14, 17, 11, 24, 1, 5,
            3, 28, 15, 6, 21, 10,
            23, 19, 12, 4, 26, 8,
            16, 7, 27, 20, 13, 2,
            41, 52, 31, 37, 47, 55,
            30, 40, 51, 45, 33, 48,
            44, 49, 39, 56, 34, 53,
            46, 42, 50, 36, 29, 32 ]

# Splitting
left = key[0:28] # rkb for RoundKeys in binary
right = key[28:56] # rk for RoundKeys in hexadecimal

rkb = []
rk = []
for i in range(0, 16):
    # Shifting the bits by nth shifts by checking from shift table
    left = shift_left(left, shift_table[i])
    right = shift_left(right, shift_table[i])

# Combination of left and right string
combine_str = left + right

# Compression of key from 56 to 48 bits
round_key = permute(combine_str, key_comp, 48)

rkb.append(round_key)

```

```

rk.append(bin2hex(round_key))

print("Encryption")
cipher_text = bin2hex(encrypt(pt, rkb, rk))
print("Cipher Text : ",cipher_text)

print("Decryption")
rkb_rev = rkb[::-1]
rk_rev = rk[::-1]
text = bin2hex(encrypt(cipher_text, rkb_rev, rk_rev))
print("Plain Text : ",text)

```

Output:-

Encryption

After initial permutation 14A7D67818CA18AD

Round 1 18CA18AD 5A78E394 194CD072DE8C

Round 2 5A78E394 4A1210F6 4568581ABCCE

Round 3 4A1210F6 B8089591 06EDA4ACF5B5

Round 4 B8089591 236779C2 DA2D032B6EE3

Round 5 236779C2 A15A4B87 69A629FEC913

Round 6 A15A4B87 2E8F9C65 C1948E87475E

Round 7 2E8F9C65 A9FC20A3 708AD2DDB3C0

Round 8 A9FC20A3 308BEE97 34F822F0C66D

Round 9 308BEE97 10AF9D37 84BB4473DCCC

Round 10 10AF9D37 6CA6CB20 02765708B5BF

Round 11 6CA6CB20 FF3C485F 6D5560AF7CA5

Round 12 FF3C485F 22A5963B C2C1E96A4BF3

Round 13 22A5963B 387CCDAA 99C31397C91F

Round 14 387CCDAA BD2DD2AB 251B8BC717D0

Round 15 BD2DD2AB CF26B472 3330C5D9A36D

Round 16 19BA9212 CF26B472 181C5D75C66D

Cipher Text : C0B7A8D05F3A829C

Decryption

After initial permutation 19BA9212CF26B472

Round 1 CF26B472 BD2DD2AB 181C5D75C66D

Round 2 BD2DD2AB 387CCDAA 3330C5D9A36D

Round 3 387CCDAA 22A5963B 251B8BC717D0

Round 4 22A5963B FF3C485F 99C31397C91F

Round 5 FF3C485F 6CA6CB20 C2C1E96A4BF3

Round 6 6CA6CB20 10AF9D37 6D5560AF7CA5

Round 7 10AF9D37 308BEE97 02765708B5BF

Round 8 308BEE97 A9FC20A3 84BB4473DCCC

Round 9 A9FC20A3 2E8F9C65 34F822F0C66D

Round 10 2E8F9C65 A15A4B87 708AD2DDB3C0

Round 11 A15A4B87 236779C2 C1948E87475E

Round 12 236779C2 B8089591 69A629FEC913

Round 13 B8089591 4A1210F6 DA2D032B6EE3

Round 14 4A1210F6 5A78E394 06EDA4ACF5B5

Round 15 5A78E394 18CA18AD 4568581ABCCE

Round 16 14A7D678 18CA18AD 194CD072DE8C

Plain Text : 123456ABCD132536

Process finished with exit code 0