# Rajalakshmi Engineering College

Name: KAVIARASI M

Email: 240701241@rajalakshmi.edu.in

Roll no: 240701241 Phone: 8754534017

Branch: REC

Department: I CSE FC

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_MCQ

Attempt : 2 Total Mark : 20

Marks Obtained: 20

Section 1: MCQ

1. What is the difference between r+ and w+ modes?

## Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

2. What is the purpose of the except clause in Python?

#### Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

3. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

4. Fill in the blanks in the following code of writing data in binary files.

```
import _______(1)
rec=[]
while True:
    rn=int(input("Enter"))
    nm=input("Enter")
    temp=[rn, nm]
    rec.append(temp)
    ch=input("Enter choice (y/N)")
    if ch.upper=="N":
        break
f.open("stud.dat","______")(2)
_____.dump(rec,f)(3)
_____.close()(4)

Answer
(pickle,wb,pickle,f)
```

5. What is the default value of reference\_point in the following code?

file\_object.seek(offset [,reference\_point])

Answer

Status: Correct

0

Status: Correct Marks: 1/1

6. What is the output of the following code?

```
class MyError(Exception):
       pass
    try:
       raise MyError("Something went wrong")
    except MyError as e:
       print(e)
    Answer
    Something went wrong
    Status: Correct
                                                                         Marks: 1/1
 7. What will be the output of the following Python code?
    f = None
    for i in range (5):
       with open("data.txt", "w") as f:
         if i > 2:
           break
    print(f.closed)
    Answer
    True
Status : Correct
    8. What will be the output of the following Python code?
    # Predefined lines to simulate the file content
    lines = [
       "This is 1st line",
       "This is 2nd line"
       "This is 3rd line",
This is 4th line",
"This is 5th line"
```

```
print("Name of the file: foo.txt")
 # Print the first 5 lines from the predefined list
 for index in range(5):
   line = lines[index]
   print("Line No %d - %s" % (index + 1, line.strip()))
 Answer
 Displays Output
                                                                     Marks: 1/1
 Status: Correct
    Which of the following is true about the finally block in Python?
 Answer
 The finally block is always executed, regardless of whether an exception occurs
 or not
 Status: Correct
                                                                     Marks: 1/1
 10. What is the output of the following code?
 try:
 x = 1 / 0
except ZeroDivisionError
   print("Caught division by zero error")
 finally:
   print("Executed")
 Answer
 Caught division by zero errorExecuted
 Status: Correct
                                                                     Marks: 1/1
```

11. What is the correct way to raise an exception in Python?

Answer

raise	Fxce	ntion	( )
laise	LVCC	puon	v

Marks : 1/1 Status : Correct

12. How do you create a user-defined exception in Python?

# Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

13. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

f = open("exp.txt", "w+") \_\_\_\_\_(1) print

#### Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

14. How do you rename a file?

#### Answer

os.rename(existing\_name, new\_name)

Status: Correct Marks: 1/1

15. Which clause is used to clean up resources, such as closing files in Python?

#### Answer

finally

Status: Correct Marks: 1/1

- 16. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

### Answer

a-iii, b-i, c-ii, d-iv

Status: Correct

Marks: 1/1, 1/2

Marks:

17. What happens if no arguments are passed to the seek function?

#### Answer

file position remains unchanged

Status: Correct Marks: 1/1

18. Fill in the code in order to get the following output:

**Output:** 

Name of the file: ex.txt fo = open(\_\_\_\_\_(1), "wb") print("Name of the file: ",\_\_\_\_)(2) **Answer** 1) "ex.txt"2) fo.name Status: Correct Marks: 1/1 19. What is the output of the following code? try: x = "hello" + 5 except TypeError: print("Type Error occurred") finally: print("This will always execute") Answer Type Error occurredThis will always execute Status: Correct Marks: 1/1 20. Which of the following is true about fp.seek(10,1) **Answer** 

240701241

Status: Correct

240701241

Move file pointer ten characters ahead from the current position

240101241

240701241

Marks: 1/1