

# REMOVED\_Upgrading from WSO2 Data Services Server

This page walks you through the process of upgrading to WSO2 Enterprise Integrator (WSO2 EI) 6.3.0 from WSO2 Data Services Server (WSO2 DSS) 3.5.1.

✓ If you are upgrading from a version older than WSO2 DSS 3.5.1, you should first upgrade to WSO2 DSS 3.5.1 and then upgrade to WSO2 EI 6.3.0.



- For information on what is new in this release and why you should upgrade, see [About this Release](#).
- See [Default ports of WSO2 Products](#) in the WSO2 Administration Guide, for more information on ports. The default ports in WSO2 EI are listed under **Enterprise Integrator**.
- The distribution folder structure has changed from WSO2 DSS 3.5.1 to WSO2 EI 6.3.0. The changes in the folder structure for directory locations are as follows:

Data Service Server 3.5.1	Enterprise Integrator 6.3.0
<DSS_HOME>/repository/conf	<EI_HOME>/conf
<DSS_HOME>/repository/conf/axis2	<EI_HOME>/conf/axis2
<DSS_HOME>/repository/conf/datasources	<EI_HOME>/conf/datasources
<DSS_HOME>/repository/components/dropins	<EI_HOME>/dropins
<DSS_HOME>/repository/components/extensions	<EI_HOME>/extensions
<DSS_HOME>/repository/components/lib	<EI_HOME>/lib

See the following topics for instructions:

- [Upgrading the database](#)
- [Migrating the configurations](#)
- [Migrating artifacts](#)
- [Starting the server](#)

## Upgrading the database

In WSO2 EI 6.3.0, you can use the same [database](#) that you used for WSO2 DSS 3.5.1. Therefore, you can simply restore the backup of the existing databases to use with WSO2 EI 6.3.0.

## Migrating the configurations



Configurations should not be copied directly between servers.

### Migrating configuration for the Integration profile

Follow the steps give below to migrate the configurations from WSO2 DSS 3.5.1 to the Integration profile of WSO2 EI 6.3.0.

1. Copy the database connector JAR files stored in the <DSS\_HOME>/repository/components/lib directory to the <EI\_HOME>/lib directory.

2. Copy the keystores and truststores used in the WSO2 DSS 3.5.1 from the `<DSS_HOME>/repository/resources/security` directory to the `<EI_HOME>/repository/resources/security` directory in WSO2 EI 6.3.0.
3. Update the configuration files:
  - a. Update the configuration files with information of the migrated keystores and truststores. See [Configuring Keystores in WSO2 products](#) for more information.
  - b. Go to the `<EI_HOME>/conf/datasources` directory and update the Carbon datasource configuration in the `master-datasources.xml` file with the details of the Carbon database.
  - c. Go to the `<EI_HOME>/conf` directory and update the datasource references in the `user-mgt.xml` and `registry.xml` files to match the updated configurations in the `master-datasources.xml` file.
  - d. Check for any configurations that were done for WSO2 DSS 3.5.1 based on your solution and update the following configuration files in WSO2 EI 6.3.0 accordingly:
    - `axis2.xml`
    - `axis2_client.xml`
    - `carbon.xml`
4. If you have secondary user stores created for WSO2 DSS 3.5.1, you need to copy the 'userstore' folder in the `<DSS_HOME>/repository/deployment/server/` directory to the `<EI_HOME>/repository/deployment/server/` directory in WSO2 EI 6.3.0.
5. If there are any third-party libraries used with WSO2 DSS 3.5.1 that you want to migrate, copy the relevant libraries to WSO2 EI 6.3.0:
  - If you have used JMS libraries, JDBC libraries, etc., copy the files from `<DSS_HOME>/repository/components/lib` directory to the `<EI_HOME>/lib` directory.
  - If you have used OSGi bundles such as SVN kit etc., copy the contents of `<DSS_HOME>/repository/components/dropins` directory to the `<EI_HOME>/dropins` directory.
6. Check for any other configurations that were done for WSO2 DSS 3.5.1 based on your solution, and update the configurations in WSO2 EI 6.3.0 accordingly. For example, configurations related to external user stores, caching, mounting, transports, etc.

## Migrating artifacts

- To migrate the data service artifacts, copy the `<DSS_HOME>/repository/deployment/server/dataservices` directory of WSO2 DSS 3.5.1 to WSO2 EI 6.3.0.
- If you have custom artifacts created in the `<DSS_HOME>/repository/deployment/server/` directory of WSO2 DSS 3.5.1, copy them to the `<EI_HOME>/repository/deployment/server/` directory in WSO2 EI 6.3.0.
- If multitenancy is used, copy the tenant directory packages from the `<DSS_HOME>/repository/tenants` directory to the `<EI_HOME>/repository/tenants` directory.

## Starting the server

Once you have completed the migration, you can start the Integration profile of WSO2 EI. For details see [Running the Product](#).