REC-CIS

CS23333-Object Oriented Programming Using Java-2023

Dashboard / My courses / CS23333-OOPUJ-2023 / Lab-07-Interfaces / Lab-07-Logic Building

Quiz navigation



Show one page at a time

Finish review

```
Status Finished
   Started Sunday, 6 October 2024, 11:31 AM
Completed Sunday, 6 October 2024, 11:42 AM
 Duration 10 mins 48 secs
```

Question 1 Correct Marked out of 5.00 Flag question

Create interfaces shown below.

public void setHomeTeam(String name); public void setVisitingTeam(String name);

interface Football extends Sports { public void homeTeamScored(int points);

public void visitingTeamScored(int points);}

create a class College that implements the Football interface and provides the necessary functionality to the abstract methods.

sample Input:

Rajalakshmi Saveetha

22 21

Output:

Raialakshmi 22 scored Saveetha 21 scored Rajalakshmi is the Winner!

For example:

Test	Input	Result
1	Rajalakshmi Saveetha 22	Rajalakshmi 22 scored Saveetha 21 scored Rajalakshmi is the winner!

Answer: (penalty regime: 0 %)

```
1 import java.util.Scanner;
      interface Sports {
           void setHomeTeam(String name);
void setVisitingTeam(String name);
      interface Football extends Sports {
   void homeTeamScored(int points);
10
           void visitingTeamScored(int points);
11
12
      class College implements Football {
           private String homeTeam;
private String visitingTeam;
14
           private int homeTeamPoints = 0;
private int visitingTeamPoints = 0;
16
17
18
           public void setHomeTeam(String name) {
20
                this.homeTeam = name;
22
23
24
           public void setVisitingTeam(String name) {
                this.visitingTeam = name;
26
27
           public void homeTeamScored(int points) {
28
                 homeTeamPoints += points;
                 System.out.println(homeTeam + " " + points + " scored");
29
30
31
32
           public void visitingTeamScored(int points) {
33
34
                 visitingTeamPoints += points;
System.out.println(visitingTeam + " " + points + " scored");
35
36
           public void winningTeam() {
   if (homeTeamPoints > visitingTeamPoints) {
       System.out.println(homeTeam + " is the winner!");
   } else if (homeTeamPoints < visitingTeamPoints) {</pre>
37
38
39
41
                System.out.println(visitingTeam + " is the winner!");
} else {
                      System.out.println("It's a tie match.");
43
44
45
47
           public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
49
50
51
                                                                                                                                                                      ▼
```

Test	Input	Expected	Got
1	Rajalakshmi	Rajalakshmi 22 scored	Rajalakshmi 22 scored
	Saveetha	Saveetha 21 scored	Saveetha 21 scored
	22	Rajalakshmi is the winner!	Rajalakshmi is the winner!

	Test	Input	Expected	Got	
		21			
	2	Anna Balaji 21	Anna 21 scored Balaji 21 scored It's a tie match.	Anna 21 scored Balaji 21 scored It's a tie match.	
	3	SRM VIT 20 21	SRM 20 scored VIT 21 scored VIT is the winner!	SRM 20 scored VIT 21 scored VIT is the winner!	

Passed all tests!

Question 2
Correct
Marked out of 5.00

Fee Flag question

create an interface Playable with a method play() that takes no arguments and returns void. Create three classes Football, Volleyball, and Basketball that implement the Playable interface and override the play() method to play the respective sports.

```
interface Playable {
    void play();
}
class Football implements Playable {
    String name;
    public Football(String name){
        this.name=name;
    }
    public void play() {
        System.out.println(name+" is Playing football");
    }
}
```

Similarly, create Volleyball and Basketball classes.

Sample output:

Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball

For example:

Test	Input	Result
1	Sadhvin Sanjay Sruthi	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball
2	Vijay Arun Balaji	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball

Answer: (penalty regime: 0 %)

```
1 import java.util.Scanner;
     // Define the Playable interface
interface Playable {
         // Abstract method to play the respective sport
          void play();
      // Football class implementing Playable interface
10
     class Football implements Playable {
   String name;
11
12
13
          // Constructor
          public Football(String name) {
14
15
             this.name = name;
16
17
18
19
         // Override the play method
public void play() {
              System.out.println(name + " is Playing football");
20
21
22
      // Volleyball class implementing Playable interface
24
      class Volleyball implements Playable {
         String name;
26
27
          // Constructor
28
         public Volleyball(String name) {
30
              this.name = name;
31
32
33
34
         // Override the play method
public void play() {
35
36
            System.out.println(name + " is Playing volleyball");
37
38
39
40
      // Basketball class implementing Playable interface
class Basketball implements Playable {
41
          String name;
42
         // Constructor
public Basketball(String name) {
43
44
45
46
             this.name = name;
47
48
          // Override the play method
          public void play() {
    System.out.println(name + " is Playing basketball");
49
50
51
                                                                                                                                              ✓
```

Test	Input	Expected	Got
1	Sadhvin	Sadhvin is Playing football	Sadhvin is Playing football
	Sanjay	Sanjay is Playing volleyball	Sanjay is Playing volleyball

	Test	Input	Expected	Got	Г
		Sruthi	Sruthi is Playing basketball	Sruthi is Playing basketball	
	2	Vijay Arun Balaji	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	

Passed all tests!

Question **3**Correct
Marked out of

Flag question

```
RBI issues all national banks to collect interest on all customer loans.
```

Create an RBI interface with a variable String parentBank="RBI" and abstract method rateOfInterest().

RBI interface has two more methods default and static method.

default void policyNote() {

System.out.println("RBI has a new Policy issued in 2023.");

}

static void regulations(){

System.out.println("RBI has updated new regulations on 2024.");

}

Create two subclasses SBI and Karur which implements the RBI interface.

Provide the necessary code for the abstract method in two sub-classes.

Sample Input/Output:

RBI has a new Policy issued in 2023

RBI has updated new regulations in 2024.

SBI rate of interest: 7.6 per annum.

Karur rate of interest: 7.4 per annum.

For example:

Test	Result	
1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	

Answer: (penalty regime: 0 %)

```
1 v interface RBI {
2  // Variable declaration
             String parentBank = "RBI";
             // Abstract method
             double rateOfInterest();
            default void policyNote() {
    System.out.println("RBI has a new Policy issued in 2023");
10
11
13
             // Static method
            // static method static void regulations() {
System.out.println("RBI has updated new regulations in 2024.");
14
15
16
17
        // SBI class implementing RBI interface
19
       class SBI implements RBI {
            // Implementing the abstract method public double rateOfInterest() {
21
22
23
                  return 7.6;
24
25
26
27
        // Karur class implementing RBI interface
28
       class Karur implements RBI {
            // Implementing the abstract method
public double rateOfInterest() {
29
30
31
                 return 7.4;
32
33
34
35
        // Main class to test the functionality
       // Main class to test tenticionality
public class Main {
   public static void main(String[] args) {
        // RBI policies and regulations
        RBI rbi = new SBI(); // Can be any class implementing RBI
        rbi.policyNote(); // Default method
        RBI.regulations(); // Static method
36
37
38
39
40
41
42
                   // SBI bank details
SBI sbi = new SBI();
System.out.println("SBI rate of interest: " + sbi.rateOfInterest() + " per annum.");
43
44
46
                   // Karur bank details
Karur karur = new Karur();
System.out.println("Karur rate of interest: " + karur.rateOfInterest() + " per annum.");
47
48
49
50
51
52
```

Test	Expected	Got
1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	RBI has a new Policy issued in 2023 RBI has updated new regulations in 26 SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum

Passed all tests!

 ✓ Lab-07-MCQ
 Jump to...

 ♦
 Generate series and find Nth element ►