Illinois Institute of Technology

CS 425

DATABASE ORGANIZATION

CS425 Project: Online Distribution Center

Authors
Hector Hernandez
Ramir Aguilos
Rafael Zavala
Hauyu Wang

Professor
Dr. Omar Aldawud

Introduction

This project consist of a web solution for an e-commerce web application regarding product distribution. From the web application, customers will have access to querying products from different suppliers. Employees of the web application will have specific views tailored to their tasks. The project itself will be conducted using a waterfall model [1] for development. The waterfall model consists of these ordered steps: Requirements, Design, Implementation, Verification, and Maintenance. The requirements that are set out for the development of a software project are constraints, usages, views, functions, and any other interaction between users and the software's interface. For this project, the requirements are listed as a list of functionalities that different users have with the product distribution system. The design of a software project is the development of blueprints or plans for how the development will be implemented. Design also consists of determining what medium and environment the project will be developed in. For the purposes of this project, the design consists of using Github repository as a functioning interaction between the project developers to create files necessary for the database driven software. The implementation of a software project will be the actual creation of the design plans. The implementation of the project will be a web-based application using a DBMS (database management software) as the back-end of the system and HTML, CSS, and PHP, with NodeJS as the front-end of the application. The verification of a software project is the running of tests to determine its readiness to be deployed as a product or service. For this project, testing will be driven by the methods of unit testing each aspect of the web application and having test users use the application. The maintenance of a web application occurs after a software project has been launched or deployed. Ideally, the maintenance of a web application occurs autonomously as the database and server structure will be able to maintain a state of software homeostasis where users can manage their access to the service without losing the integrity of data stored in the database. When there are cases such as data integrity loss or concurrency issues, the physical maintenance and restructuring software are necessary, which would require project developers to address. For this project, maintenance of the web application can be accomplished through many methods such as having more than one physical drive to store user data or creating 'watchdog' programs to monitor the state and integrity of the databases that do not rely on the main server.

Requirements


#	Requirement Description	Testing Criteria
R1	The application shall allow customers to register	User enters registration in-
	with the application. The application shall present	formation and the data
	the user with a registration form with the follow-	is stored in the Customer
	ing fields: Customer Name, Contact Name, Email,	database.
	phone, region, address, major product line cate-	
	gory (research a list that fits most customers).	
R2	Once a customer registers with the application the	A unique customer is stored
	application shall generate a unique customer id.	in the database.
R3	The system shall allow the customer to enter a	Customers password shall
	password for her account. The password shall at	be encrypted and stored in
	least be 8 characters long and shall have at least	the database.
	one distinctive character and one uppercase char-	
	acter and a mixed alphanumeric value.	
R4	The customer shall be able to visit his/her	Customers information in
	profile within the application and be able to up-	the database is updated ac-
	date his/her profile information only.	cording to user input.
R5	The customer shall be able to query products on-	User enters product infor-
	line. with the following attributes: Name, Descrip-	mation and the application
	tion, Categories, Units, Price.	shows a list of relevant prod-
		ucts.
R6	The application shall allow the Supplier to register	Supplier enters registration
100	with the application. The application shall present	information and the data
	the user with a registration form with the following	is stored in the Supplier
	fields: name, email, phone number, and address.	database.
R7	Once the supplier registers their product with the	A unque product is stored
107	application, the application shall generate a unique	in the Products database
		and the product is visi-
	product id and will also update the Categories	
	database to include any new categories created or	ble to any any customer
	increase the relevance of any categories that exist	within the application. Cat-
	already.	egories Database is updated
		accordingly based on how
		products are loaded onto
Do		the application.
R8	The customer should be able to add/remove prod-	Cart database, correspond-
	ucts to their cart. Even when the user logs out, the	ing to the customer, is up-
	cart is saved with all products from the previous	dated accordingly. Cart
	session(s).	keeps products from the
		previous session until check-
		out or explicitly removed
		by the user. Cart displays
		price, quantity, title, and
		image of each desired prod-
		uct. Cart displays total ex-
		penses.
R9	The customer shall have the option (button) to	A pop-up window confirms
	remove all products from the cart in one instance.	the deletion of all products
		in cart, then cart is emptied
		entirely.
1		

# R10	Requirement Description The customer shall have the option to checkout with paypal or credit/debit card.	Testing Criteria The application verifies the transaction. Once the transaction is verified, an email confirmation of their placed ordered is sent to the customer. An e-mail confirmation is sent to the seller.
R11	Customer gets asked if he/she wants to save their payment information for future orders.	Pop-up window confirms if the user wants to save payment information; if yes, payment information is stored.
R12	The customer shall be able to monitor the status of their order.	The application allows the customer to view orders placed; the application
R13	The customer shall be able to search for products explicitly using a search engine within the application.	The application searches the Categories or Products databases to display items.
R14	The customer shall be able to view their order history.	The application provides a list of all orders made by the customer and the status and time stamp of each order.
R15	The application shall display the status of each product.	The application searches through the Product Database and assigns the status (In stock, Out of Stock, etc) to the product based on quantity.
R16	The application shall allow registered customers to sign-in via a sign-in page.	The sign-in page searches through the customer database to authenticate the user.
R17	The application shall automatically display the most popular categories on the home page.	The application should keep track of what categories and products are frequently searched for.
R18	The application shall allow warehouse managers to register with the application. The application shall present the warehouse manager with a registration form with the following attributes: Name, address, warehouse_id, special password (provided by the company).	The data is stored in the warehouse database and a unique manager id created.

# R19	Requirement Description Warehouse managers can view customers in their region.	Testing Criteria The application shall allow warehouse managers to view a list of customers (Name, address, region, and e-mail) in his/her region
R20	The application shall allow warehouse managers to view the inventory in their warehouse.	only. The application should provide a list of all products that are in their respective warehouse.
R21	The application shall emphasize to the warehouse manager which products need to be prioritized for shipping.	By checking the time stamps of the orders or shipping service used, the application will output a filtered list of products.
R22	Administrators have the priviledges of modyifing warehouses, product, employee, invoices, and customer data.	Administrator account(s) with these priviledges will be created.


Design

Entity Relationship Diagram



Implementation

The implementation of the project will be a web-based application using JDBC program files as a back-end and Node.js, HTML, CSS, and PHP program files as a front-end. The development environment that the project developers will use is the UNIX operating system environment and tools connected with Github serving as a functioning repository for back-end and front-end code to be updated as the project progresses. The web application will be hosted on an apache web server linked to a main computer with Ubuntu Linux as its operating system. This main computer can also be accessed via SSH for the project developers. Below is a diagram for the method of implementation:



Verification

The verification of the project will be performed by implementing different testing methods [2] with the web application. Firstly, unit testing will be implemented by testing individual aspects of the web application. For example, a customer is able to complete transaction to his or her request. So the implementation of unit testing here would exist as making sure each individual part of the transaction occurs correctly. In accordance to the ERD, the 'Invoice' is an entity with data that is updated atomically; specifically, this is the record of a transaction a customer may request. To unit test the entire transaction, code will be debugged with each iteration of the program until the transaction results in a feasible output (i.e. the invoice). By implementing unit testing during the development of the web application, each individual function of the web application will have higher success of functioning correctly because each function would have been tested to work individually. System testing is also a necessity for the project because system testing captures the users' perspectives and views, which is important in keeping integritive yet private data. System testing is best described as having a box with an input and output where specific users have specific views. In this project for example, if a customer orders a product, a customer would like to know what warehouse it is coming from but may not need to know who the supplier of the product is. Integration testing is the methodology of testing where developers test to see if their software works with different hardwares and interfaces. To actually have users of the application, users must be able to use their own devices and hardwares to access the application, which makes integral testing necessary. Performance testing is a method of testing to see the efficiency of the application. For this project, performance testing will be implemented by having the product distribution service have relevant information readily available for different users.

Maintenance

The maintenance of the project will be performed with various concepts to keep the deployed application stable. On a micro level, the development of the back-end (server side content) using JDBC will serve to maintain the integrity of the data as it is updated per user request. On the macro level, the maintenance of the project may consist of the project fixing bugs that users may find from interactions with the software, which would be referred to as patches. Additionally, maintenance includes the updating of present software's features with new features that make the user's experience easier or more efficient.

References

[1] Waterfall Model

 $\verb|http://testingfreak.com/waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-disadvantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-model-software-testing-advantages-waterfall-waterfall-model-software-testing-advantages-waterfall-$

[2] Testing Methodology

 $\verb|https://www.guru99.com/testing-methodology.html|$