


```
% Choose directory
rootdir = ['D0810B1 5F4/run1','D0810B1 5F4/run2','D0810B1 5F4/run3'];
%Load Data
for a=1:16:48
    DesiredEndEffectorVelocity = load(fullfile(rootdir(a:a
+15), "desiredEndEffectorVelocity.csv"));
    DesiredJointPosition = load(fullfile(rootdir(a:a
+15), "desiredJointPosition.csv"));
    JointPosition = load(fullfile(rootdir(a:a+15), "jointPosition.csv"));
    Time = load(fullfile(rootdir(a:a+15), "simulationTime.csv"));
   x = zeros(length(Time), 3);
   xDot = zeros(length(Time)-1,3);
    for i =1:length(Time)
        [x(i,:), ~] = forwardKinematics(JointPosition(i,:));
    for i = 1 : length(x) - 1
        xDot(i,:) = (x(i+1,:) - x(i,:)) / (Time(i+1)-Time(i));
    end
    % Desired Path and Derivative of Path
    radius = 0.08;
    line length = 0.1;
    alpha = (2*line_length)/(radius*pi) + 1;
    % Time vector
    sspace = linspace(0, alpha + 1, length(Time)); % Generate 100 points
 within the total time
    P_z = zeros(1,length(sspace));
    P_x = zeros(1, length(sspace));
    P z derivative = zeros(1,length(sspace));
    P_x_derivative = zeros(1,length(sspace));
    for i=1:length(sspace)
        s=sspace(i);
        if s <= 1
            % Calculate x and y coordinates of the first circle segment
            P_z(i) = -radius * cos(s*pi/2);
            P_x(i) = -radius * sin(s*pi/2);
            P_z_{derivative(i)} = radius * (pi/2) * sin(s * pi/2);
            P_x_{derivative(i)} = -radius * (pi/2) * cos(s * pi/2);
        elseif s <= alpha && s>1
            % Calculate the coordinates of the straight line segment
            P_z(i) = (s-1) * (radius * pi) / 2;
            P_x(i) = -radius * ones(1);
            P_z_derivative(1,i) = radius * pi / 2;
            P_x_{derivative(1,i)} = 0;
```

```
else
            P_z(i) = radius * sin((s-alpha) * pi/2) + line_length;
            P_x(i) = -radius * cos((s-alpha) * pi/2);
            P z derivative(i) = radius * pi/2 * cos((s-alpha) * pi/2);
            P_x_derivative(i) = radius * pi/2 * sin((s-alpha) * pi/2);
        end
    end
    % Plotting
    figure(1)
   hold on;
              grid on
   plot(x(:,3),-x(:,1),'.')
    if a == 33
        plot(P_z + 0.515509+radius,P_x + 0.0210774,'LineWidth',1.5)
    end
    xlabel('z direction (m)');
                                  ylabel('x direction (m)')
    title('Desired and Actual Position')
    legend('Actual Path1', 'Actual Path2', 'Actual Path3','Desired Path' )
    axis('equal');
    figure(2)
   hold on;
                grid on
   plot(Time(10:end-1),xDot(10:end,1),'.')
        plot(Time, DesiredEndEffectorVelocity(:,1), 'LineWidth',1.5)
    end
    xlabel('Time (s)');
                          ylabel('Velocity (m/s)')
    title('Velocity in X direction')
    legend('Actual Velocity1', 'Actual Velocity2', 'Actual Velocity3', 'Desired
 Velocity')
    figure(3)
   hold on;
                grid on
   plot(Time(10:end-1),xDot(10:end,3),'.')
    if a = = 33
        plot(Time, DesiredEndEffectorVelocity(:,3), 'LineWidth',1.5)
    end
                           ylabel('Velocity (m/s)')
    xlabel('Time (s)');
    title('Velocity in Z direction')
    legend('Actual Velocity1', 'Actual Velocity2', 'Actual Velocity3', 'Desired
velocity')
end
Warning: Ignoring extra legend entries.
```







Published with MATLAB® R2023a