

---

```

% Choose directory
rootdir = ['D1215B2F4--/run1', 'D1215B1_5F4/run1', 'D1215B1F4--/
run1', 'D1215B1F3--/run1', ...
'D1215B1F2_5/run1', 'D1215B1F2--/run1'];

for a = 1:16:96
    DesiredEndEffectorVelocity = load(fullfile(rootdir(a:a
+15), "desiredEndEffectorVelocity.csv"));
    DesiredJointPosition = load(fullfile(rootdir(a:a
+15), "desiredJointPosition.csv"));
    JointPosition = load(fullfile(rootdir(a:a+15), "jointPosition.csv"));
    Time = load(fullfile(rootdir(a:a+15), "simulationTime.csv"));

    x = zeros(length(Time), 3);
    xDot = zeros(length(Time)-1, 3);

    for i = 1:length(Time)
        [x(i,:), ~] = forwardKinematics(JointPosition(i,:));
    end
    for i = 1:length(x)-1
        xDot(i,:) = (x(i+1,:) - x(i,:)) / (Time(i+1)-Time(i));
    end

    % Desired Path and Derivative of Path
    radius = 0.12;
    line_length = 0.15;
    alpha = (2*line_length)/(radius*pi) + 1;

    % Time vector
    sspace = linspace(0, alpha + 1, length(Time));
    % Initilize parameters
    P_z = zeros(1, length(sspace));
    P_x = zeros(1, length(sspace));
    P_z_derivative = zeros(1, length(sspace));
    P_x_derivative = zeros(1, length(sspace));

    for i = 1:length(sspace)
        s = sspace(i);
        if s <= 1
            % Calculate x and y coordinates of the first circle segment
            P_z(i) = -radius * cos(s*pi/2);
            P_x(i) = -radius * sin(s*pi/2);
            P_z_derivative(i) = radius * (pi/2) * sin(s * pi/2);
            P_x_derivative(i) = -radius * (pi/2) * cos(s * pi/2);

        elseif s <= alpha && s > 1
            % Calculate the coordinates of the straight line segment
            P_z(i) = (s-1) * (radius * pi) / 2;
            P_x(i) = -radius * ones(1);
            P_z_derivative(1,i) = radius * pi / 2;
            P_x_derivative(1,i) = 0;
        else

```

---

---

```

        P_z(i) = radius * sin((s-alpha) * pi/2) + line_length;
        P_x(i) = -radius * cos((s-alpha) * pi/2);
        P_z_derivative(i) = radius * pi/2 * cos((s-alpha) * pi/2);
        P_x_derivative(i) = radius * pi/2 * sin((s-alpha) * pi/2);
    end

end

% Plotting
figure(1)
hold on;    grid on
plot(x(:,3),-x(:,1), '.')
if a==81
    plot(P_z + 0.515509+radius,P_x + 0.0210774,'LineWidth', 2.0)
end
xlabel('z direction (m)');    ylabel('x direction (m)')
title('Desired and Actual Position');    axis('equal')


legend('tB=2,tF=4','tB=1.5,tF=4','tB=1,tF=4','tB=1,tF=3','tB=1,tF=2.5','tB=1,tF=2','Desir
Path')

end

Warning: Ignoring extra legend entries.
Warning: Ignoring extra legend entries.
Warning: Ignoring extra legend entries.
Warning: Ignoring extra legend entries.
Warning: Ignoring extra legend entries.

```

---



*Published with MATLAB® R2023a*