
## **MINIMAX ALGORITHM**

- A simple example can be used to explain how the minimax algorithm works. We've included an example of a game-tree below, which represents a two-player game.
- There are two players in this scenario, one named Maximizer and the other named Minimizer.
- Maximizer will strive for the highest possible score, while Minimizer will strive for the lowest possible score.
- Because this algorithm uses DFS, we must go all the way through the leaves to reach the terminal nodes in this game-tree.
- The terminal values are given at the terminal node, so we'll compare them and retrace the tree till we reach the original state.



**<u>AIM</u>**: To implement MINIMAX Algorithm problem using Python.

## **SOURCE CODE:**

```
from math import inf as infinity
from random import choice
import platform import time
from os import system
HUMAN = -1 COMP
= +1
board = [
  [0, 0, 0],
  [0, 0, 0],
  [0, 0, 0],
def evaluate(state): if
wins(state, COMP):
             elif wins(state,
score = +1
HUMAN):
                score = -1
else:
          score = 0
return score
def wins(state, player):
  win state = [
     [state[0][0], state[0][1], state[0][2]],
     [state[1][0], state[1][1], state[1][2]],
     [state[2][0], state[2][1], state[2][2]],
     [state[0][0], state[1][0], state[2][0]],
     [state[0][1], state[1][1], state[2][1]],
     [state[0][2], state[1][2], state[2][2]],
     [state[0][0], state[1][1], state[2][2]],
     [state[2][0], state[1][1], state[0][2]],
  1
  if [player, player, player] in win_state:
                                                return True
else:
                return False def game_over(state): return
wins(state, HUMAN) or wins(state, COMP)
def empty_cells(state):
  cells = [] for x, row in
enumerate(state):
                       for y, cell in
enumerate(row):
                         if cell ==
0:
          cells.append([x, y])
 return cells def
valid_move(x, y):
```

```
if [x, y] in empty_cells(board):
    return True
else:
     return False def
set_move(x, y, player):
  if valid_move(x, y):
board[x][y]
             =
                   player
return True
             else:
     return
                  False
                               def
minimax(state, depth, player):
                                if
player == COMP:
     best = [-1, -1, -infinity]
else:
          best = [-1, -1,
+infinity]
  if depth == 0 or game_over(state):
     score = evaluate(state)
                                 return [-1, -1,
score] for cell in empty_cells(state):
y = cell[0], cell[1]
                     state[x][y] = player
score = minimax(state, depth - 1, -player)
     state[x][y] = 0
     score[0], score[1] = x, y
     if player == COMP:
                                if
score[2] > best[2]:
                             best =
score # max value
       if score[2] < best[2]:
best = score # min value
  return best
def clean():
  os_name = platform.system().lower()
if 'windows' in os_name:
     system('cls')
else:
     system('clear')
def render(state, c_choice, h_choice):
```

```
chars = {
               -1:
h_choice,
    +1: c_choice,
    0: ' '
  str line = '-----'
  print('\n' + str_line)
for row in state:
for cell in row:
       symbol = chars[cell]
print(f'| {symbol} |', end=")
print('\n' + str_line)
def ai_turn(c_choice, h_choice):
  depth = len(empty_cells(board))
if depth == 0 or game_over(board):
    return
  clean()
  print(f'Computer turn [{c_choice}]')
render(board, c_choice, h_choice)
  if depth == 9:
    x = choice([0, 1, 2])
y = choice([0, 1, 2])
else:
    move = minimax(board, depth, COMP)
    x, y = move[0], move[1]
  set_move(x, y, COMP)
time.sleep(1)
def human_turn(c_choice, h_choice):
  depth = len(empty_cells(board))
if depth == 0 or game_over(board):
    return
  # Dictionary of valid moves
move = -1 \quad moves = \{
    1: [0, 0], 2: [0, 1], 3: [0, 2],
```

```
4: [1, 0], 5: [1, 1], 6: [1, 2],
    7: [2, 0], 8: [2, 1], 9: [2, 2],
  clean()
  print(f'Human turn [{h_choice}]')
  render(board, c_choice, h_choice)
  while move < 1 or move > 9:
try:
       move = int(input('Use numpad (1..9): '))
coord = moves[move]
       can_move = set_move(coord[0], coord[1], HUMAN)
                                  print('Bad
       if not can_move:
                 move = -1
move')
                                except
(EOFError, KeyboardInterrupt):
print('Bye')
                  exit()
                              except
(KeyError, ValueError):
       print('Bad choice')
def main():
  clean()
            h_choice = "
#X or O
           c choice = "
#X or O
  first = " # if human is the first
  # Human chooses X or O to play
                                     while
h_choice != 'O' and h_choice != 'X':
                                        try:
       print(")
       h_choice = input('Choose X or O\nChosen: ').upper()
except (EOFError, KeyboardInterrupt):
       print('Bye')
                          exit()
except (KeyError, ValueError):
       print('Bad choice')
  # Setting computer's choice
if h choice == 'X':
c_choice = 'O' else:
    c choice = 'X'
  # Human may starts first
```

```
clean()
            while first != 'Y' and
first != 'N':
                try:
       first = input('First to start?[y/n]: ').upper()
except (EOFError, KeyboardInterrupt):
print('Bye')
                  exit()
                             except (KeyError,
ValueError):
       print('Bad choice')
  # Main loop of this game
                              while len(empty\_cells(board)) > 0
and not game_over(board):
                                if first == 'N':
       ai turn(c choice, h choice)
       first = "
    human_turn(c_choice, h_choice)
ai_turn(c_choice, h_choice)
  if wins(board, HUMAN):
    clean()
    print(f'Human turn [{h_choice}]')
render(board,
               c choice,
                             h choice)
print('YOU WIN!')
                       elif wins(board,
COMP):
    clean()
    print(f'Computer turn [{c_choice}]')
render(board,
                 c choice,
                               h choice)
print('YOU LOSE!')
                      else:
    clean()
    render(board, c_choice, h_choice)
print('DRAW!')
  exit() if __name_
' main ':
  main()
```

## **OUTPUT:**

**RESULT:** Thus the above python code is executed successfully and output is verified.