


Classroom Activities  
Math 1113 - Precalculus

University of Georgia  
Department of Mathematics

Copyright (C) 2017-2018 Toyin Alli and Kelly Black University of Georgia Department of Mathematics

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".



# Contents

<b>1</b>	<b>Functions and Preliminaries</b>	<b>7</b>
1.1	Worksheet 1.1 . . . . .	9
1.2	Worksheet 1.3 . . . . .	15
1.3	Worksheet 1.4 . . . . .	21
1.4	Worksheet 1.5 . . . . .	27
1.5	Worksheet 1.6A . . . . .	33
1.6	Worksheet 1.6B . . . . .	43
1.7	Worksheet 1.7 . . . . .	53
1.8	Worksheet 1.8 . . . . .	61
1.9	Worksheet 2.1A . . . . .	67
1.10	Worksheet 2.1B . . . . .	75
1.11	Worksheet Problem Solving . . . . .	81
<b>2</b>	<b>Exponential and Logarithmic Functions</b>	<b>85</b>
2.1	Worksheet 3.1 . . . . .	89
2.2	Worksheet 3.2 . . . . .	95
2.2.1	Exponential Functions . . . . .	95
2.2.2	Solving Exponential Equations . . . . .	96
2.2.3	Compound Interest . . . . .	97
2.2.4	Laws of Exponents . . . . .	98
2.3	Worksheet 3.3 . . . . .	101
2.4	Worksheet 3.4 . . . . .	109
2.5	Worksheet 3.2-3.4 Review . . . . .	113
2.6	Worksheet 3.5A . . . . .	121
2.7	Worksheet 3.5B . . . . .	129
2.8	Worksheet 3.6 . . . . .	137
<b>3</b>	<b>Angle Measurement</b>	<b>143</b>
3.1	Worksheet 4.1 . . . . .	147
3.2	Worksheet 4.2A . . . . .	155
3.3	Worksheet 4.2B . . . . .	161
<b>4</b>	<b>Trigonometric Functions</b>	<b>167</b>
4.1	Worksheet 4.3 . . . . .	171
4.2	Worksheet 4.4 . . . . .	177

4.3	Worksheet 4.1-4.4 Review . . . . .	181
4.4	Worksheet 4.5A . . . . .	189
4.5	Worksheet 4.5B . . . . .	195
4.6	Worksheet 4.7A . . . . .	203
4.7	Worksheet 4.7B . . . . .	209
4.8	Worksheet 5.1 . . . . .	215
4.9	Worksheet 5.2 . . . . .	223
<b>5</b>	<b>GNU Free Documentation License</b>	<b>229</b>




Figure 1: Broad overview of the topics for the full course.



# Chapter 1

## Functions and Preliminaries




Figure 1.1: Topics for the first section of the course.






**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. The points  $ABC$  form a triangle.

(a) Plot  $A(-1, 2)$ ,  $B(3, 0)$ ,  $C(4, 2)$ , and draw the triangle on the graph below.



(b) Find the perimeter of the triangle.

(c) Is the triangle a right triangle? Show work to support your answer.

2. Find the  $x$  and  $y$  intercepts of the following equations.

(a)  $x^2 + y = 9$

(b)  $y = |x + 4| - 3$

3. Use the given problem solving process below to determine all points lying on the  $y$ -axis that are 5 units away from the point  $(4, -2)$ . As a group, write your complete solution on the board.

**Problem Solving Process**

- (a) Re-read the problem.
- (b) Determine what the problem is asking for along with the format of that answer.
- (c) Circle/Underline the important components of the problem.
- (d) Determine the topics/concepts being assessed.
- (e) Write down relevant formulas, definitions, and equations.
- (f) Discuss your ideas with your group.
- (g) Solve the problem and verify that your solution answers the question in the correct format.

4. Use the following parts to find all points on the line  $y = 2x$  that are 5 units away from  $P(-1, 3)$ .
- (a) Find the points  $(x, y)$  on the line  $y = 2x$  for  $x = 1, -2$ , and  $5$ .
- (b) What if we didn't know the value of  $x$ ? Write an ordered pair formula that works for every point on the line  $y = 2x$ ?
- (c) Use part (b) to find all points on the line  $y = 2x$  that are 5 units away from  $P(-1, 3)$ .

Watch the Pre-Class videos for Section 1.3 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

<b>Actor <math>x</math></b>	<b>Number of Oscar Nominations <math>y</math></b>
Tom Hanks	5
Jack Nicholson	12
Sean Penn	5
Dustin Hoffman	7

1. Use the relation given in the table above to answer the following.

(a) Write a set of ordered pairs  $(x, y)$  that defines the relation.

(b) Write the domain of the relation.

(c) Write the range of the relation.

(d) Determine if the relation defines  $y$  as a function of  $x$ .

2. Given  $f(x) = x^2 + 3x$  and  $g(x) = \frac{1}{x}$ , evaluate the function at the given value of  $x$ .

(a)  $f(-2) =$

(b)  $g(-\frac{1}{2}) =$

3. Write the domain of the function in interval notation.

(a)  $f(x) = \frac{x-3}{x-4}$

(b)  $g(x) = \sqrt{x+9}$

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Consider the relation that is defined by taking an object on your desk and assigning to it its color. For example, if there is a hat on your desk that is green and blue, we would write

$$f(\text{hat}) = \{\text{green, blue}\}.$$

If there is a pen on your desk that is red, we would write

$$f(\text{pen}) = \text{red}.$$

- (a) List at least three items on your desk and come up with your own relation of this sort. (You can use imaginary items, if you need to.)

- (b) What is the domain and range of your relation?

- (c) Is your relation a function? Why or why not?


2. Answer True or False. In either case, verify your answer.

- (a)  $x = -\frac{1}{3}$  is in the domain of  $f(x) = \frac{x-2}{3x+1}$ .


- (b)  $x = -3$  is in the domain of  $f(x) = \sqrt{x+3}$ .

- (c)  $x = -4$  is in the domain of  $f(x) = \sqrt{x+3}$ .

3. Determine the domain and range for each of the following functions. Give your answer in interval notation.



(b)





4. Determine the domain of each of the following functions. Give your answer in interval notation.

(a)  $g(x) = x^2$

(b)  $f(x) = \sqrt{3x - 7}$

(c)  $h(x) = \frac{5}{x^2 - 25}$

(d)  $f(x) = \sqrt{x^2 - 4x + 3}$

(e)  $g(x) = \frac{\sqrt{x^2 - 4x + 3}}{x^3 + 8}$

1. Determine a *point-slope* equation for a line through  $(-5, 2)$  and  $(6, -3)$ .

2. Write the *slope-intercept* equation for a line through the point  $(2, 3)$  that is perpendicular to the line  $2x + 4y - 7 = 0$ .

3. Given the function defined  $f(x) = x^2 + 3$ , determine the average rate of change of  $f(x)$  from  $x_1 = 2$  to  $x_2 = 4$ .


20 Name:

*Preclass Work - Finish Before Class Begins*

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Let  $f(x)$  be a linear function such that  $f(2) = \frac{7}{3}$  and the graph of  $f(x)$  is parallel to the line  $2x + 3y + 4 = 0$ .
  - (a) Determine  $f(x)$  and write your final answer in *slope-intercept* form. (Leave fractions in your answer, no decimals.)

- (b) Graph  $f(x)$  and  $2x + 3y + 4 = 0$  on the rectangular coordinate system below.



- (c) Determine the domain and range of  $f(x)$ .


2. Determine whether the lines  $y = 2x + 3$  and  $x - 3y - 5 = 0$  are parallel, perpendicular, or neither.

3. Determine an equation of the *vertical* line which passes through the point  $(-2, 3)$ . Then determine an equation of the *horizontal* line through  $(-2, 3)$ .

4. Consider the function  $f(x) = x^2 - 3x + 2$ .

(a) Algebraically determine the average rate of change of  $f(x) = x^2 - 3x + 2$  between  $x_1 = 1$  and  $x_2 = 3$ .

(b) The graph of  $f(x) = x^2 - 3x + 2$  is given below. Draw a line between the points  $(1, f(1))$  and  $(3, f(3))$ .



(c) Find the slope of the line between the points  $(1, f(1))$  and  $(3, f(3))$  on  $f(x) = x^2 - 3x + 2$ .

(d) What do you notice about the slope of the line between the points  $(1, f(1))$  and  $(3, f(3))$  on  $f(x) = x^2 - 3x + 2$  and the average rate of change of  $f(x) = x^2 - 3x + 2$  between  $x_1 = 1$  and  $x_2 = 3$ .

5. Consider the line  $x + 2y = 3$ .

(a) Find the  $x$  and  $y$  intercepts of the line.

(b) Determine the distance between the  $x$ -intercept and the  $y$ -intercept.

(c) Find the slope of the line  $x + 2y = 3$ .



Watch the Pre-Class videos for Section 1.5 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. A sales person makes a base salary of \$350 per week plus 15% commission on sales.

- (a) Write a linear function to model the sales person's weekly salary  $S(x)$  for  $x$  dollars in sales.

- (b) Evaluate  $S(700)$  and interpret the meaning in the context of this problem.

2. A town's population has been growing linearly. In 2004 the population was 6,200. By 2009 the population had grown to 8,100. Assume this trend continues.

- (a) Use the points  $(0, 6200)$  and  $(5, 8100)$  to write a linear model for this data.

- (b) Interpret the meaning of the slope in this context.

26 Name:

*Preclass Work - Finish Before Class Begins*

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. A small business makes cookies and sells them at the farmer's market. The fixed monthly cost for use of a Health Department-approved kitchen and rental space at the farmer's market is \$790. The cost of labor, taxes, and ingredients for the cookies amounts to \$0.24 per cookie, and the cookies sell for \$6.00 per dozen.
  - (a) Write a linear cost function representing the cost  $C(x)$  to produce  $x$  dozen cookies per month. Then determine the monthly cost to produce 100 dozen cookies each month.
  - (b) Write a linear revenue function representing the revenue  $R(x)$  for selling  $x$  dozen cookies. Then determine the revenue for for selling 100 dozen cookies.
  - (c) Will the business make a profit or lose money if they sell 100 dozen cookies each month?
  - (d) Write a linear profit function representing the profit  $P(x)$  for producing and selling  $x$  dozen cookies in a month. (Profit is revenue minus cost.)
  - (e) Determine the least number of cookies (in dozens) that must be produced and sold for a monthly profit. Your answer should be an appropriate whole number.
  - (f) If 150 dozen cookies are sold in a given month, how much money will the business make or lose?

2. The boiling point of water is  $212^{\circ}$  Fahrenheit and  $100^{\circ}$  Celsius. The freezing point of water is  $32^{\circ}$  Fahrenheit and  $0^{\circ}$  Celsius. Fahrenheit and Celsius are linearly related.

(a) Determine a function that will tell you the temperature in degrees Celsius if you already know the temperature in degrees Fahrenheit.

(b) If it is  $83^{\circ}$  Fahrenheit, determine the temperature in degrees Celsius.

3. A car has a 15-gal tank for gasoline and gets 30 mpg on a highway while driving 60 mph. Suppose that the driver starts a trip with a full tank of gas and travels 450 mi on the highway at an average speed of 60 mph.

(a) Write a linear model representing the amount of gas  $G(t)$  left in the tank  $t$  hours into the trip.

(b) Evaluate  $G(4.5)$  and interpret the meaning in the context of the problem.

4. The table gives the number of calories and the amount of cholesterol for selected fast food hamburgers.

Hamburger Calories	Cholesterol (mg)
220	35
420	50
460	50
480	60
560	70
590	105
610	65
680	80
720	90


- (a) Use the data points (480,60) and (720,90) to write a linear function that defines the amount of cholesterol  $c(x)$  as a linear function of the number of calories  $x$ .
- (b) Interpret the meaning of the slope in the context of this problem.
- (c) Use the model from part (a) to predict the amount of cholesterol for a hamburger with 650 calories.



Watch the Pre-Class videos for Section 1.6 Day 1 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. For this problem, let  $f(x) = |x|$ .


(a) Graph  $f(x) = |x|$ . Then determine the domain and range of  $f(x)$ .



(b) Graph and label  $f(x+2)$  on the coordinate system above. Then determine the domain and range of  $f(x+2)$ .

2. For this problem, let  $f(x) = \sqrt{x}$ .

(a) Graph  $f(x) = \sqrt{x}$ . Then determine the domain and range of  $f(x)$ .




(b) Graph and label  $f(x) - 3$  on the coordinate system above. Then determine the domain and range of  $f(x) - 3$ .




**Instructions:** Work together in groups of 3 or 4 to complete the following problems. You may be asked to share some of your solutions on the board.

1. Graph the given function and determine how many points need to be plotted to understand the shape of the graph.


(a)  $f(x) = -3$ , Number of points necessary to plot: \_\_\_\_\_




(b)  $f(x) = x$ , Number of points necessary to plot: \_\_\_\_\_




(c)  $f(x) = x^2$ , Number of points necessary to plot: \_\_\_\_\_




(d)  $f(x) = x^3$ , Number of points necessary to plot: \_\_\_\_\_




(e)  $f(x) = \sqrt{x}$ , Number of points necessary to plot: \_\_\_\_\_




(f)  $f(x) = \sqrt[3]{x}$ , Number of points necessary to plot: \_\_\_\_\_



(g)  $f(x) = |x|$ , Number of points necessary to plot: \_\_\_\_\_




(h)  $f(x) = \frac{1}{x}$ , Number of points necessary to plot: \_\_\_\_\_



2. For this problem, let  $f(x) = x^3$ .

(a) Graph  $f(x) = x^3$ . Then determine the domain and range of  $f(x)$ .




(b) Use part (a) to graph  $g(x) = x^3 + 2$  above. Then determine the domain and range of  $g(x)$ .

(c) Use part (a) to graph  $h(x) = (x - 2)^3$  above. Then determine the domain and range of  $h(x)$ .

(d) Use part (a) to graph  $j(x) = (x - 2)^3 + 2$  above. Then determine the domain and range of  $j(x)$ .

3. For this problem, let  $f(x) = \sqrt{x}$ .

(a) Graph  $f(x) = \sqrt{x}$ . Then determine the domain and range of  $f(x)$ .



(b) Use part (a) to graph  $g(x) = \sqrt{x} - 5$  above. Then determine the domain and range of  $g(x)$ .

(c) Use part (a) to graph  $h(x) = \sqrt{x-1}$  above. Then determine the domain and range of  $h(x)$ .

(d) Use part (a) to graph  $j(x) = \sqrt{x-1} - 5$  above. Then determine the domain and range of  $j(x)$ .

4. In words, explain how the graph of  $f(x) = |x - 4| + 37$  is different from the graph of  $g(x) = |x|$ .
5. Write an equation for the function that has been transformed.
- (a)  $f(x)$  looks like  $g(x) = x^2$  after it has been transformed by shifting 3 units to the right and 4 units up. Write the equation of  $f(x)$ .
- (b)  $f(x)$  looks like  $g(x) = \sqrt{x}$  after it has been transformed by shifting 5 units to the left and 1 unit down. Write the equation of  $f(x)$ .
- (c)  $f(x)$  looks like  $g(x) = \frac{1}{x}$  after it has been transformed by shifting 2 units to the left and 5 units up. Write the equation of  $f(x)$ .
6. If the point  $(-2, 5)$  is on the graph of  $y = f(x)$ , find the corresponding point on the graph of  $y = f(x + 2) - 4$ .

7. Determine the domains and ranges of  $f(x) = \sqrt{x}$ ,  $g(x) = \sqrt{x+5}$ , and  $h(x) = \sqrt{x} - 7$ .

8. Determine the domains and ranges of  $f(x) = x^2$ ,  $g(x) = (x-3)^2$ , and  $h(x) = x^2 - 4$ .


9. Determine the domains and ranges of  $f(x) = \frac{1}{x}$ ,  $g(x) = \frac{1}{x+2}$ , and  $h(x) = \frac{1}{x} - 2$ .



Watch the Pre-Class videos for Section 1.6B and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. For this problem, let  $f(x) = \sqrt{x}$ .

(a) Graph  $f(x) = \sqrt{x}$ . Then determine the domain and range of  $f(x)$ .




(b) Graph and label  $-f(x)$  on the coordinate system above. Then determine the domain and range of  $-f(x)$ .

(c) Graph and label  $f(-x)$  on the coordinate system above. Then determine the domain and range of  $f(-x)$ .

2. For this problem, let  $f(x) = x^3$ .

(a) Graph  $f(x) = x^3$ . Then determine the domain and range of  $f(x)$ .



(b) Graph and label  $2f(x)$  on the coordinate system above. Then determine the domain and range of  $2f(x)$ .

(c) Graph and label  $f(2x)$  on the coordinate system above. Then determine the domain and range of  $f(2x)$ .

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.


1. Use the graph of  $y = f(x)$  below to graph the given functions.

(a)  $y = \frac{1}{3}f(x)$

(b)  $y = 3f(x)$

(c)  $y = f(2x)$

(d)  $y = f\left(\frac{1}{2}x\right)$




2. Use the graph of  $y = f(x)$  below to graph the given functions.

(a)  $y = -f(x)$

(b)  $y = f(-x)$


(c)  $y = -f(-x)$



3. Identify and sketch the *parent* function of each of the following functions. Then use the transformation rules to sketch their graphs.


(a)  $f(x) = \sqrt{2x + 4} - 1$ ,

parent function:




(b)  $g(x) = (-x + 1)^3$ ,

parent function:




(c)  $h(x) = \sqrt[3]{8x} - 2$ ,

parent function:



(d)  $k(x) = 3 - \frac{1}{(x+2)}$ ,

parent function:



4. Write a function  $f(x)$  based on the given parent function and transformations in the given order.

(a)  $g(x) = x^2$

- i. Shift 4 units to the left.
- ii. Reflect across the  $y$ -axis.
- iii. Shift upward 2 units.

(b)  $g(x) = \sqrt{x}$

- i. Shift 1 unit to the left.
- ii. Stretch horizontally by a factor of 4.
- iii. Reflect across the  $x$ -axis.

(c)  $g(x) = \frac{1}{x}$


- i. Stretch vertically by a factor of 2.
- ii. Reflect across the  $x$ -axis.
- iii. Shift downward 3 units.

(d)  $g(x) = |x|$


- i. Shift 3 units to the right.
- ii. Shrink horizontally by a factor of  $\frac{1}{3}$ .
- iii. Reflect across the  $y$ -axis.

5. Use transformations on the basic parent functions to write an equation  $y = f(x)$  that would produce the given graph.

(a)



(b)





6. In words, explain how the graph of  $f(x) = -\frac{1}{2}(x-4)^2 + 3$  is different from the graph of  $g(x) = x^2$ . (Note: List the transformations in the correct order.)

7. If the point  $(-2, 5)$  is on the graph of  $y = f(x)$ , find the corresponding point on the graph of  $y = -3f(7x) - 4$



Watch the Pre-Class videos for Section 1.7 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Determine whether the function  $f$  is even, odd, or neither.

$$f(x) = 4x^3 - x$$

2. Evaluate the function for the given values of  $x$ .

$$f(x) = \begin{cases} x + 3 & \text{for } x < -1 \\ x^2 & \text{for } -1 \leq x < 2 \end{cases}$$

(a)  $f(-2) =$


(b)  $f(-1) =$

(c)  $f(0) =$

(d)  $f(-5) =$

3. Graph the piece-wise defined function.

$$f(x) = \begin{cases} 2 & \text{for } x \leq -1 \\ 2x & \text{for } x > -1 \end{cases}$$




**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Graph each of the following piecewise functions.


(a)

$$f(x) = \begin{cases} x + 5 & \text{if } x < -2 \\ -4 & \text{if } x \geq -2 \end{cases}$$




(b)

$$f(x) = \begin{cases} 2x + 1 & \text{if } x < 1 \\ -2x + 3 & \text{if } x \geq 1 \end{cases}$$



(c)

$$f(x) = \begin{cases} 5 & \text{if } x < -2 \\ \frac{1}{2} & \text{if } -2 \leq x \leq 6 \\ -2x + 10 & \text{if } x > 6 \end{cases}$$



2. Evaluate the piecewise function for the given values of  $x$ .

(a)

$$f(x) = \begin{cases} x + 5 & \text{if } x < -2 \\ -4 & \text{if } x \geq 2 \end{cases}$$

$f(3) =$

$f(-4) =$

$f(-2) =$

(b)

$$f(x) = \begin{cases} x - 1 & \text{if } x < -2 \\ 2x - 1 & \text{if } -2 < x \leq 4 \\ -3x + 8 & \text{if } x > 4 \end{cases}$$

$f(-1) =$

$f(-4) =$

$f(5) =$


3. Determine if the function is even, odd, or neither.

(a)  $f(x) = 4x^2 - 3|x|$

(b)  $f(x) = 4x^3 - 2x$

(c)  $f(x) = 4x^2 + 2x - 3$

4. Part of the graph of  $f(x)$  is shown below. The graph for positive values of  $x$  is shown while the portion of the graph for negative values of  $x$  is missing.



- (a) Sketch the portion of the graph that is missing given that  $f(x)$  is an even function.
- (b) Using your finished graph from part (a), determine the domain and range of the function  $f(x)$ . Give your answers in interval notation.

Domain:


Range:

- (c) Find the average rate of change of  $f(x)$  on the interval  $[1, 4]$ .




5. For each of the following graphs, give equations determining the piecewise function.

(a)




(b)




6. Determine whether or not the following graphs display odd symmetry, even symmetry, or neither.


(a)




(c)



(b)



(d)



7. Write the function  $f(x) = |x|$  as a piecewise defined function with two linear function pieces.

Watch the Pre-Class videos for Section 1.8 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Find the following values for the functions  $f(x) = |x - 3|$ ,  $g(x) = x^3$ ,  $h(x) = \sqrt{x + 1}$ .

(a)  $(f + g)(2) =$

(b)  $\frac{h}{f}(8) =$

(c)  $g(h(3)) =$

(d)  $g(f(8)) =$

2. Use  $f(x) = x^2 + 1$  and  $g(x) = x + 5$  to determine  $f(g(x))$  and the domain of  $f(g(x))$ .

3. Given  $f(x) = 7x + 2$ . Find the difference quotient,  $\frac{f(x+h) - f(x)}{h}$ .

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Given  $f(x) = 5x^2 + 2x - 3$  and  $g(x) = x + 3$ .

(a) Find  $(f \circ g)(x)$ .

(b) Find  $(g \circ f)(x)$ .

(c) Find  $(f \circ g)(1)$ .

(d) Find  $(g \circ f)(1)$ .

2. Given  $f(x) = x^2$  and  $g(x) = \sqrt{x}$ .

(a) Determine the domains of  $f(x)$  and  $g(x)$ .

(b) Find  $(f \circ g)(x)$  and simplify completely.


(c) Determine the domain of  $(f \circ g)(x)$ . Keep in mind that the domain of a function is the collection of  $x$ -values that can be plugged into the function.

(d) Find  $(g \circ f)(x)$  and simplify completely.

(e) Determine the domain of  $(g \circ f)(x)$ .

(f) What do you notice about  $(f \circ g)(x)$  and  $(g \circ f)(x)$ ? What do you notice about their domains? Does the domain of the inside function affect the domain of function composition?

3. Let  $f(x) = x^2 - 1$ ,  $g(x)$  be given by the graph below, and  $h(x)$  be given by the table below.



$x$	$h(x)$
-3	2
0	4
1	5
3	-6

- (a) Determine the  $(f \circ g)(4)$ .
- (b) Determine the  $(g \circ h)(-3)$ .
- (c) Determine the  $(h \circ f)(1)$ .
- (d) Determine the  $(g \circ f)(2)$ .

4. Given  $f(x) = 4x - 9$  and  $g(x) = \sqrt{x + 6}$

(a) Find  $\left(\frac{f}{g}\right)(x)$  and determine its domain.

(b) Find  $\left(\frac{g}{f}\right)(x)$  and determine its domain.

5. Given  $f(x) = 2x^2 - 5x + 1$ . Find the difference quotient,  $\frac{f(x+h) - f(x)}{h}$ .




Watch the Pre-Class videos for Section 2.1A and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Given  $f(x) = 4(x + 2)^2 - 4$ .

(a) Identify the vertex.

(b) Determine the  $x$ -intercept(s).

(c) Sketch the function  $f(x)$ .



(d) Determine an equation for the axis of symmetry.

2. Complete the square and use that work to find the vertex of the graph of the quadratic function.

$$y = 5x^2 - 30x + 49$$

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Given  $f(x) = (x + 2)^2 - 1$ .


(a) Determine whether the graph of the parabola opens upward or downward.

(b) Identify the vertex.

(c) Determine the  $x$ -intercept(s).

(d) Determine the  $y$ -intercept.

(e) Sketch the function.



(f) Determine the axis of symmetry.

2. Find the quadratic function with the given vertex and point. Put your answer in standard (vertex) form.

(a) Vertex  $(0, 0)$  passing through  $(-2, 8)$ .

(b) Vertex  $(2, 0)$  passing through  $(1, 3)$ .

(c) Vertex  $(2, 5)$  passing through  $(3, 7)$ .

(d) Vertex  $(-3, 4)$  passing through  $(0, 0)$ .

3. In each problem below, complete the square and then use that work to find the vertex of the graph of the quadratic function.

(a)  $y = x^2 + 4x$


(b)  $y = x^2 - 2x + 2$

(c)  $y = 6x - 10 - x^2$


(d)  $y = -2x^2 + 16x - 29$

4. Find the equation for the parabolas below. Put your answers in standard form.


(a)  $y =$



(b)  $y =$



(c)  $y =$



5. Solve the following equations.

(a)  $x^2 - 10x + 8 = 0$

(b)  $3x^2 + 6x = 4$

(c)  $x - 3 = \sqrt{1 + 2x^2}$





Watch the Pre-Class videos for Section 2.1B and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. You have a 500 foot roll of fencing and a large field. You want to construct a rectangular playground area. What are the dimensions of the largest such playground? What is the largest area?
  - (a) Draw a picture of the rectangular playground and label the side lengths using your own variables.
  - (b) Using your variables, write an equation that represents the area of the playground.
  - (c) Your previous answer should have two variables. Use 500 to represent the perimeter of the the playground and solve for one of your variables. (Note: all four sides of the rectangle will be used.)
  - (d) Rewrite your area equation in terms of only one variable and simplify. The result should be a quadratic function.

(e) To determine the maximum area possible for the playground, what part of the parabola do you need to locate?

(f) Find that part of the parabola (from your previous answer).

(g) What is the largest area the playground could be?


(h) What are the dimensions of that playground?

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. An object is thrown upward. The height,  $h$ , in feet, at time  $t$ , in seconds, is given by the formula  $h(t) = -16t^2 + 96t$ .
  - (a) Determine the number of seconds required for it to hit the ground.
  - (b) Determine the maximum height of the object.
  - (c) Determine the time required for the object to reach a height of 50 feet on its way up.

2. Farmer Ed has 700 feet of fencing to enclose a rectangular plot that borders on a river. If farmer Ed does not fence the side along the river, find the length and width of the plot that will maximize the area. What is the largest area that can be enclosed? Include units of measurement in your answer.

3. A farmer wants to build a rectangular pen along a straight river. She wants to divide the pen into 5 equal rectangular pieces as shown in the picture. What is the largest area she can enclose with 3,000 feet of fencing?



4. A diver jumps vertically off a diving board at time  $t = 0$ . The diver's height  $h$  above the water (in feet),  $t$  seconds later is given by the formula  $h(t) = -16t^2 + 6t + 5$ .
- (a) Determine the number of seconds  $t$  required for the diver to reach the water ( $h = 0$ )
  - (b) How many seconds after jumping is the diver at her maximum height above the water?
  - (c) Determine the height of the diving board above the water.

5. A rectangle is drawn in the first quadrant with two sides on the coordinate axes and the corner opposite the origin on the line  $y = -2x + 3$ . Answer the following:

- (a) Write the area of the rectangle as a function of  $x$ .
- (b) For all first quadrant points on the given line, determine the maximum area enclosed by the rectangle.

6. Farmer Brown has 400 yards of fencing with which to build a rectangular corral. He wants to divide it evenly into three pens, so he adds in two divider fences, as shown below. Answer the following:



- (a) Write the area of the corral as a function of  $x$ :
- (b) Determine the maximum area enclosed by the corral.

7. We form two shapes using 28 inches of string. One shape is a square with sides of length  $z$ . The other is a rectangle with width  $x$  and height  $3x$ .

(a) Draw a picture showing these two shapes, with their sides labeled, **and** write a formula for the combined area  $A$  of the two shapes. (Your formula should use both  $x$  and  $z$  in it.)

(b) We only have a small surface to work with. Determine the dimensions of each shape that will minimize the combined area of both shapes together.





**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. The value of a newly purchased equipment is a linear function of time. A company purchases a piece of equipment for \$40,000. After 5 years, the equipment loses 15% of its value. Answer the following:
  - (a) Determine the value of the equipment after 5 years.
  - (b) Express the value  $V$  (in dollars) of the equipment as a function of time  $t$  (in years) since purchase.
  - (c) Determine the total time (in years) it will take for the machine to be worth 45% of its original value.
  
2. Give the coordinates of all of the points that lie on *both* the parabola  $y = x^2 + 1$  *and* the line  $y = 2x + 4$ . Use the following steps to answer the question.
  - (a) How can one describe an arbitrary point on the line  $y = 2x + 4$  as an ordered pair?
  - (b) How can one describe an arbitrary point on the line  $y = x^2 + 1$  as an ordered pair?
  - (c) How do these descriptions help you find the intersection.

3. You have 50 cm of wire, and you have to use part of this wire to make a rectangle that's twice as long as it is wide, and the rest of the wire (if there is any left) to make a square. What should the dimensions of the shapes be if you want the total area to be as small as possible?


4. Find the point  $(x, y)$  lying on the parabola  $y = x^2 + 2x + 1$  so that the average rate of change on the interval between  $x$  and 2 is zero.

5. On the coordinate axes below, draw a function whose domain is

$$[-2, 1] \cup (2, 3] \cup \{5\}$$

and whose range is

$$[-6, -4] \cup [-1, 1] \cup \{2\} \cup (3, 4].$$



6. Find the point  $P$  on the graph of  $\sqrt{x}$  such that the line through  $P$  and  $(1, 1)$  has slope  $\frac{4}{7}$ .
7. A business forms a model of its widget sales via a pricing function  $p(x) = 400 - \frac{70}{8}x$ . Here,  $x$  is the number of widgets sold and  $p(x)$  is the sales price in dollars per widget.
- (a) Find the revenue function  $R(x)$  for this business (revenue is total sales).
  - (b) Find the number  $x$  sold that will maximize revenue. (This will be an unrealistic fraction, but do not round.)
  - (c) What is the maximum revenue?
  - (d) What is the price  $p(x)$  that yields maximum revenue?

# Chapter 2

## Exponential and Logarithmic Functions





Figure 2.1: Topics for the second section of the course.



Watch the Pre-Class videos for Section 3.1 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Determine if  $f(x) = -4x + 1$  is one-to-one both algebraically and graphically.

(a) Graph  $f(x) = -4x + 1$  and use the graph to determine if  $f(x)$  is one-to-one.



(b) Algebraically determine if  $f(x) = -4x + 1$  is one-to-one.

2. Let  $f(x) = 5x + 4$  and  $g(x) = \frac{x - 4}{5}$ .

Use the theorem on inverse functions (function composition) to determine whether  $f$  and  $g$  are inverses. Show every step.

3. (1 point) Find the inverse function of  $f(x) = \frac{8 - x}{3}$ .



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Choose 3 of the following functions for your group to work with. You must choose  $x^2$  and two other functions.

$$f(x) = x \quad g(x) = x^2 \quad h(x) = x^3 \quad j(x) = \frac{1}{x} \quad m(x) = \sqrt{x} \quad p(x) = \sqrt[3]{x}$$



2. Use transformations like shifting, stretching, compressing, and reflecting to transform each of your 3 functions. Write your 3 new functions.

3. For each of the 3 new functions, calculate the domain and range.

4. Determine *algebraically* if each of your functions are one-to-one.
5. For each of your functions that are not one-to-one, make a domain restriction so that the function becomes one-to-one on the new domain.



8. Graph your function and its inverse on the same coordinate axes. Check that they are properly symmetric to each other.




9. Repeat all of the above steps with a fourth, fifth, and even sixth function from the above list.


Watch the Pre-Class videos for Section 3.2 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Graph the following functions.

- (a) Graph  $f(x) = \left(\frac{1}{4}\right)^x$  along with its asymptote. (It is helpful to plot values for  $x = 0, 1, -1$ .)



- (b) Transform part (a) to graph  $g(x) = \left(\frac{1}{4}\right)^{x+3} - 2$  along with its asymptote.



2. Suppose that \$5000 is invested and pays 6.5% per year under the following compounding options. Determine the total amount in the account after 10 years with each option.

(a) Compounded monthly

(b) Compounded continuously

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

### 2.2.1 Exponential Functions

1. Which of the following equations represent exponential functions? Circle the exponential functions.

$$f(x) = 2x+1 \quad g(x) = -4^x \quad h(x) = 1^x \quad j(x) = 3(2)^x \quad m(x) = x^2 \quad p(x) = \left(\frac{3}{10}\right)^{x+3}$$

2. Write two examples of exponential growth functions.

3. Write two examples of exponential decay functions.

4. Fill in the table of values for the function  $f(x) = 3(2)^x$ .

$x$	$f(x)$
-2	
-1	
0	
1	
2	

5. Write a function  $f(x)$  based on the given parent function and transformations in the given order.

(a)  $g(x) = 3^x$

- Shift 4 units to the left.
- Reflect across the  $y$ -axis.
- Shift upward 2 units.

(b)  $g(x) = \left(\frac{1}{3}\right)^x$

- Shift 1 unit to the left.
- Stretch horizontally by a factor of 4.
- Reflect across the  $x$ -axis.

**2.2.2 Solving Exponential Equations** Solving an equation means to find the set of values that can be substituted for the variable, creating a true statement.

**Example.** To solve the equation,  $\sqrt[3]{x} = 3$  we need to undo the operations happening to  $x$ . Remember,  $\sqrt[3]{x} = x^{1/3}$ .

$$\begin{aligned}x^{1/3} &= 3 \\ \left(x^{1/3}\right)^{3/1} &= 3^{3/1} \\ x^1 &= 3^3 \\ x &= 27\end{aligned}$$

6. Use the example above to help you solve the equation  $x^{3/2} = 64$ .

7. Solve the equation  $x^{3/2} = 8$

8. Solve the equation  $5x^{1/7} - 2 = 13$



**2.2.3 Compound Interest** The compound interest formula is given here.

$$A(t) = P \left( 1 + \frac{r}{n} \right)^{nt}$$

9. If \$10,000 is invested at an annual rate of 8%, determine the amount present after 10 years given the following:

(a) Compounded annually

(b) Compounded monthly

(c) Compounded weekly

(d) Compounded daily

(e) Compounded hourly

(f) Compounded every minute

(g) Compounded continuously

**2.2.4 Laws of Exponents**

Laws of Exponents

$$(1) a^m \cdot a^n = a^{m+n} \quad (4) \left(\frac{a}{b}\right)^n = \frac{a^n}{b^n}$$

$$(2) (a^m)^n = a^{mn} \quad (5) \frac{a^m}{a^n} = a^{m-n}$$

$$(3) (ab)^n = a^n b^n \quad (6) \frac{1}{a^n} = a^{-n}$$

10. Simplify the expressions completely (there should only be one instance of each variable and only positive exponents). For each step, identify the rule used to simplify.

(a)  $\left(\frac{x}{y}\right)^{-9} \cdot y^{10}$

(b)  $\frac{x^{8/3}y^{3/5}}{x^2}$

(c)  $\left(\frac{-2x^{-3}}{y^{12}}\right)^{2/5}$

(d)  $(-2x^3y)^5 \left(\frac{x^9}{5y^2}\right)$

Watch the Pre-Class videos for Section 3.3 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Write the following in exponential form.

(a)  $\log_8(1) = 0$

(b)  $\ln(a) = b$

2. Write the following in logarithmic form.


(a)  $7^0 = 1$

(b)  $10^3 = 1000$


3. Determine the domain of  $\log_7(2x + 5)$ . Write your answer in interval notation.

4. Graph the following functions.

- (a) Graph  $f(x) = e^x$  along with its asymptote. (It is helpful to plot values for  $x = 0, 1, -1$ .)



- (b) Use part (a) to graph  $g(x) = \ln(x)$  along with its asymptote.



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Write the following in exponential form.

$$\log_3(x) = 9$$

$$\log_2(8) = x$$

$$\log_2(y) = 5$$

$$\log_5(y) = 2$$

2. Write the following in logarithmic form.

$$y = 3^4$$

$$m = 4^2$$

$$64 = 4^x$$

$$32 = x^5$$

3. Solve the following by first rewriting the equation in exponential form.

(a)  $\log_3(x) = 4$

(b)  $\log_m(81) = 4$

(c)  $\log_2\left(\frac{x}{2}\right) = 5$

(d)  $\log_2(4x) = 5$

4. Determine the inverse of the following functions. (Hint: you will need to rewrite in logarithmic or exponential form after switching  $x$  and  $y$ .) Then determine the domain and range of the function and its inverse.

(a)  $f(x) = \log_3(x)$

$f^{-1}(x) =$

Domain of  $f(x)$ :

Range of  $f(x)$ :

Domain of  $f^{-1}(x)$ :

Range of  $f^{-1}(x)$ :

(b)  $f(x) = \log_5(x + 3)$

$f^{-1}(x) =$

Domain of  $f(x)$ :

Range of  $f(x)$ :

Domain of  $f^{-1}(x)$ :

Range of  $f^{-1}(x)$ :

(c)  $f(x) = \ln(7x - 4)$

$f^{-1}(x) =$

Domain of  $f(x)$ :

Range of  $f(x)$ :

Domain of  $f^{-1}(x)$ :

Range of  $f^{-1}(x)$ :

(d)  $f(x) = 4^{x+3}$

$f^{-1}(x) =$

Domain of  $f(x)$ :Range of  $f(x)$ :Domain of  $f^{-1}(x)$ :Range of  $f^{-1}(x)$ :

(e)  $f(x) = e^{3x}$



$f^{-1}(x) =$

Domain of  $f(x)$ :Range of  $f(x)$ :Domain of  $f^{-1}(x)$ :Range of  $f^{-1}(x)$ :

5. Graph  $f(x) = 2^x$  and  $f^{-1}(x) = \log_2(x)$  on the rectangular coordinates below and include their asymptotes.


(a)  $f(x) = 2^x$

(b)  $f^{-1}(x) = \log_2(x)$




6. Graph each of the following transformed logarithmic functions.

(a)  $f(x) = \log_2(-x + 3) + 1$




(b)  $f^{-1}(x) = 2\log_3(x + 4) - 1$






(c)  $f(x) = -3\ln(x - 2)$



(d)  $f^{-1}(x) = \log_5(5 - x)$



Since  $f(x) = b^x$  and  $g(x) = \log_b(x)$  are inverses,

$$f(g(x)) = b^{\log_b(x)} = x \qquad g(f(x)) = \log_b(b^x) = x.$$

7. Evaluate the following expressions.

(a)  $\log_{10}(1000) =$

(b)  $\log_3(27) =$

(c)  $\log_4(1) =$

(d)  $\log_2\left(\frac{1}{4}\right) =$

(e)  $3^{\log_3(12)} =$

(f)  $e^{\ln(4)} =$

(g)  $64^{\log_4(2)} =$

Watch the Pre-Class videos for Section 3.4 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Use logarithmic properties to simplify and condense the following into one logarithm.

(a)  $\ln(x) + \ln(y) - \ln(z)$

(b)  $\log_2(x^2) + \frac{1}{2}\log_2(x-1) - 3\log_2((x+3)^2)$

2. Use logarithmic properties to expand each expression.

(a)  $\log_2\left(\frac{x}{y^5}\right)$

(b)  $\ln\left((y^2-16)(y+8)^2\right)$

3. (Use the change of base formula to approximate  $\log_{7.5}(98)$  and round your answer to 4 decimal places. Show all work.

108 Name:

*Preclass Work - Finish Before Class Begins*

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.  
CAUTION: There is NO RULE for breaking down  $\log_a(u + w)$  or  $\log_a(u - w)$ .

1. Let  $M = \log_b(x)$  and  $N = \log_b(y)$ .

(a) Write the given equations in exponential form.

(b) Show that  $xy = b^{M+N}$ .

(c) Write the expression  $xy = b^{M+N}$  in logarithmic form.

(d) Substitute for  $M$  and  $N$ .

(e) What did you just find?

2. Let  $M = \log_b(x)$  and  $N = \log_b(y)$ . Use the process above to show the Quotient Property of Logarithms is true.

$$\log_b\left(\frac{x}{y}\right) = \log_b(x) - \log_b(y)$$

3. Expand the following to express in terms of logarithms of  $x$ ,  $y$ ,  $z$ , or  $w$ .

(a)  $\log_4(xz)$

(b)  $\log_2\left(\frac{x}{y}\right)$

(c)  $\ln\left(\frac{w^2z^3}{y^2\sqrt[5]{x}}\right)$

4. Condense the following to express as a single logarithm.

(a)  $\log_7(4x^5) - \log_7(x^2)$

(b)  $-4\left(\ln(2) - \ln(7)\right) + 5\ln(3)$

(c)  $7\log_8(x) - 3\log_8(2x + 3) + 2\log_8(x - 3)$

5. Rewrite the function without using any logarithms.

(a)  $f(x) = 10 \ln(e^{-7+2x})$

(b)  $f(x) = 3^{\log_3(8) - 5 \log_3(x^2+1)}$

(c)  $f(x) = \log(10^{4x+y} 100^{y-x})$

6. Use the given approximations to approximate the value of the following logarithms.

$$\log_b(2) \approx 0.356$$

$$\log_b(3) \approx 0.565$$

$$\log_b(5) \approx 0.827$$

(a)  $\log_b(15)$

(b)  $\log_b(10)$

(c)  $\log_b(81)$

(d)  $\log_b\left(\frac{15}{2}\right)$

7. For each of the following functions, determine whether or not its graph is shown below.

(a)  $y = 2^x + 3$


(c)  $y = 2^{-x} + 3$

(e)  $y = -\ln(x - 2)$

(b)  $y = \ln(x - 2)$

(d)  $y = e^{-x} - 3$

(f)  $y = -\log_2(x + 3) - 4$



8. Use the change-of-base formula to write  $(\log_2(5))(\log_5(9))$  as a single logarithm.



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Which functions are exponential functions?

$$f(x) = 4.2^x \quad g(x) = x^{4.2} \quad h(x) = 4.2x \quad k(x) = (\sqrt{4.2})^x \quad m(x) = (-4.2)^x$$

2. Consider  $y = 3^x$ . Determine the domain, range, and asymptote for each of the following functions.

(a)  $f(x) = 3^x$

(b)  $g(x) = 3^x + 2$

(c)  $b(x) = 3^{x+2} - 1$

(d)  $h(x) = \left(\frac{1}{3}\right)^x$

3. Alice needs to borrow \$15,000 to buy a car. She can borrow the money at 6.4% compounded monthly for 5 years or she can borrow the money at 6.7% interest compounded continuously for 5 years. Which option is most cost effective for Alice?

4. Determine the domain, range, and asymptote for each of the following functions.

(a)  $f(x) = \log(8 - x)$

(b)  $g(x) = \log_2(x^2 - 16)$


(c)  $h(x) = \ln(x^2 + 14)$

(d)  $m(x) = 3 + \log_4\left(\frac{1}{\sqrt{11 - x}}\right)$

5. Determine the domain of the following function and explain your answer.

$$f(x) = \ln(-6x^2)$$

6. Graph the function  $f(x) = \log_3(x + 2) + 4$  along with its asymptote.



7. Find a logarithmic function of the form  $f(x) = b + \log_a(x + c)$  that has the vertical asymptote  $x = -14$ , passes through the point  $(-13, 2)$  and crosses the  $x$ -axis at  $x = \frac{-685}{49}$ .

8. Simplify the expression without using a calculator.

(a)  $\log_3(9)$

(b)  $\log_2\left(\frac{1}{16}\right)$

(c)  $\log_{1/7}(49)$

9. Simplify the expression without using a calculator.

(a)  $\log_4(4^{11})$

(b)  $5^{\log_5(x+y)}$

(c)  $\log_\pi(1)$

10. Write the logarithm as a sum or difference of logarithms and simplify as much as possible. (Expand the logarithmic expression.)

(a)  $\log_7\left(\frac{1}{7}mn^2\right)$

(b)  $\log_5\left(\frac{p^5}{mn}\right)$

(c)  $\log\left(\frac{10}{\sqrt{a^2 + b^2}}\right)$

(d)  $\ln\left(\sqrt[5]{\frac{e^2}{c^2 + 5}}\right)$

11. Write the logarithmic expression as a single logarithm with coefficient 1, and simplify as much as possible. (Condense the logarithmic expression.)

(a)  $\ln(y) + \ln(4)$

(b)  $\log_3(693) - \log_3(33) - \log_3(7)$

(c)  $3[\ln(x) - \ln(x + 3) - \ln(x - 3)]$

(d)  $15\log(c) - \frac{1}{4}\log(d) - \frac{3}{4}\log(k)$



Watch the Pre-Class videos for Section 3.5A (parts 1-4) and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Solve the following equations. Then check your answers.

(a)  $4^{x+2} = 64$

(b)  $\ln(2x - 3) = \ln(11)$

2. Solve the following equation. Then check your answer.

$$5 + e^{x+1} = 20$$

120 Name:

*Preclass Work - Finish Before Class Begins*

3. Solve the following equation.

$$3^x = 4^{2x-5}$$



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

(1) **Equivalence Property of Exponential Expressions:** If  $b, x$ , and  $y$  are real numbers where  $b > 0, b \neq 1$ . Then

$$b^x = b^y \text{ implies that } x = y.$$

(2) **Equivalence Property of Logarithmic Expressions:** If  $b, x$ , and  $y$  are positive real numbers with

$$\log_b(x) = \log_b(y) \text{ implies that } x = y.$$

(3) **Solving Exponential Equations by Using Logarithms:** Isolate the exponential expression on one side of the equation and take a logarithm of the same base on both sides.

1. We have learned the 3 techniques above to solve exponential and logarithmic equations. For each equation, determine the best technique to use to solve the equation. **Do not solve the equations.**

(a)  $3^x = 81$

(e)  $10^{3+4x} - 8100 = 120,000$

(b)  $\log(x^2 + 6x) = \log(7)$

(f)  $\log_4(3x + 11) = \log_4(3 - x)$

(c)  $11^{3x+1} = \left(\frac{1}{11}\right)^{x-5}$

(g)  $1024 = 19^x + 4$

(d)  $6^x = 87$

(h)  $5^{2x+2} = 625$

2. Solve the following equations using the appropriate techniques. Then check your answers.

(a)  $2^t = 32$

(b)  $\sqrt[3]{5} = 5^x$

(c)  $7^{2p-3} = \left(\frac{1}{49}\right)^{p+1}$

(d)  $100^{3m-5} = 1000^{3-m}$

(e)  $2^x = 70$

(f)  $801 = 23^y + 6$

(g)  $80 = 320e^{-0.5t}$

(h)  $\log_3(12 - x) = \log_3(x + 6)$

(i)  $\ln(w^2 + 7w) = \ln(18)$

**Note:** Sometimes, we need to use other techniques and properties to solve exponential equations. For example, when there are multiple exponential functions, it can be helpful to take  $\ln$  or  $\log$  of both sides.

3. Solve the equations. Then check your answers.

(a)  $3^{6x+5} = 5^{2x}$

(b)  $2^{1-6x} = 7^{3x+4}$

**Note:** You may also notice that an exponential equation has the same form as a quadratic equation. So you may need to substitute to solve the problem like a quadratic equation.

4. Solve the equations. Then check your answers.

(a)  $e^{2x} - 9e^x - 22 = 0$

(b)  $e^{2x} - 6e^x - 16 = 0$

Once you have finished this worksheet, go back and solve the equations from #1.



Watch the Pre-Class videos for Section 3.5B and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Solve the following equations. Then check your answers. Leave your answers as symbolic expressions (no decimals).

(a)  $5 \log_6(7w + 1) = 10$

(b)  $2 \log_8(3y - 5) + 20 = 24$

2. If \$10,000 is invested in an account earning 5.5% interest compounded continuously, determine how long it will take for the money to triple. Round your final answer to the nearest year.



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Solve the equation  $4^{-x+12} = 19$  in three different ways. Note that the form your answer takes will be different depending on the method, but that all answers should agree.

(a) by converting to logarithmic form

(b) by taking  $\log_4$  of both sides

(c) by taking  $\ln$  of both sides

2. Solve the equation  $\log_5(2x + 19) = 8$  in two different ways:

(a) by converting to exponential form

(b) by “exponentiating” both sides with base 5

3. For the equation  $5^{2x-7} = 4^{9x+12}$ , why don’t we want to convert to logarithmic form? Solve the equation in two different ways:

(a) by taking the  $\ln$  of both sides

(b) by taking  $\log_4$  of both sides

The point: You can use *any* log to solve an exponential equation. Some are just more convenient than others. A good candidate is the common log, the natural log, or a log using a “base” in the equation.

4. Solve the logarithmic equation. Then check your answers.

(a)  $6 \log_5(4p - 3) - 2 = 16$

(b)  $\log(q - 6) = 3.5$

(c)  $\log_3(y) + \log_3(y + 6) = 3$

(d)  $\log(x) + \log(x - 7) = \log(x - 15)$

(e)  $\log_3(n - 5) + \log_3(n + 3) = 2$

- If a couple has \$80,000 in a retirement account, how long will it take the money to grow to \$1,000,000 if it grows by 6% compounded continuously? Round to the nearest year.
- A \$2500 bond grows to \$3729.56 in 10 years under continuous compounding. Find the average interest rate. Round to the nearest whole percent.
- An \$8000 investment grows to \$9289.50 at 3% interest compounded quarterly. For how long was the money invested? Round to the nearest year.

8. \$20,000 is invested at 3.5% interest compounded monthly. How long will it take for the investment to triple? Round to the nearest tenth of a year.

9. Use the formula  $\text{pH} = -\log(\text{H}^+)$  to determine the value of  $\text{H}^+$  for the following liquids given their pH values.

(a) Seawater pH: 8.5

(b) Acid rain pH: 2.3

Watch the Pre-Class videos for Section 3.6 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Suppose that \$50,000 from a retirement account is invested in a large cap stock fund. After 20 years, the value is \$194,809.67.

(a) Use the model  $A = Pe^{rt}$  to determine the average rate of return under continuous compounding. (Do not simplify or round your answer.)

(b) Assuming interest continues to accumulate at this average rate, how long will it take the investment to reach \$250,000? Round your final answer to the nearest tenth of a year.

2. A sample from a mummified bull was taken from a pyramid in Dashur, Egypt. The sample shows that 78% of the carbon-14 still remains. How old is the sample? Round to the nearest year. Use the model  $Q(t) = Q_0 e^{-0.000121t}$  for radiocarbon dating.



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Determine which are exponential **decay** functions.

$$f(t) = 5^t \qquad g(t) = 5^{-t} \qquad h(t) = \left(\frac{1}{5}\right)^t \qquad p(t) = \left(\frac{1}{5}\right)^{-t}$$

**NOTE 1:** Half-life is the time it takes for 50% (or half) of a substance to decay.

**NOTE 2:** Leave all of your answers symbolic. (Do not put your final answer in the calculator.)

2. Carlos has taken an initial dose of a prescription medication. The relationship between elapsed time  $t$ , in hours, since he took the first dose, and the amount of medication,  $M(t)$ , in milligrams (mg), in his bloodstream is modeled by the following function.

$$M(t) = 20e^{-0.8t}$$

- (a) How much medication is in Carlos' bloodstream after 3 hours?
- (b) In how many hours will Carlos have 1 mg of medication remaining in his bloodstream?

3. You invest at 3% per annum, compounded continuously. Determine the time  $t$  required for your investment to triple.

4. Money is invested at an interest rate of  $r$  (where  $r$  is a decimal) and is compounded continuously. Express the time required for the money to triple, as a **function of  $r$** .
  
  
  
  
  
  
  
  
  
  
5. The amount of a radioactive compound in a sample decays exponentially ( $P = P_0 e^{kt}$ ). The sample initially contains 50g of the compound, and after three years contains 40g. How long will it take until there is 30g of material?
  - (a) Determine the two points  $(t, P)$  given in the question.
  
  
  
  
  
  
  
  
  
  
  - (b) Use the two points in the given equation to determine the decay constant  $k$ .
  
  
  
  
  
  
  
  
  
  
  - (c) How long will it take until there is 30g of material?
  
  
  
  
  
  
  
  
  
  
  - (d) What is the half-life of the compound?

6. The human population grew exponentially from 1.6 billion people in the year 1900 to 6 billion in the year 2000.

- (a) If the population continues to grow at this rate, what will be the population in 2100?

To simplify calculations, I recommend using the year 1900 at year  $t = 0$ . Round your answer to the nearest tenth of a billion.

- (b) WOW! That is a lot of people!

Suppose the population growth slows to follow the **logistic model**

$$P = \frac{12}{1 + 22.3e^{-0.031t}}$$

where  $P$  is measured in billions of people and  $t$  in years since 1900.

In this model with reduced growth, what will be the population in 2100?

Round your answer to the nearest tenth of a billion.

- (c) Following the exponential growth, the population will continue to grow indefinitely. However the logistic model levels off to a certain maximum population.

What is the maximum (long-term) population of the logistic model?

7. If a certain bacteria population triples in 5 days, determine the time  $t$  (in days) that it takes the population to quadruple.
  
  
  
  
  
  
  
  
  
  
8. 78% of Carbon-14 remains after 2053 years.
  - (a) Determine the decay constant for Carbon-14.
  
  
  
  
  
  
  
  
  
  
  - (b) Determine the half-life of Carbon-14. (Determine how long it takes for half of the Carbon-14 to remain.)
  
  
  
  
  
  
  
  
  
  
  - (c) Determine the age of a piece of wood that has 42% of its Carbon-14 remaining.

9. A pendulum swings back and forth over the ground. Its height above the ground oscillates with an *amplitude that decays exponentially*.

Originally, that amplitude is 2.3 cm. After 2 hours of swinging, the amplitude is 1.9 cm.

Determine how long it will take for the amplitude to be 1% of its original value.

10. A patient has 80 milligrams of a drug administered at 9AM. At noon, there is 20 mg of the drug in his bloodstream. If the amount of drug in the patient's blood decays exponentially, how much of the drug do we expect to be in his bloodstream at 5PM?

11. Radioactive iodine is used in thyroid testing. Its half-life is 8 days. The amount of iodine remaining after  $t$  days is  $A(t) = A_0 b^{-t}$ , where  $A_0$  is the initial amount. Determine  $b$ .
12. Suppose that you have an exponential decay function of the form  $P = P_0 e^{kt}$ , and you know that the points  $(4, 6000)$  and  $(10, 2700)$  are on the graph.
- (a) Determine the decay constant  $k$ .
- (b) Determine the  $P_0$ .

# Chapter 3

## Angle Measurement




Figure 3.1: Topics for the section on angles.





Watch the Pre-Class videos for Section 4.1 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Convert the following angles measured in degrees to radian measure. Your answers must be written as fractions and not rounded decimals.

(a)  $\theta = 60^\circ$

(b)  $\beta = 110^\circ$

2. Find one positive angle and one negative angle that is coterminal to  $\theta = \frac{3}{2}\pi$ .

3. Answer the following questions about a circle that has radius 7 and an angle  $\theta$  that subtends an arc of length 15.

(a) Determine  $\theta$  in radians and degrees.

(b) Determine the area of the circular sector with central angle  $\theta$  found in part (a).

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Find a positive angle less than  $360^\circ$  that is coterminal with the given angle.

(a)  $\theta = 400^\circ$

(b)  $\alpha = -160^\circ$

2. Find a positive angle less than  $2\pi$  that is coterminal with the given angle.

(a)  $\beta = -\frac{\pi}{15}$

(b)  $\phi = \frac{34\pi}{9}$

3. Find the radian measure of the central angle  $\theta$  of a circle of radius  $r = 8$  meters that intercepts an arc of length  $s = 14$  meters.

4. The minute hand of a clock is 3 inches long. How far does the tip of the minute hand move in 45 minutes?
  
  
  
  
  
  
  
  
  
  
5. The minute hand of a clock moves from 12:10 to 12:30.
  - (a) How many degrees does it move during this time?
  
  
  
  
  
  
  
  - (b) How many radians does it move during this time?
  
  
  
  
  
  
  
  - (c) If the minute hand is 10 inches in length, determine the exact distance the tip of the minute hand travels during this time.

6. Find the exact area of the following sectors given the radius of the circle  $r$  and the subtended angle  $\theta$ . Then round the result to the nearest tenth of a unit.


(a)  $r = 6$  m;  $\theta = \frac{5\pi}{3}$

(b)  $r = 1.2$  ft;  $\theta = \frac{\pi}{6}$

(c)  $r = 3$  cm;  $\theta = 120^\circ$

7. You are one member of a group of 8 friends who are going out for pizza. A small pizza has a 6" radius, while a large pizza has 9" radius. Answer the following questions.
- (a) How much pizza will each of you eat if you order two small pizzas? Will you get more of less pizza if you order one large pizza? (Assume everyone eats the same amount and all the pizza is eaten.)
- (b) How many inches of crust will each person eat if you order two smalls? If you order one large will you get more crust?
- (c) Suppose you and your friends want to order one pizza and that you each want to eat 50 square inches worth of pizza. What should the radius of the pizza be?

8. Suppose that the three circles drawn below have radii of length 1, 2, and 3. For each pair of points given below, find the shortest path connecting the points.



- |                      |                      |   |
|----------------------|----------------------|---|
| (a) From (1) to (2). | (c) From (5) to (6). | (e) From (2) to (4),<br>avoiding the center |
| (b) From (3) to (4). | (d) From (3) to (5). |   |





Watch the Pre-Class videos for Section 4.2 A and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Suppose that the real number  $t$  corresponds to the point  $P\left(-\frac{\sqrt{13}}{4}, \frac{\sqrt{3}}{4}\right)$  on the unit circle. Evaluate the six trigonometric functions at  $t$ .

(a)  $\sin(t) =$

(b)  $\cos(t) =$

(c)  $\tan(t) =$

(d)  $\csc(t) =$

(e)  $\sec(t) =$

(f)  $\cot(t) =$

2. Use the coordinates on the unit circle to find the value of each trig function at the indicated real number.

(a)  $\sin\left(\frac{4\pi}{3}\right) =$

(b)  $\csc\left(\frac{4\pi}{3}\right) =$

3. Evaluate the trig functions at the indicated real number.

(a)  $\cos\left(-\frac{\pi}{6}\right) =$

(b)  $\tan\left(-\frac{\pi}{6}\right) =$

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Suppose the real number  $t$  corresponds to the point  $P\left(\frac{\sqrt{5}}{5}, \frac{2\sqrt{5}}{5}\right)$  on the unit circle. (The ray at angle  $t$  intersects the unit circle at  $P$ .) Evaluate the six trigonometric functions of  $t$ .

(a)  $\sin(t) =$

(d)  $\csc(t) =$

(b)  $\cos(t) =$

(e)  $\sec(t) =$

(c)  $\tan(t) =$

(f)  $\cot(t) =$

2. Use  $(x, y)$  coordinates in the unit circle to find the value of each trig function at the indicated real number  $t = \frac{5\pi}{3}$ .

(a)  $\sin\left(\frac{5\pi}{3}\right) =$

(d)  $\csc\left(\frac{5\pi}{3}\right) =$

(b)  $\cos\left(\frac{5\pi}{3}\right) =$

(e)  $\sec\left(\frac{5\pi}{3}\right) =$

(c)  $\tan\left(\frac{5\pi}{3}\right) =$

(f)  $\cot\left(\frac{5\pi}{3}\right) =$

3. Use  $(x, y)$  coordinates in the unit circle to find the value of each trig function at the indicated real number  $t = -\frac{5\pi}{4}$ .

(a)  $\sin(-\frac{5\pi}{4}) =$

(d)  $\csc(-\frac{5\pi}{4}) =$

(b)  $\cos(-\frac{5\pi}{4}) =$

(e)  $\sec(-\frac{5\pi}{4}) =$

(c)  $\tan(-\frac{5\pi}{4}) =$

(f)  $\cot(-\frac{5\pi}{4}) =$

4. Evaluate the trig function.

(a)  $\sin(\frac{3\pi}{4}) =$

(d)  $\cos(\frac{19\pi}{6}) =$

(b)  $\tan(\frac{4\pi}{3}) =$

(e)  $\sec(-\frac{2\pi}{3}) =$

(c)  $\sec(\frac{5\pi}{6}) =$

(f)  $\cot(-\frac{\pi}{4}) =$

5. Given  $\sin(t) = \frac{3}{7}$  and  $\cos(t) = \frac{2\sqrt{10}}{7}$ , use reciprocal and quotient identities to find the values of the other trigonometric functions of  $t$ .
6. (a) Use the unit circle to evaluate  $\cos\left(\frac{3\pi}{2}\right)$ .
- (b) Evaluate  $\tan\left(\frac{3\pi}{2}\right)$ .
- (c) Are there any other trigonometric functions that are undefined at  $t = \frac{3\pi}{2}$ ?
- (d) Determine another value for  $t$  where  $\tan(t)$  and  $\sec(t)$  are undefined.
7. For each trigonometric function, determine for which angles the function is undefined.

8. Use the unit circle to determine the following.

(a) Determine two values of  $t$  for which  $\csc(t)$  is undefined.

(b) Determine two values of  $t$  for which  $\cos(t) = -\frac{\sqrt{2}}{2}$ .

(c) Determine two values of  $t$  for which  $\tan(t) = 1$ .

(d) Determine two values of  $t$  for which  $\cot(t) = -1$ .

(e) Determine two values of  $t$  for which  $\csc(t) = -2$ .

(f) Determine two values of  $t$  for which  $\tan(t) = -\sqrt{3}$ .

Watch the Pre-Class videos for Section 4.2B and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Evaluate the functions if possible. Your answers must be exact and not decimal approximations.

(a)  $\sin(0) =$

(b)  $\cot(\pi) =$

(c)  $\tan(3\pi) =$

(d)  $\sec(\pi) =$

(e)  $\csc(0) =$

(f)  $\cos(\pi) =$

2. Given  $\cos(t) = \frac{7}{25}$  for  $\frac{3\pi}{2} < t < 2\pi$ . Use an appropriate Pythagorean Identity to find the value of  $\sin(t)$ .

3. Circle all properties that apply to  $\csc(t)$ .

- (a) The function is even.
- (b) The function is odd.
- (c) The period is  $2\pi$ .
- (d) The period is  $\pi$ .
- (e) The domain is all real numbers.
- (f) The domain is all real numbers excluding odd multiples of  $\frac{\pi}{2}$ .
- (g) The domain is all real numbers excluding multiples of  $\pi$ .



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1.  $P(x, y)$  on the unit circle corresponding to the real number  $t$  is  $(5/6, -\sqrt{11}/6)$ .

(a) Make a diagram of the unit circle with  $P$  on it.

(b) Determine the values of the six trig functions for  $t$ .

$$\sin(t) = \qquad \cos(t) = \qquad \tan(t) =$$

$$\csc(t) = \qquad \sec(t) = \qquad \cot(t) =$$

(c) Determine  $\cos(-t)$  and  $\sin(-t)$ .

(d) Determine  $\sin(t + 2\pi)$  and  $\cos(t + 2\pi)$ .

2.  $P(x, y) = (4/5, 3/5)$  corresponds to a real number  $t$ .

(a) Make a diagram of the unit circle with  $P$  on it.

(b) Determine  $\cos(t)$  and  $\sin(t)$ .

(c) Determine  $\cos(t + 4\pi)$  and  $\sin(t - 6\pi)$ .

(d) Determine  $\cos(-t)$  and  $\sin(-t)$ .

(e) Determine  $\cos(-t - 4\pi)$  and  $\sin(-t + 100\pi)$ .

3. Given  $\cot(t) = \frac{45}{28}$  for  $\pi < t < \frac{3\pi}{2}$ . Use an appropriate Pythagorean identity to find the value of  $\csc(t)$

4. Write  $\tan(t)$  in terms of  $\sec(t)$  for

(a)  $t$  in Quadrant 2.

(b)  $t$  in Quadrant 4.

5. Use the periodic properties of the trigonometric functions to simplify each expression to a **single** function of  $t$ .

(a)  $\sin(t + 2\pi) \cdot \cot(t + \pi)$

(b)  $\sin(t + 2\pi) \cdot \sec(t + 2\pi)$

6. Use the even-odd and periodic properties of the trigonometric functions to simplify.

(a)  $\csc(t) - 4 \csc(-t)$

(b)  $-2 \sin(3t + 2\pi) - 3 \sin(-3t)$

7. Simplify using properties of trigonometric functions.

$$\sin^2(t + 2\pi) + \cos^2(t) + \tan^2(t + \pi)$$

8. Identify values  $t$  on the interval  $[0, 2\pi]$  that make the given function undefined (if any).

(a)  $y = \sin(t)$

(d)  $y = \tan(t)$

(b)  $y = \cot(t)$

(e)  $y = \csc(t)$

(c)  $y = \cos(t)$

(f)  $y = \sec(t)$

9. Write down all trig functions for which each property applies.

(a) The function is even.

(b) The function is odd.

(c) The period is  $2\pi$ .


(d) The period is  $\pi$ .

(e) The domain is all real numbers.

(f) The domain is all real numbers excluding odd multiples of  $\frac{\pi}{2}$ .

(g) The domain is all real numbers excluding multiples of  $\pi$ .

10. If you plan on using the unit circle instead of special triangles and the chart for angles on the  $x$  and  $y$  axes, start memorizing the angles of the unit circle in radians as well as the points along the unit circle.



# Chapter 4

## Trigonometric Functions





Figure 4.1: Topics for the section on trigonometric functions.





Watch the Pre-Class videos for Section 4.3 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Find the exact values of the six trigonometric functions  $\theta$  and  $\alpha$ . Use the following triangle.



(a)  $\sin(\theta) =$

(g)  $\sin(\alpha) =$

(b)  $\cos(\theta) =$

(h)  $\cos(\alpha) =$

(c)  $\tan(\theta) =$

(i)  $\tan(\alpha) =$

(d)  $\csc(\theta) =$

(j)  $\csc(\alpha) =$

(e)  $\sec(\theta) =$

(k)  $\sec(\alpha) =$

(f)  $\cot(\theta) =$


(l)  $\cot(\alpha) =$

2. An observer at the top of a 462 ft mountain cliff measures the angle of depression from the top of the cliff to a point on the ground to be  $5^\circ$ . What is the distance from the base (bottom) of the mountain to the point on the ground? Round to the nearest foot.


**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Find the exact values of the six trigonometric functions of  $\theta$  and  $\alpha$

(a) Use the following triangle.





(b) Use the following triangle.




2. Use the isosceles right triangle and the 30/60/90 triangle to complete the table.


$\theta$	$\sin(\theta)$	$\cos(\theta)$	$\tan(\theta)$	$\csc(\theta)$	$\sec(\theta)$	$\cot(\theta)$
$30^\circ = \frac{\pi}{6}$						
$45^\circ = \frac{\pi}{4}$						
$60^\circ = \frac{\pi}{3}$						



3. For each problem below determine the values of the missing quantities. All angles are in radians, and your answers for angles should be in radians. (The triangles are not drawn to scale.)



$a$	=
$b$	=
$\alpha$	=



$b$	=
$h$	=
$\psi$	=



Name:

Watch the Pre-Class videos for Section 4.4 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Let  $P(-2, -5)$  be a point on the terminal side of  $\theta$ . Find each of the six trig functions of  $\theta$ .

(a)  $\sin(\theta) =$

(d)  $\csc(\theta) =$



(b)  $\cos(\theta) =$

(e)  $\sec(\theta) =$

(c)  $\tan(\theta) =$

(f)  $\cot(\theta) =$

2. Label the side lengths of the given reference triangles.



3. Let  $\theta = \frac{8\pi}{3}$ .

(a) Determine the reference angle  $\theta_R$  for  $\theta = \frac{8\pi}{3}$ .

(b) Determine  $\sin(\frac{8\pi}{3})$ .

(c) Determine  $\cos(\frac{8\pi}{3})$ .



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

**NOTE:** Do not use your unit circle to answer the following questions. Only use reference triangles.

1. Let  $P(-7, \frac{\sqrt{3}}{4})$  be a point on the terminal side of  $\theta$ . Find each of the six trig functions of  $\theta$ .

(a)  $\sin(\theta) =$

(d)  $\csc(\theta) =$

(b)  $\cos(\theta) =$

(e)  $\sec(\theta) =$

(c)  $\tan(\theta) =$

(f)  $\cot(\theta) =$

2. (a) If  $\theta = 2\pi/3$  is in standard position, what quadrant is  $\theta$  in?

(b) Determine the reference angle for  $\theta$ .

(c) Determine exact values of the following.

i.  $\sin(2\pi/3)$

ii.  $\cos(2\pi/3)$

iii.  $\tan(2\pi/3)$

3. Determine the following.

(a)  $\sin(7\pi/2)$

(b)  $\tan(7\pi/2)$

(c)  $\sec(7\pi/2)$

4. (a) If  $\theta$  is an angle in standard position, determine the quadrant corresponding to  $\theta = 16\pi/3$ . Then determine the reference angle for  $\theta = 16\pi/3$ .

(b) Determine the exact values of  $\sin(\theta)$ ,  $\sec(\theta)$ , and  $\cot(\theta)$  for  $\theta = 16\pi/3$ .


5. (a) If  $\theta$  is an angle in standard position, determine the quadrant corresponding to  $\theta = -210^\circ$ . Then determine the reference angle for  $\theta = -210^\circ$ .
- (b) Determine the exact values of  $\cos(\theta)$ ,  $\csc(\theta)$ , and  $\tan(\theta)$  for  $\theta = -210^\circ$ .
6. Determine the exact value of each of the following.
- (a)  $\sin(7\pi/6)$
- (b)  $\sin(11\pi/6)$
- (c)  $\sin(5\pi/6)$
7. Suppose  $\theta$  is an angle in the third quadrant with reference angle  $\theta_R$  satisfying  $\cos(\theta_R) = 5/13$  and  $\sin(\theta_R) = 12/13$ . Determine the exact values of  $\cos(\theta)$  and  $\csc(\theta)$ .



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Consider the angle  $\theta = \frac{7\pi}{4}$ .

(a) Draw a picture labeling  $\theta = \frac{7\pi}{4}$  and its corresponding reference angle.




(b) Determine the reference angle.

(c) Determine  $\tan\left(\frac{7\pi}{4}\right)$ .




5. For each question below, a diagram of a point on a circle is given. Answer each question about the angle formed by the line through the point, the origin, and the positive  $x$ -axis.

- (a) Determine the cosine of the angle  $\theta$ . (Your answer should be a number and not have an  $x$  in it.)




- (b) Determine the tangent of the angle  $\theta$ . (Your answer should be a number and not have an  $x$  in it.)



6. Given the following, find the exact value of  $\sin(\theta)$ .

$$\cos(\theta) = -\frac{1}{3} \quad \text{and} \quad \tan(\theta) \text{ is negative}$$

7. A ship is anchored a distance of  $d = 150$  from a beach. A spotlight on the bow of the ship can rotate, and the angle is measured from a line perpendicular to the beach that goes through the base of the spotlight. Determine the position,  $y$ , along the beach that the spotlight will illuminate the given angle,  $\theta$ . (Your answer should be a function of  $\theta$  with  $-\pi/2 < \theta < \pi/2$ .)



8. Two observers are standing a distance of 100m apart. They both spot an eagle and watch it closely. The moment it passes between them, the first observer measures an angle of elevation from the ground of  $45^\circ$ , and the second observer measures an angle of elevation from the ground of  $35^\circ$ . How high in the air was the eagle when it passed between the two observers?
9. A frog rides a unicycle that has a wheel with a diameter of 1.5 inches. If the frog travels a distance of 320 inches, what is the angle that the wheel turned? Give an exact answer.



10. A pizza shop owner feels inspired after taking a precalculus class at his local college. He decides that he wants to sell his 16 inch (diameter) pizzas at a price of \$0.09 per square inch.

(a) Find the price of a slice of pizza as a function of  $\theta$ .

$$\text{Price} = \text{Area} \times (\text{Price Per Square Inch})$$


(b) He decides that one slices of pizza must cost \$2. Find the angle formed by one slice of pizza. Give your answer **rounded to the nearest degree**.

(c) About how many slices can he get out of each pizza?

11. From a point 15 meters above ground level, a surveyor measures the angle of depression of an object on the ground at  $68^\circ$ . Approximate the distance from the object to the point on the ground directly beneath the surveyor. (Round to the nearest hundredth.)

12. A surveyor standing 57 meters from the base of a building measures the angle to the top of the building and finds it to be  $36^\circ$ . The surveyor then measures the angle to the top of the radio tower on the building and finds it is  $50^\circ$ . How tall is the radio tower. (round to the nearest hundredth).
13. Find the radian and degree measures of the central angle  $\theta$  subtended by the arc of length  $s = 11$  cm on a circle of radius  $r = 5$  cm. Then find the area of the sector determined by  $\theta$ . Give an exact answer.

14. Find the length of the arc  $s$  shown in the figure below. Give an exact answer.



Watch the Pre-Class videos for Section 4.5 A and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Let  $f(x) = 2\sin(3x - \frac{\pi}{2})$ .

(a) Determine the period, amplitude, and phase shift of  $f(x) = 2\sin(3x - \frac{\pi}{2})$ .

(b) Find an interval containing exactly one cycle (period).

(c) Determine the  $x$ -values of the five key points in the cycle above.

$$x_1 =$$


$$x_2 =$$

$$x_3 =$$

$$x_4 =$$

$$x_5 =$$

2. (2 points) Graph  $f(x) = 2 \sin(3x - \frac{\pi}{2})$ .



3. Determine the period, amplitude, and phase shift of  $f(x) = -7 \cos(\pi x - 4)$

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Determine the amplitude and period of the function.

(a)  $y = 7 \sin(2x)$

(b)  $y = \frac{1}{7} \sin(2\pi x)$

(c)  $y = -7 \cos\left(-\frac{2}{3}x\right)$

2. Identify the phase shift and indicate whether the shift is to the left or to the right.

(a)  $\cos\left(x - \frac{\pi}{3}\right)$

(b)  $\cos\left(2x + \frac{\pi}{3}\right)$

(c)  $\sin\left(2\pi x - \frac{\pi}{8}\right)$

3. Let  $f(x) = 2\cos(x + \pi) - 1$ .

(a) Determine the period, amplitude, and phase shift of  $f(x) = 2\cos(x + \pi) - 1$ .

(b) Find an interval containing exactly one cycle (period).

(c) Determine the  $x$ -values of the five key points in the cycle above.

$x_1 =$


$x_2 =$

$x_3 =$

$x_4 =$

$x_5 =$

(d) Graph  $f(x) = 2\cos(x + \pi) - 1$ .



4. Let  $f(x) = -5 \sin\left(\frac{1}{3}x + \frac{\pi}{6}\right)$ .

(a) Determine the period, amplitude, and phase shift of  $f(x) = -5 \sin\left(\frac{1}{3}x + \frac{\pi}{6}\right)$ .

(b) Find an interval containing exactly one cycle (period).

(c) Determine the  $x$ -values of the five key points in the cycle above.

$$x_1 =$$


$$x_2 =$$

$$x_3 =$$

$$x_4 =$$

$$x_5 =$$

(d) Graph  $f(x) = -5 \sin\left(\frac{1}{3}x + \frac{\pi}{6}\right)$ .




5. The function  $y = a \sin(x) + d$  has range  $[-10, 28]$ . Assuming that  $a$  is positive, determine the values for  $a$  and  $d$ .
6. The function  $y = a \cos(x) + d$  has range  $[-26, 10]$ . Assuming that  $a$  is positive, determine the values for  $a$  and  $d$ .
7. Let  $f(x) = -7 \sin(6x)$ .
- (a) Determine the coordinates  $(x, y)$  of the first maximum turning point on the graph  $f(x)$  in the interval  $(0, 2\pi)$ .
- (b) Determine the coordinates  $(x, y)$  of the first minimum turning point on the graph  $f(x)$  in the interval  $(0, 2\pi)$ .



Name:

Watch the Pre-Class videos for Section 4.5 B and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.




1. The graph above is a **sine** graph that has been transformed.
  - (a) Determine the amplitude, period, phase shift, and vertical shift of function above.  
**Amplitude:** \_\_\_\_\_ **Period:** \_\_\_\_\_  
**Phase Shift:** \_\_\_\_\_ **Vertical Shift:** \_\_\_\_\_
  - (b) Determine a formula for  $f(x) = A \sin(Bx + C) + D$  for the graph above.

194 Name:


*Preclass Work - Finish Before Class Begins*

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.


1. Write an equation of the form  $A \cos(Bx + C) + D$  for the given graph where  $A > 0$  and  $B > 0$ .



2. Write an equation of the form  $A \sin(Bx + C) + D$  for the given graph where  $A > 0$  and  $B > 0$ .



3. Write equations of the form  $A \sin(Bx + C) + D$  **AND**  $A \cos(Bx + C) + D$  and for the given graph where  $A > 0$  and  $B > 0$ .



4. The water level relative to the top of a boat dock varies with the tides. One particular day, low tide occurs at midnight and the water level is 7ft below the dock. The first high tide of the day occurs at approximately 6:00 AM, and the water level is 3ft below the dock. The next low tide occurs at noon and the water level is again 7ft below the dock.

Assuming that this pattern continues indefinitely and behaves like a cosine wave, write a function of the form  $w(t) = A \cos(Bt + C) + D$ . The value  $w(t)$  is the water level (in ft) relative to the top of the dock,  $t$  hours after midnight.

5. The function  $f(x) = A \sin(Bx) + D$  has a period of  $13\pi$ . If the graph of  $f(x)$  oscillates between 2 and 20, determine the numeric values for A, B, and D. (You may assume that A, B, and D are positive.)

6. Write the range of the function in interval notation.

(a)  $y = \sin(x)$


(b)  $y = \cos(x)$

(c)  $y = 8 \cos(2x - \pi) + 4$

(d)  $y = -3 \cos(x + \frac{\pi}{3}) - 5$

(e)  $y = -6 \sin(3x - \frac{\pi}{2}) - 2$

7. Graph  $f(x) = -6 \sin(3x - \frac{\pi}{2}) - 2$ .





Name:

Preclass Work - Finish Before Class Begins 201

Watch the Pre-Class videos for Section 4.7 A and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Find the exact value of the following inverse functions.

(a)  $\cos^{-1}\left(\frac{\sqrt{2}}{2}\right)$

(b)  $\sin^{-1}\left(-\frac{\sqrt{2}}{2}\right)$

(c)  $\tan^{-1}(-1)$

2. Find the exact value of the expression. Do not use a calculator.

(a)  $\sin(\sin^{-1}(1))$

(b)  $\sin^{-1}\left(\sin\left(\frac{7\pi}{6}\right)\right)$

3. Find the exact value of the expression. Do not use a calculator.

(a)  $\cos(\cos^{-1}(1))$

(b)  $\cos^{-1}(\cos(1))$

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Use the unit circle/reference triangles to determine the value of each of the following.

(a)  $\arcsin\left(\frac{\sqrt{2}}{2}\right)$

(b)  $\sin^{-1}\left(-\frac{\sqrt{3}}{2}\right)$

(c)  $\sin^{-1}\left(\frac{\sqrt{3}}{2}\right)$

(d)  $\arcsin\left(-\frac{1}{2}\right)$

2. Use the unit circle/reference triangles to determine the value of each of the following.

(a)  $\arccos\left(\frac{\sqrt{2}}{2}\right)$

(b)  $\cos^{-1}\left(-\frac{\sqrt{3}}{2}\right)$

(c)  $\cos^{-1}\left(\frac{\sqrt{3}}{2}\right)$

(d)  $\arccos\left(-\frac{1}{2}\right)$

3. Use the unit circle/reference triangles to determine the value of each of the following.

(a)  $\arctan(1)$

(b)  $\tan^{-1}\left(\frac{1}{\sqrt{3}}\right)$

(c)  $\tan^{-1}(\sqrt{3})$

(d)  $\arctan(-1)$

4. Find the exact value of the expression. Do not use a calculator.

(a)  $\arcsin\left(\sin \frac{\pi}{3}\right) =$

(b)  $\arcsin\left(\sin \frac{5\pi}{4}\right) =$

(c)  $\arccos\left(\cos \frac{11\pi}{6}\right) =$

(d)  $\cos(\arccos 0.56) =$

(e)  $\tan(\arctan 1754) =$

(f)  $\arctan\left(\tan \frac{23}{814}\right) =$

5. Use a calculator to approximate the degree measure (to 1 decimal place) or radian measure (to 4 decimal places) of the angle  $\theta$  subject to the given conditions. (**Hint:** Use reference angles!)

(a)  $\cos(\theta) = -\frac{8}{11}$  and  $180^\circ \leq \theta \leq 270^\circ$

(b)  $\tan(\theta) = -\frac{9}{7}$  and  $\frac{\pi}{2} < \theta < \pi$

(c)  $\sin(\theta) = \frac{12}{19}$  and  $90^\circ < \theta < 180^\circ$

6. A student measures the length of the shadow of the Washington Monument to be 620 ft. If the Washington Monument is 555 ft tall, approximate the angle of elevation of the Sun to the nearest tenth of a degree.
7. A balloon advertising an open house is stabilized by two cables of lengths 20 ft and 40 ft tethered to the ground. If the perpendicular distance from the balloon to the ground is  $10\sqrt{3}$  ft, what is the degree measure of the angle each cable makes with the ground? Round to the nearest tenth of a **degree** if necessary.

Watch the Pre-Class videos for Section 4.7 B and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Determine the exact value of the following. Show all work.

$$\sin \left( \tan^{-1} \left( \frac{12}{5} \right) \right)$$

2. Determine the exact value of the following. Show all work.

$$\cos \left( \sin^{-1} \left( -\frac{2}{11} \right) \right)$$

208 Name:

*Preclass Work - Finish Before Class Begins*



**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Find the exact values of the following.

(a)  $\cos\left(\tan^{-1}\left(\frac{\sqrt{3}}{3}\right)\right)$

(b)  $\tan\left(\sin^{-1}\left(-\frac{2}{3}\right)\right)$

(c)  $\sin\left(\cos^{-1}\left(\frac{3}{4}\right)\right)$

(d)  $\sec\left(\tan^{-1}\left(\frac{4}{3}\right)\right)$

2. Write the expression as an **algebraic** expression. (There should be no trig functions in your answers.)


(a)  $\sin \left( \cos^{-1} \left( \frac{\sqrt{x^2 - 25}}{x} \right) \right)$  for  $x > 5$

(b)  $\tan \left( \cos^{-1} \left( \frac{3}{x} \right) \right)$  for  $x > 3$

(c)  $\sin \left( \tan^{-1} (x) \right)$  for  $x > 0$

3. A group of campers hike down a steep path. One member of the group has an altimeter on his watch to measure altitude. If the path is 1250 yd and the amount of altitude lost is 480 yd, what is the angle of incline? Round to the nearest tenth of a **degree**.
4. A video camera located at ground level follows the liftoff of an Atlas V Rocket from the Kennedy Space Center. Suppose that the camera is 1000 m from the launch pad.
- (a) Write the angle of elevation  $\theta$  from the camera to the rocket as a function of the rocket's height,  $h$ .
- (b) Use a calculator to find  $\theta$  to the nearest tenth of a degree when the rocket's height is 400 m, 1500 m, and 3000 m.

5. Determine the value of  $\theta$  associated with the coordinate in the figure below. (Numerical answers should be to within 2 decimal digits.)



6. Determine the **exact** values of each of the expressions below. (Do not use a value from a calculator but derive the true value.)

(a)  $\cos\left(\frac{\pi}{2} + \arcsin\left(\frac{3}{5}\right)\right)$

(b)  $\cos\left(\pi + \arcsin\left(\frac{3}{5}\right)\right)$

(c)  $\cos\left(2\pi - \arcsin\left(\frac{3}{5}\right)\right)$

Watch the Pre-Class videos for Section 5.1 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Simplify the expression. Write the final form with no fractions or products.

$$\cos(x) \tan(x) \csc(x)$$

2. Verify the trigonometric identities and **write the name of the fundamental identity used at each step**. Remember to only manipulate one side. The other side should stay the same.

(a)  $\sin(-x) + \csc(x) = \cot(x) \cos(x)$

(b)  $\frac{\sin^2(x) + 1}{\cos^2(x)} + 1 = 2 \sec^2(x)$

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Verify each identity.

(a)  $\cot(-x)\sin(-x) = \cos(x)$

(b)  $\frac{\csc(x) - \sec(x)}{\csc(x) + \sec(x)} = \frac{\cot(x) - 1}{\cot(x) + 1}$

(c)  $\frac{\tan(x) + \tan(y)}{\tan(x)\tan(y) - 1} = \frac{\sin(x)\cos(y) + \cos(x)\sin(y)}{\sin(x)\sin(y) - \cos(x)\cos(y)}$



2.

$$\tan(-x) \cos(x) = -\sin(x)$$

Choose the sequence of steps below that verifies the identity.

(a)  $\tan(-x) \cos(x) = -\tan(x) \cdot \cos(x) = -\frac{\cos(x)}{\sin(x)} \cdot \cos(x) = -\sin(x)$

(b)  $\tan(-x) \cos(x) = -\tan(x) \cdot \cos(x) = -\frac{\sin(x)}{\cos(x)} \cdot \cos(x) = -\sin(x)$

(c)  $\tan(-x) \cos(x) = \tan(x) \cdot -\cos(x) = \frac{\cos(x)}{\sin(x)} \cdot -\cos(x) = -\sin(x)$

(d)  $\tan(-x) \cos(x) = -\tan(x) \cdot -\cos(x) = -\frac{\sin(x)}{\cos(x)} \cdot -\cos(x) = -\sin(x)$

3. Choose the correct expression that completes the identity.

$$\frac{\cos^2(x) - \sin^2(x)}{1 - \tan^2(x)} =$$

(a) -1

(b) 1

(c)  $\cos^2(x)$

(d)  $\sin^2(x)$

4. Choose the correct expression that completes the identity.

$$\sin^4(x) - \cos^4(x) =$$

- (a)  $1 - 2 \cos^2(x)$
- (b)  $1 + 2 \cos^2(x)$
- (c)  $1 - 2 \sin^2(x)$
- (d)  $1 + 2 \sin^2(x)$

5. Verify the identity.

(a)  $\left(6 \cos(\theta) - \sin(\theta)\right)^2 + \left(\cos(\theta) + 6 \sin(\theta)\right)^2 = 37.$

(b)  $\frac{(\sin(x) + \cos(x))^2}{1 + 2 \sin(x) \cos(x)} = 1$

6. Rewrite the expression in terms of the given function.

(a)  $\frac{\tan(x) + \cot(x)}{\sec(x)}$  in terms of  $\csc(x)$

(b)  $\frac{\tan(x)}{-1 + \sec(x)} - \frac{\sec(x)}{\tan(x)}$  in terms of  $\tan(x)$

7. Verify the identity.

(a)  $\tan^4(t) - \sec^4(t) = -2 \tan^2(t) - 1$

(b)  $\csc(x) + \tan^2(x) \csc(x) = \frac{1}{\sin(x) \cos^2(x)}$

Watch the Pre-Class videos for Section 5.2 and answer the following questions. Remember that in your written work you are graded on the correctness of your supporting work and not just your final answer. Always give an exact answer unless you are explicitly told to round; calculator approximations will not receive full credit.

1. Evaluate the following using a sum or difference identity and the unit circle.

$$\cos(165^\circ)$$

2. Find the exact value of  $\cos(\alpha - \beta)$  given that  $\sin \alpha = -\frac{4}{5}$  and  $\cos \beta = -\frac{5}{8}$  for  $\alpha$  in Quadrant III and  $\beta$  in Quadrant II.

3. Find the exact value of the following.

$$\cos \left( \arcsin \left( -\frac{12}{37} \right) + \arctan \left( \frac{5}{12} \right) \right)$$

**Instructions:** Work together in groups of 3 or 4 to complete the following problems.

1. Write each expression as the sine, cosine, or tangent of an angle. Then find the value the expression.

(a)  $\sin(10^\circ) \cos(80^\circ) + \cos(10^\circ) \sin(80^\circ)$

(b)  $\sin\left(\frac{2\pi}{3}\right) \cos\left(\frac{\pi}{6}\right) - \cos\left(\frac{2\pi}{3}\right) \sin\left(\frac{\pi}{6}\right)$

(c)  $\cos(71^\circ) \cos(19^\circ) - \sin(71^\circ) \sin(19^\circ)$

(d)  $\cos\left(\frac{5\pi}{12}\right) \cos\left(\frac{\pi}{12}\right) + \sin\left(\frac{5\pi}{12}\right) \sin\left(\frac{\pi}{12}\right)$

(e)  $\frac{\tan(25^\circ) + \tan(20^\circ)}{1 - \tan(25^\circ)\tan(20^\circ)}$

(f)  $\frac{\tan\left(\frac{4\pi}{5}\right) - \tan\left(\frac{11\pi}{20}\right)}{1 + \tan\left(\frac{4\pi}{5}\right)\tan\left(\frac{11\pi}{20}\right)}$

2. Find the exact value of each expression.

(a)  $\sin(105^\circ)$

(b)  $\sin(15^\circ)$



(c)  $\cos\left(\frac{7\pi}{12}\right)$

(d)  $\sin\left(\frac{\pi}{12}\right)$

(e)  $\tan\left(\frac{\pi}{12}\right)$

3. Find the exact value of  $\sin(\alpha + \beta)$ ,  $\cos(\alpha + \beta)$ , and  $\tan(\alpha + \beta)$  under the given conditions.

(a)  $\sin(\alpha) = \frac{24}{25}$ ,  $\alpha$  lies in quadrant I, and  $\sin(\beta) = \frac{4}{5}$ ,  $\beta$  lies in quadrant II.

(b)  $\sin(\alpha) = \frac{7}{25}$ ,  $0 < \alpha < \frac{\pi}{2}$ , and  $\cos(\beta) = \frac{15}{17}$ ,  $0 < \beta < \frac{\pi}{2}$

4. Use the given information to find the exact value of  $\cos(\alpha - \beta)$ :

- $\sin(\alpha) = \frac{3}{5}$ ,  $\alpha$  lies in quadrant II, and
- $\cos(\beta) = \frac{2}{5}$ ,  $\beta$  lies in quadrant I.

5. Use the given information to find the exact value of  $\tan(\alpha + \beta)$ :

- $\tan(\alpha) = \frac{1}{3}$ ,  $\alpha$  lies in quadrant III, and
- $\cos(\beta) = \frac{1}{5}$ ,  $\beta$  lies in quadrant IV.

6. Verify the identities. What does each identity tell you about the graphs of sine, cosine, and tangent? Can you interpret each identity using the unit circle?

(a)  $\sin(\theta + 2\pi) = \sin(\theta)$

(b)  $\cos(\theta + 2\pi) = \cos(\theta)$

(c)  $\tan(\theta + \pi) = \tan(\theta)$

(d)  $\sin(\theta + \pi) = -\sin(\theta)$

(e)  $\cos(\theta + \pi) = -\cos(\theta)$

(f)  $\sin\left(\theta + \frac{\pi}{2}\right) = \cos(\theta)$

(g)  $\cos\left(\theta + \frac{\pi}{2}\right) = -\sin(\theta)$

## Chapter 5

# GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

<<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The purpose of this License is to make a manual, textbook, or other functional and useful document “free” in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

## 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The “**Document**”, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as “**you**”. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A “**Modified Version**” of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A “**Secondary Section**” is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document’s overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The “**Invariant Sections**” are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document

is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The “**Cover Texts**” are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A “**Transparent**” copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not “Transparent” is called “**Opaque**”.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The “**Title Page**” means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, “Title Page” means the text near the most prominent appearance of the work’s title, preceding the beginning of the body of the text.

The “**publisher**” means any person or entity that distributes copies of the Document to the public.

A section “**Entitled XYZ**” means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as “**Acknowledgements**”, “**Dedications**”, “**Endorsements**”, or “**History**”.) To “**Preserve the Title**” of such a section when you modify the Document means that it remains a section “Entitled XYZ” according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

## 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

## 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:



- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

- M. Delete any section Entitled “Endorsements”. Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled “Endorsements” or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version’s license notice. These titles must be distinct from any other section titles.

You may add a section Entitled “Endorsements”, provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled “History” in the various original documents, forming one section Entitled “History”; likewise combine any sections Entitled “Acknowledgements”, and any sections Entitled “Dedications”. You must delete all sections Entitled “Endorsements”.

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## **7. AGGREGATION WITH INDEPENDENT WORKS**

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an “aggregate” if the copyright resulting from the compilation is not used to limit the legal rights of the compilation’s users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document’s Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

## **8. TRANSLATION**

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled “Acknowledgements”, “Dedications”, or “History”, the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

## **9. TERMINATION**

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60

days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License “or any later version” applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy’s public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

## 11. RELICENSING

“Massive Multiauthor Collaboration Site” (or “MMC Site”) means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A “Massive Multiauthor Collaboration” (or “MMC”) contained in the site means any set of copyrightable works thus published on the MMC site.

“CC-BY-SA” means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

“Incorporate” means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is “eligible for relicensing” if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

**ADDENDUM: How to use this License for your documents**

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright © YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled “GNU Free Documentation License”.

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the “with ... Texts.” line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.