

# Statistical learning og programmering

1. Semesterprojekt. Antal ord:

Af Kenneth Gottfredsen, Eva Imad og Sanne Sørensen

2022-11-29

# Indholdsfortegnelse

0.1	R Markdown . . . . .	1
0.2	Github . . . . .	1
0.3	Gitkraken . . . . .	1
0.4	Including Plots . . . . .	2

```
knitr::opts_chunk$set(echo = TRUE)
options(tinytex.verbose = TRUE)
```

## 0.1 R Markdown

## 0.2 Github

1. Først opretter man et repository inde på github.
2. Dernæst smider man alle de filer man gerne vil arbejde med ind i folderen.
3. Gemmer ens gitlink.

## 0.3 Gitkraken

Vi prøver igen.

1. Først opretter man en clone.
2. Dernæst bruger man sit gitlink til at danne en sti.

Push sender pakken fra mig afsted. Pull modtager pakken fra postmanden. Og det var det!

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

## 0.4 Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.