

EIE3810 Microprocessor System Design
Laboratory

Laboratory Report #X

Name: XXXXXXXXXXXX

Student ID: XXXXXXXXXXXX

Date: XXXXXXXXXXXX

The Chinese University of Hong Kong, Shenzhen

In Lab #X, we learned about how to include figures, codes, and flowchart in Latex. More commands are all in .cls file, including how to set the information and how to mark a 'TO BE WRITTEN'. You can go to this file for details.

- Experiment A: Include figures in Latex.
- Experiment B: Include codes in Latex.
- Experiment C: Include flowchart in Latex.

1. Experiment A

1.1 Design

This experiment is to include figures in Latex.

1.2 Result

The result is shown below.



Figure 1.2.1 The result of including picture boy.jpeg

1.3 Qution

Question1: Why we need the command to set parindent to ask a question?

Answer: Because we want to set the paragraph indent to 0, which means the first line of the paragraph will not be indented.

2. Experiment B

2.1 Design

This experiment is to include codes in Latex.

2.2 Result

```
1 #include<iostream>
2 using namespace std;
3
4 int main()
5 {
6     cout << "Hello World!" << endl;
7     return 0;
8 }
```

Code 2.1.1 The implementation of main.c


3. Experiment C

3.1 Design

This experiment is to include a flowchart in Latex.

I thinks write a flowchart in Latex is a little bit difficult. Perhaps, just use a picture instead? I think other tools to draw the flowchart is much easier.

3.2 Result



4. Conclusion

In Lab #X, we learned about how to include figures, codes, and flowchart in Latex.

Want to write a mark to denote there is something to be written? try this command:

TO BE WRITTEN!!!

This template will be updated in the furture. If you have any questions about this report template, please feel free to contact me via email shinoxiaoyu@outlook.com.