## WIA1002/WIB1002/WXES1117 Data Structures

## Lab 7: Linked List/Doubly LinkedList

## Q1

Create a package called SList and implement a node class called SNode<E>. The SNode<E> class consists of two constructors, respectively, a default constructor and a constructor that receives a generic item.

- 1) Initialise the variables appropriately in each constructor.
- Create a generic class called SList<E> and include the necessary declaration in the SList<E> class.
- 3) Implement the following methods in class SList<E>:
  - i. public void appendEnd(E e) Append a new element at the end of the list.
- ii. public E removeInitial() Eliminate the first element in the list.
- iii. public boolean contains(E e) Search for an element and returns true if this list contains the searched element
  - iv. public void clear() Empty all elements in the list and return a statement that reports that the list is empty.
    - public void display() v. Display all values from the list in a successive order.
- 4) Write a test program called TestSList in the SList package. Using the appropriate methods you implemented in SList<E>, do the following:
  - 1) Append the following values individually: "Linked list, is, easy."
  - 2) Display these values.
  - 3) Remove the word "Linked list" and display the removed value.
  - 4) Check if 'difficult' is in the list.
  - 5) Clear the list.

#### O2

A kindergarten needs to use an online student management system enabling its admin staff to manage their student list. Write a program using singly linked list to demonstrate the following:

- i) public void add(E e)
- ii) public void removeElement(E e)
- iii) public void printList()
- iv) public int getSize()
- v) public boolean contains(E e)
- vi) public void replace(E e, E newE)

The program should demonstrate the following functions:

- Admin staff shall be able to interact with the program. The admin staff should enter a list
  of student's names.
- Display the list of the entered student's names.
- Calculate the number of students in the list.
- Rename existing student's name in the list with the new one specified by the admin staff.
- Delete a student name as specified by the admin staff.

## Sample Output

```
Enter your student name list. Enter 'n' to end.....
Rahmat
Alice
Fatymah
Yoke Ling
Maniam
Abu
You have entered the following students' name :
Rahmat, Alice, Fatymah, Yoke Ling, Maniam, Abu.
The number of students entered is : 6
All the names entered are correct? Enter 'r' ro rename the student name, 'n' to proceed.
Enter the existing student name that u want to rename :
Fatymah
Enter the new name :
Fatimah
The new student list is :
Rahmat, Alice, Fatimah, Yoke Ling, Maniam, Abu.
Do you want to remove any of your student name? Enter 'y' for yes, 'n' to proceed.
Enter a student name to remove :
Maniam
The number of updated student is :5
The updated students list is :
Rahmat, Alice, Fatimah, Yoke Ling, Abu.
All student data captured complete. Thank you!
```

# **Q3**

- 1) Implement all the DoublyLinked List methods in the lecture's slide. Write a test program by using the appropriate methods, do the following:
  - 1) Add first node with value of 1
  - 2) Add last node with value of 100
  - 3) Add node with value of 2 at position index of 2
  - 4) Remove node at position index of 3
  - 5) Traverse Forward
  - 6) Traverse Backward
  - 7) Print current size of linked list
  - 8) Clear all nodes in the linked list
  - 9) Print again current size of linked list

# Sample Output:

```
adding: 1
adding: 10
adding: 100
deleted: 100
iterating forward..
1 10 2
iterating backward..
2 10 1
size of current Doubly Linked List: 3
successfully clear 3 node(s)
size of current Doubly Linked List: 0
```