Title: Network IDS

Name: Khushi Ganesh Suvarna

Intern ID: 121

Objective

Build a lightweight Intrusion Prevention System (IPS) that not only detects but also blocks malicious traffic in real time.

The IPS should:

- Block ICMP ping floods.
- Drop repeated TCP SYN floods or half-open connections.
- Prevent simple scan patterns (SYN/NULL/FIN/Xmas scans, repeated/multiport attempts).
- Enforce simple rules to block suspicious HTTP payloads (e.g., SQL injection, XSS).

Required Modules

scapy → for reading and analyzing packets from PCAP files.
Install using:

pip install scapy

- **re** → for regex-based payload inspection.
- **collections** → for tracking connections and port attempts.

Main Parts of the Code

1. Packet Reading

Uses rdpcap() from Scapy to load packets from .pcap files.

2. ICMP Handling

Blocks ICMP ping floods.

3. TCP Scan Detection

- o Detects and blocks SYN floods, NULL scans, FIN scans, Xmas scans.
- o Tracks source IPs scanning multiple ports (multi-port scan detection).

4. Payload Inspection

Uses regex to identify malicious patterns in HTTP payloads (e.g., SQL injection, XSS).

5. Output

 For every packet, prints whether the action is ALLOW or BLOCK with the reason.

How to Run

- 1. Save the code as network ips.py.
- 2. Place PCAP files (e.g., normal.pcap, nmap_zombie_scan.pcap) in the same folder.
- 3. Run the IPS:

python3 network ips.py

Deliverables

1. Demo

- Run against at least two PCAPs:
 - Normal traffic → mostly ALLOW.
 - Malicious traffic (Nmap scan, ICMP flood) → multiple BLOCK messages.

2. Short Report (1–2 pages)

- Describe prevention logic (ICMP block, TCP scan detection, payload filtering).
- Mention false-positive handling (e.g., legitimate pings may be blocked, payload regex may overmatch).
- Suggest improvements (stateful inspection, ML-based anomaly detection, logging).

3. Unit/Integration Tests

- Write test cases for functions like:
 - ICMP detection.
 - TCP scan detection.
 - Suspicious payload regex detection.