Rajalakshmi Engineering College

Name: KEERTHANA C

Email: 240701253@rajalakshmi.edu.in

Roll no: 240701253 Phone: 6205054440

Branch: REC

Department: I CSE FC

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 7_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 18

Section 1: MCQ

1. What is the output of the following NumPy code snippet?

import numpy as np arr = np.array([1, 2, 3, 4, 5]) r = arr[arr > 2]

print(r)

Answer

[3 4 5]

Status: Correct Marks: 1/1

2. What does NumPy stand for?

Answer

Status : Correct Marks : 1/1

3. What is the primary data structure used in NumPy for numerical computations?

Answer

Array

Status: Correct Marks: 1/1

4. The important data structure of pandas is/are _____

Answer

Both Series and Data Frame

Status: Correct Marks: 1/1

5. Which NumPy function is used to create an identity matrix?

Answer

numpy.identity()

Status: Correct Marks: 1/1

6. What does the np.arange(10) function in NumPy do?

Answer

Creates an array with values from 0 to 10

Status: Wrong Marks: 0/1

7. What is the output of the following NumPy code?

import numpy as np arr = np.array([1, 2, 3, 4, 5]) r = arr[2:4] print(r)

Answer

[3 4]

Status: Correct Marks: 1/1

8. Which function is used to create a Pandas DataFrame?

Answer

pd.DataFrame()

Status: Correct Marks: 1/1

9. What is the primary purpose of Pandas DataFrame?

Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

10. What is the result of the following NumPy operation?

import numpy as np arr = np.array([1, 2, 3]) r = arr + 5 print(r)

Answer

[6 7 8]

Status: Correct Marks: 1/1

11. What is the purpose of the following NumPy code snippet?

import numpy as np arr = np.zeros((3, 4))

```
print(arr)
Answer
    Displays a 3x4 matrix filled with zeros
    Status: Correct
                                                                        Marks: 1/1
    12. What will be the output of the following code?
    import pandas as pnd
    pnd.Series([1,2], index= ['a','b','c'])
    Answer
    Value Error
    Status: Correct
                                                                        Marks:
    13. In NumPy, how do you access the first element of a one-dimensional
    array arr?
    Answer
    arr[0]
    Status: Correct
                                                                        Marks: 1/1
    14. In the DataFrame created in the code, what is the index for the row
    containing the data for 'Jack'?
    import pandas as pd
    data = {'Name': ['Tom', 'Jack', 'nick', 'juli'],
      'marks': [99, 98, 95, 90]}
    df = pd.DataFrame(data, index=['rank1',
            'rank2',
            'rank3',
            'rank4'])
print(df)
```

Answer

rank2

Status: Correct Marks: 1/1

15. Which NumPy function is used to find the indices of the maximum and minimum values in an array?

Answer

argmax() and argmin()

Status: Correct Marks: 1/1

16. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Status: Correct Marks: 1/1

17. Which of the following is a valid way to import NumPy in Python?

Answer

import numpy as np

Status: Correct Marks: 1/1

18. What will be the output of the following code snippet?

import numpy as np
arr = np.array([1, 2, 3])
result = np.concatenate((arr, arr))
print(result)

Answer

[1 2 3 1 2 3]

Status: Correct

Marks: 1/1

19. Minimum number of argument we require to pass in pandas series?

Answer

0

Status: Wrong Marks: 0/1

20. What is the output of the following code?

import numpy as np a = np.arange(10) print(a[2:5])

Answer

[2, 3, 4]

Status: Correct Marks: 1/1

040701253

040101253

040701253

40101253

240701253

040101253

240701253

240101253