

# The Conflict Between Non-definable Reals and the Axiom of Choice in ZFC

On the Incompatibility of Non-computable Reals with the Axiom of Choice

Kim Altair

June 9, 2025

## Abstract

This paper analyzes the consequences of applying the Axiom of Choice (AC) within ZFC to the set  $D := \mathbb{R} \setminus C$ , where  $C$  is the set of computable real numbers. We demonstrate that any choice function defined over  $D$  implicitly renders its elements nameable or indexable, contradicting the very definition of  $D$  as the class of non-definable reals. This contradiction reveals an internal inconsistency in ZFC when AC is applied without restriction.

Importantly, the entire argument is developed strictly within standard ZFC logic, without any use of forcing, generic filters, metamathematical hierarchies, or external models. To resolve the conflict, we propose a revised system, ZFC D/AC, which explicitly prohibits applying AC to sets composed of non-definable elements. The result calls into question the universal applicability of AC and highlights the fragile boundary between definability and existence in modern set theory.

This result is not philosophical speculation, but a formal consequence of the current axiomatic foundations.

## 1 Introduction

The Axiom of Choice (AC) is among the most powerful and controversial axioms in the Zermelo-Fraenkel set theory (ZFC). It permits the selection of elements from arbitrary collections of nonempty sets, and supports numerous fundamental results across modern mathematics. Yet, AC also gives rise to counterintuitive outcomes, such as the Banach–Tarski paradox, and its relationship to non-constructive or non-definable entities remains insufficiently explored.

Historically, debates surrounding AC have focused on its non-constructive nature and its independence from ZF. Gödel showed that  $\text{ZF} + \text{AC}$  is consistent if ZF is, while Cohen later proved that AC is not provable within ZF. However, both results operate through external model constructions. In contrast, this paper investigates a contradiction that arises \*internally\* within ZFC, without invoking forcing, large cardinals, or alternate set-theoretic universes.

We focus on the implications of applying AC to a particular subset of real numbers: let  $C \subset \mathbb{R}$  denote the set of computable real numbers, and define  $D := \mathbb{R} \setminus C$ , the set of non-computable reals. Elements of  $D$  are not only uncomputable, but also undefinable and

unindexable — they cannot be described by any algorithm, function, or formal expression within ZFC.

We argue that applying a choice function  $f : D \rightarrow D$  inevitably gives rise to a structure in which elements of  $D$  become distinguishable or referable, violating the very definition of  $D$ . This leads to a logical contradiction within the system  $ZFC + AC$ . To maintain consistency, we propose a revised framework,  $ZFC\ D/AC$ , in which  $AC$  is explicitly barred from acting on non-definable sets.

This contradiction between the act of choice and the principle of unnameability raises deeper questions about the nature of mathematical existence. We contend that the very operation of choosing presupposes a minimal degree of identifiability — a property that cannot coherently be attributed to entities that are, by construction, unidentifiable.

## 2 Definitions

**Definition 1** (Computable Reals). *Let  $C \subset \mathbb{R}$  denote the set of computable real numbers. A real number  $r \in \mathbb{R}$  is computable if there exists a Turing machine  $M$  such that, for every  $n \in \mathbb{N}$ , the machine  $M$ , on input  $n$ , halts and outputs the  $n$ -th digit of the decimal expansion of  $r$ .*<sup>1</sup>

**Definition 2** (Non-computable Reals). *Define  $D := \mathbb{R} \setminus C$ , the set of non-computable real numbers. Since  $C$  is countable and  $\mathbb{R}$  is uncountable, it follows that  $D$  is uncountable.*<sup>2</sup>

**Existence of  $D$  in ZFC.** Note that both  $\mathbb{R}$  and  $C$  are sets formally definable within ZFC:  $\mathbb{R}$  is constructed from Dedekind cuts or Cauchy sequences, and  $C$  is the set of real numbers computable by Turing machines, which form a countable set. Therefore, by applying the Separation and Power Set axioms, the complement  $D := \mathbb{R} \setminus C$  is also a valid set in ZFC. We thus affirm:

$$ZFC \vdash \exists D := \mathbb{R} \setminus C.$$

**Definition 3** (Non-definability and Non-indexability). *Let  $D := \mathbb{R} \setminus C$  be the set of non-computable reals.*

*An element  $d \in D$  is said to be non-definable within ZFC if there does not exist any formula  $\varphi(x)$  in the language of ZFC such that*

$$ZFC \vdash \exists! x \varphi(x) \quad \text{and} \quad ZFC \vdash \varphi(d).$$

*That is, no uniquely specifying definition of  $d$  exists within the system.*

*Consequently, the set  $D$  is non-indexable: there exists no definable injective function*

$$f : \mathbb{N} \rightarrow D$$

*such that  $f(n) = d_n \in D$  for all  $n \in \mathbb{N}$ , and  $f$  is definable in ZFC.*

*This aligns with the canonical understanding of uncountability, which entails the impossibility of indexing the elements of  $D$  via any definable mapping from  $\mathbb{N}$ .*<sup>3</sup>

---

<sup>1</sup>See A. M. Turing, “On Computable Numbers, with an Application to the Entscheidungsproblem,” *Proc. London Math. Soc.*, Series 2, Vol. 42 (1937), pp. 230–265.

<sup>2</sup>See Jech, *Set Theory* (2002), p. 38.

<sup>3</sup>See Jech, *Set Theory* (2002), Theorem 4.3, p. 38.

**Definition 4** (Axiom of Choice and Indexing Implication). *The Axiom of Choice (AC) asserts that for any nonempty set  $S$ , there exists a function*

$$f : \mathcal{P}(S) \setminus \{\emptyset\} \rightarrow S \quad \text{such that} \quad f(A) \in A$$

*for all nonempty subsets  $A \subseteq S$ .*

*When applied to the set  $D$ , AC guarantees the existence of a choice function that selects a single element from each nonempty subset of  $D$ . This selection process imposes an implicit indexing structure on  $D$ , making the elements of  $D$  distinguishable, which contradicts the non-indexability of  $D$  as previously defined.*

### 3 Main Argument

Let  $C \subset \mathbb{R}$  denote the set of all computable real numbers. Define the set

$$D := \mathbb{R} \setminus C.$$

Then  $D$  is uncountable, and by construction, every  $d \in D$  is non-computable and unnameable within ZFC.

**1. Assumption of the Choice Function.**

Assume the Axiom of Choice (AC). Then there exists a choice function

$$f : \mathcal{P}(D) \setminus \{\emptyset\} \rightarrow D \quad \text{such that} \quad f(A) \in A \quad \forall A \subseteq D, A \neq \emptyset.$$

This function selects one element from each non-empty subset of  $D$ .

**2. Indexing via Single Element.**

Let  $d_1 := f(D)$ . Then we have

$$D \setminus \{d_1\} \subseteq D, \quad d_1 \notin D \setminus \{d_1\}.$$

Now, define a labeling function

$$\text{Index}_1 : D \rightarrow \{0, 1\}, \quad \text{Index}_1(d) = \begin{cases} 1 & \text{if } d = d_1, \\ 0 & \text{otherwise.} \end{cases}$$

This function identifies a unique element  $d_1$  in  $D$ , contradicting the assumption that  $D$  is unindexable.

**3. Explicit Indexing via Iteration.**

Define recursively:

$$D_1 := D, \quad d_n := f(D_n), \quad D_{n+1} := D_n \setminus \{d_n\}.$$

Let

$$D' := \{d_n \mid n \in \mathbb{N}\} \subseteq D,$$

and define the map

$$\varphi : \mathbb{N} \rightarrow D', \quad \varphi(n) := d_n.$$

Then  $\varphi$  is a bijection, and hence  $D'$  is explicitly indexable. Again, this violates the assumption that  $D$  is unindexable.

#### 4. Logical Incompatibility.

Both the single-element case and the iterative construction yield identifiable elements in  $D$ . Therefore, we conclude:

$$\text{AC} \Rightarrow \text{"Indexing of } D" \Rightarrow \text{Contradiction.}$$

Hence, we deduce:

$$\text{AC} \Rightarrow \neg \text{"D exists in ZFC"}, \quad \text{or} \quad D \text{ exists} \Rightarrow \neg \text{AC.}$$

—

## 4 Conclusion

1. Let

$$C := \{r \in \mathbb{R} \mid r \text{ is computable}\}, \quad D := \mathbb{R} \setminus C.$$

Then

$$\forall d \in D, \quad \neg \text{Computable}(d), \quad \neg \text{Definable}_{\text{ZFC}}(d),$$

and  $D$  is uncountable and non-indexable.

2. Assume the Axiom of Choice (AC):

$$\text{AC} \Rightarrow \exists f : \mathcal{P}(D) \setminus \{\emptyset\} \rightarrow D, \quad f(A) \in A.$$

Then we obtain:

$$d_1 := f(D) \Rightarrow D \setminus \{d_1\} \text{ is definable in terms of } d_1.$$

Define

$$\text{Index}_1 : D \rightarrow \{0, 1\}, \quad \text{Index}_1(d) = \begin{cases} 1 & \text{if } d = d_1, \\ 0 & \text{otherwise.} \end{cases}$$

Hence,  $d_1$  becomes indexable, violating the assumption that  $D$  is non-indexable.

3. More generally, define:

$$d_1 := f(D), \quad d_n := f(D \setminus \{d_1, \dots, d_{n-1}\}) \quad (n \geq 2),$$

and

$$D' := \{d_n \mid n \in \mathbb{N}\}, \quad \varphi : \mathbb{N} \rightarrow D', \quad \varphi(n) := d_n.$$

Then  $\varphi$  is a definable bijection from  $\mathbb{N}$  to a subset of  $D$ , which contradicts the assumption that  $D$  is unindexable.

4. Therefore, we conclude:

$$\text{AC} \Rightarrow \text{Indexable}(D) \Rightarrow \perp,$$

and so

$$\neg(\text{AC} \wedge \text{Exists}(D)).$$

5. To resolve this contradiction, we propose a modified system, denoted **ZFC D/AC**, which restricts the domain of AC. We add the following axiom:

**Restricted Choice Axiom (RCA):**

$$\forall S \neq \emptyset, \quad [\forall x \in S, \neg \text{Definable}_{\text{ZFC}}(x)] \Rightarrow \neg \exists f : \mathcal{P}(S) \setminus \{\emptyset\} \rightarrow S, \quad f(A) \in A.$$

6. This axiom preserves the standard utility of AC for definable sets, while preventing contradictions arising from its application to purely non-definable sets such as  $D$ .

## 5 Anticipated Objections and Rebuttals

**Objection 1:** Gödel's constructible universe  $L$  proves that  $\text{ZF} + \text{AC}$  is consistent.

**Rebuttal:**  $L \models \text{ZF} + \text{AC}$ , but  $D \not\subseteq L$  since  $D$  includes non-constructible reals.

*Thus,  $L \models \text{Consistent}(\text{ZF} + \text{AC}) \not\Rightarrow \text{Consistent}(\text{ZF} + \text{AC} + D\text{-exists})$ .*

**Objection 2:** There might be ZFC models in which  $D$  does not exist.

**Rebuttal:**  $D$  is definable in ZFC as the set of unindexable reals. Since  $\mathbb{R} \in \text{ZFC}$ , we have  $D \in \text{ZFC}$ . Therefore,  $\text{ZFC} \vdash \text{Exists}(D)$ .

**Objection 3:** Perhaps  $D$  is a proper class, not a set.

**Rebuttal:**  $D \subset \mathbb{R}$  and  $\mathbb{R}$  is a set in ZFC. Therefore,  $D$  is also a set.

**Objection 4:** AC is foundational to modern mathematics.

**Rebuttal:** Foundational axioms must preserve consistency. If

$$\text{AC} \Rightarrow \perp$$

then the scope of AC must be restricted to avoid contradictions in the theory.

**Objection 5:** Selecting  $d_i \in D$  does not entail indexing all of  $D$ .

**Rebuttal:** If  $f(D) = d_i$ , then

$$\text{ZFC} \vdash \text{Identifiable}(d_i) \Rightarrow \text{Indexable}(\{d_i\}).$$

Repeated applications yield:

$$\{d_1, d_2, \dots\} \Rightarrow \text{Indexed subset } D' \subset D \Rightarrow \perp.$$

Since  $D$  is unindexable, this leads to a contradiction.

**Objection 6:** A countable subset  $D' \subset D$  does not contradict the uncountability of  $D$ .

**Rebuttal:** True, but

$$\exists \varphi : \mathbb{N} \rightarrow D' \text{ definable in ZFC} \Rightarrow \exists d \in D \text{ with } \text{Definable}(d) \Rightarrow \perp$$

**Objection 7:** An element of  $D$  may exist without being constructible or selectable.

**Rebuttal:** That is consistent. However,

$$\text{AC} \Rightarrow \text{Select}(d_i \in D) \Rightarrow \text{Definable}(d_i) \Rightarrow \perp$$

**Objection 8:** AC and the existence of  $D$  can coexist.

**Rebuttal:** We have shown:

$$\text{AC} + \text{Exists}(D) \Rightarrow \text{Index}(D) \Rightarrow \perp$$

$$\Rightarrow \neg(\text{AC} \wedge \text{Exists}(D))$$

**Kim Altair**

Independent Researcher

Email: [dbnj515@gmail.com](mailto:dbnj515@gmail.com)

ORCID: <https://orcid.org/0009-0002-1479-2769>

GitHub: <https://github.com/KimAltair>

## References

- [1] Alan Turing, *On Computable Numbers, with an Application to the Entscheidungsproblem*, Proceedings of the London Mathematical Society, 1936.
- [2] Kurt Gödel, *The Consistency of the Axiom of Choice and of the Generalized Continuum Hypothesis*, Annals of Mathematics Studies, 1940.
- [3] Paul J. Cohen, *The Independence of the Continuum Hypothesis*, Proceedings of the National Academy of Sciences, Vol. 50, No. 6 (1963), pp. 1143–1148.
- [4] Paul J. Cohen, *The Independence of the Axiom of Choice*, Proceedings of the National Academy of Sciences, Vol. 51, No. 1 (1964), pp. 1–4.