

# **Developing a Perimenopausal Symptom Tracker to Aid in Symptom Awareness and Identification of Perimenopause**

by  
**Kiran Mahn**

In partial fulfilment of the  
requirements for the degree of  
Bachelor of Science  
in  
CS408: Individual Project



Department of  
Computer and Information Sciences

April, 2025

### **Abstract**

The abstract is a bird's eye view of the project.

It should not exceed one page. Mention the scope and objectives of the project, the methodology used, the main findings, and significance of your results.

---

## **Acknowledgements**

I would like to thank the participants who evaluated my project, my supervisor etc.

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Background Literature</b>	<b>2</b>
2.1	Perimenopause . . . . .	2
2.2	Menopause Education . . . . .	2
2.3	Symptom Tracking Apps and Technology . . . . .	3
<b>3</b>	<b>Specification &amp; Design</b>	<b>4</b>
3.1	Methodology . . . . .	4
3.2	Analysis . . . . .	4
3.3	Requirements . . . . .	4
3.4	Design . . . . .	5
<b>4</b>	<b>Product</b>	<b>7</b>
4.1	Implementation . . . . .	7
4.2	Verification & Validation . . . . .	7
<b>5</b>	<b>Results &amp; Evaluation</b>	<b>8</b>
5.1	Evaluation Process . . . . .	8
5.2	Results of Evaluation . . . . .	8
5.3	Returning to the Research Questions . . . . .	8
<b>6</b>	<b>Discussion &amp; Reflection</b>	<b>9</b>
6.1	Interpreting the Results . . . . .	9
6.2	Reflection . . . . .	9
6.3	Challenges . . . . .	9
6.4	Limitations . . . . .	9
6.5	Future Work . . . . .	9
<b>7</b>	<b>Conclusion</b>	<b>10</b>
<b>A</b>	<b>Appendix</b>	<b>13</b>
A.1	Ethical Approval Form . . . . .	13
A.2	Participant Information Sheet . . . . .	13
A.3	Consent Form . . . . .	13
A.4	Marking Scheme . . . . .	14

## 1 Introduction

This is a concise and clear overview of your dissertation (more or less 2-3 pages). You can start off the project description provided of the project that was allocated to you and flesh it out.

Include (1) the problem you have tackled, (2) why this problem is worth addressing, (3) what you did to address it - in broad terms. Detail will come later.

i.e., issue(s) on which the research will focus, shall be clearly identified and described. You shall refer to past research work relevant to the topic and objectives, i.e., of the study. You shall outline where applicable the potential research output with respect to research transfer and uptake by the community.

The introduction says: this is an overview of the project. This is why I did it (the problem) and how I tackled it. It is the *runway* into the project. It lets the marker know what to expect of your report.

If you're doing a research project, this would be the place to include the research questions you plan to address. For example:

**RQ1:** Where did James Bond come from?

**RQ2:** Why are pumpkins orange?

If you're doing a project of type 1, include a list of objectives. For example:

**Objective 1:** Provide software to allow James Bond to become invisible.

**Objective 2:** Provide software to keep track of all loyalty points in one place.

Provide a 'map' of your dissertation. For example: Section 2 reviews the background literature that was reviewed to inform this project. Then Section 3.....

## 2 Background Literature

### 2.1 Perimenopause

The American Journal of Epidemiology[4] states that perimenopause is the transition period of a woman's life, which starts with a natural shift in ovulation and menstruation patterns and/or increased symptoms, and ends when a woman enters menopause. It classifies menopause as when a woman has not had her period for a year. The Lancashire and South Cumbria NHS Foundation Trust's article on Perimenopause, Menopause, and Pain[11] states that during perimenopause, the body's production of estrogen, testosterone, and progesterone fluctuates significantly and can stay low forever if no treatment is taken. This change in hormones drastically changes the way a woman's body and mind work. A Swiss Perimenopause study[20] found that women experiencing lower estrogen and progesterone levels had higher suicide intent scores and were more likely to develop depression, which is backed up by another study from the Journal of Psychiatric Research which found a correlation between low progesterone states and suicide[2]. Other effects of perimenopause are much more common, and perimenopause may not be the obvious source. During Perimenopause, 80% of women experience hot flashes[3], 77% joint pain[17], 60% memory issues[8], over 20% experience heart palpitations[18], 1/4 women have really heavy periods[10], 50% of women say it negatively impacts their sex lives[6], and 1/10 women leave their jobs because of menopausal symptoms[5]. It therefore comes as no surprise that almost 90% of women seek out their healthcare provider for advice on how to cope[9]. However in the US, 3/4 of women who ask for medical help are left untreated causing women to turn to other sources of help and information[21].

### 2.2 Menopause Education

A University College London publication on women's post reproductive health[1] explores the extent of knowledge women have about menopause. When it comes to menopause, most women are left untreated and unsupported. Without sufficient education, most are left suffering due to hormonal imbalance and lifestyle changes they are unprepared for and do not have the information they need to help cope. In this study of 829 postmenopausal women, 90% were never educated about the menopause. It is rarely included in sexual

education received in school and though awareness is increasing, it is still rarely talked about in the media and considered a taboo and private subject only to be talked about with your doctor[13]. This is further problematic as doctors too are not well educated on menopause[12]. The NHS site on the treatment of menopause[16] states that many menopause symptoms can be effectively treated with hormone replacement therapy (HRT), even symptoms such as hot flushes can improve within a few weeks. However, a study of 3000 british menopausal women who complained to their doctors of low mood or anxiety symptoms found that 66% were offered anti-depressants instead of hormones[15]. In fact, 1/4 of women are on anti-depressants post menopause[7] despite the fact that antidepressants don't help low mood in menopausal women with hormone imbalances, and according to the National Institute for Health and Care Excellence[14] HRT should be offered first. This may be largely due to lack of education doctors receive about menopause. 41% of UK medical schools do not give any mandatory menopause education[12]. Professor Joyce Harper, an internationally renowned, award-winning scientist and a professor of reproductive science at UCL, states that "The data shows that women have a lack of education about this key life stage. Together with a reported lack of education from their healthcare professionals, women may be left undiagnosed and unsupported" [19].

### **2.3 Symptom Tracking Apps and Technology**

## 3 Specification & Design

Describe all details of the design and procedures used to achieve the project objectives. Do this chronologically.

It should be detailed enough to allow for an assessment of the rigour of your process, and, in the case of research projects, in terms of how well grounded your research is in the research literature. In these cases, refer back to relevant sections in the previous chapter.

Say which software lifecycle approach you used e.g., Waterfall, Spiral, Agile.

How did you gather user requirements?

### 3.1 Methodology

Which methodology did you choose?

### 3.2 Analysis

How did you decide on the particular software artifact you decided to develop?

### 3.3 Requirements

Here you explain what the functional and non-functional requirements are. Explain how you prioritised them. See <https://www.nuclino.com/articles/functional-requirements> for more information.

**Functional requirement:** "The system must **do** [requirement]."

**Non-functional requirement:** "The system shall **be** [requirement]."

Well-written functional requirements typically have the following characteristics:

**Necessary:** Although functional requirements may have different priority, every one of them needs to relate to a particular business goal or user requirement.

**Concise:** Use simple and easy-to-understand language without any unnecessary jargon to prevent confusion or misinterpretations.



**Attainable:** All requirements you include need to be realistic within the time and budget constraints set in the business requirements document.

**Granular:** Do not try to combine many requirements within one. The more precise and granular your requirements are, the easier it is to manage them.

**Consistent:** Make sure the requirements do not contradict each other and use consistent terminology.

**Verifiable:** It should be possible to determine whether the requirement has been met at the end of the project.

### 3.3.1 Functional Requirements

This is the **WHAT** of your artifact.

Functional requirements are product features that developers must implement to enable the users to achieve their goals. They define the basic system behavior under specific conditions.

Functional requirements need to be clear, simple, and unambiguous. Examples:

- The system must send a confirmation email whenever an order is placed.
- The system must allow blog visitors to sign up for the newsletter by leaving their email.
- The system must allow users to verify their accounts using their phone number.

### 3.3.2 Non-Functional Requirements

This is the **HOW** of your artifact. Example non-functional requirement: “When the submit button is pressed, the confirmation screen must load within 2 seconds.”

## 3.4 Design

### 3.4.1 Interface Design

Explain how you used wireframes, and how you tested these to design the user interface.

### 3.4.2 System Design

Show how you designed your database (if appropriate) and how you designed your system architecture, and the individual parts. Use UML and an Entity Relationship diagram

## **4 Product**

### **4.1 Implementation**

Provide implementation details: language used, architecture (e.g. server and client, or hub and spoke). Explain how you secured personal details.

### **4.2 Verification & Validation**

How did you verify that your software was debugged and worked correctly?

How did you validate that you had implemented all the functional and non-functional requirements?

## 5 Results & Evaluation

Results are often presented in tables, figures and other relevant illustrations. Include text that refers to these figures/tables.

### 5.1 Evaluation Process

If you involved humans in the evaluation, how many did you have? What can you say about the demographics of your participants? (If you did collect these)

In terms of the *user interface*, how did you carry out a usability evaluation, how did you go about doing this? How did you recruit participants?

In terms of delivering *functionality*, did you carry out user acceptance testing? (see attached guidance).

### 5.2 Results of Evaluation

This Section includes a direct interpretation of the gathered data and evaluation processes.

### 5.3 Returning to the Research Questions

Return to research questions or objectives as appropriate.

#### 5.3.1 RQ1

It is clear from our findings that James Bond was born in Wigtown in Scotland. However, he grew up in Diss, in Norfolk. We know this because ....

#### 5.3.2 RQ2

We were not able to answer this question from our studies, although some suggestions were made. These could not be proven.

#### 5.3.3 Objective 1

#### 5.3.4 Objective 2

## 6 Discussion & Reflection

### 6.1 Interpreting the Results

Here you will discuss your findings. This is especially relevant for research projects. You might interpret what the data and evaluation implies, both for future research and for practice (if appropriate).

The discussion is **not** a review of literature. You should try to compare research findings with previous work, provide explanations for your findings, discuss research findings, in terms of their contribution.

### 6.2 Reflection

Look back and think about what you would do differently if you were going to start the project with the knowledge you have now. Be honest about your mistakes or missteps.

### 6.3 Challenges

This is not the place to mention personal circumstances but rather challenges related to the work involved in the project.

### 6.4 Limitations

Acknowledge things like: small number of participants, software wasn't completely debugged, or whatever else went wrong and affected your project. *Include as appropriate*

### 6.5 Future Work

If someone else wanted to build on your project's product, what would be cool to do next?

## 7 Conclusion

The conclusion is similar to when a plane lands. You don't rewrite the introduction. You say something like - I addressed the problem outlined in the introduction, and I built some software to do this. I tested the software like this ADD FEW WORDS.

Summarize main findings drawn from the project work. Mention the objectives or research questions. Do not repeat points raised in the discussion and reflection Section. If applicable, you can make recommendations. The conclusion should NOT contain any references.

## References

- [1] R. Aljumah, S. Phillips, and J. C. Harper. An online survey of postmenopausal women to determine their attitudes and knowledge of the menopause. *Post Reproductive Health*, 29(2):67–84, Jun 2023. Epub 2023 Mar 29.
- [2] E. Baca-Garcia, C. Diaz-Sastre, A. Ceverino, M. M. Perez-Rodriguez, R. Navarro-Jimenez, J. Lopez-Castroman, J. Saiz-Ruiz, J. de Leon, and M. A. Oquendo. Suicide attempts among women during low estradiol/low progesterone states. *Journal of Psychiatric Research*, 44(4):209–214, 2010.
- [3] R. Bansal. Menopause and hot flashes. *Journal of Mid-Life Health*, 10(1):6–13, 2019.
- [4] D. J. Brambilla, S. M. McKinlay, and C. B. Johannes. Defining the perimenopause for application in epidemiologic investigation. *American Journal of Epidemiology*, 140:1091–1095, 1994.
- [5] J. Brewis, V. Beck, A. Davies, and J. Matheson. The effects of menopause transition on women’s economic participation in the uk. *gov.uk*, July 2017.
- [6] British Menopause Society. Are women suffering in silence? new survey... <https://www.thebms.org.uk>, May 2016. Accessed: March 18, 2025.
- [7] D. J. Brody and Q. Gu. Antidepressant use among adults: United states, 2015-2018. *NCHS Data Brief*, 377:1–8, 2020.
- [8] D. Gaytri. Menopause-related cognitive impairment. *Obstetrics & Gynecology*, 312(6):1325–1327, 2018.
- [9] J. R. Guthrie, L. Dennerstein, J. R. Taffe, and V. Donnelly. Healthcare-seeking for menopausal problems. *Climacteric*, 6:112–117, 2003.
- [10] S. Harlow. Menstruation and the menopausal transition. *Obstetrics and Gynecology Clinics of North America*, pages 595–607, 2011.
- [11] Lancashire and South Cumbria NHS Foundation Trust. Perimenopause, menopause, and pain.
- [12] Menopause Support. Menopause support survey reveals shocking disparity in menopause training in medical schools. <https://www.menopausesupport.co.uk>, May 2021. Accessed: March 18, 2025.
- [13] K. Muir. *Everything You Need to Know About the Menopause (but were too afraid to ask)*. Gallery UK, 2022.
- [14] National Institute for Health and Care Excellence. Menopause: Diagnosis and management. <https://www.nice.org.uk>, December 2019. Accessed: March 18, 2025.
- [15] Newson Health. Menopause survey results published! <https://www.newsonhealth.co.uk>, March 2019. Accessed: March 18, 2025.
- [16] NHS. Menopause - treatment, May 2022. Accessed: March 18, 2025.

- [17] ScienceDaily. Estrogen may relieve post-menopausal joint pain, study suggests. <https://www.sciencedaily.com>, March 2013. Accessed: March 18, 2025.
- [18] Y. Sheng. Review of menopausal palpitations measures. *Women's Midlife Health*, 7(5), 2021.
- [19] University College London. Nine in ten women were never educated about the menopause. <https://www.ucl.ac.uk/news/2023/apr/nine-ten-women-were-never-educated-about-menopause>, April 2023. Accessed: March 18, 2025.
- [20] J. Willi, H. Süss, J. Grub, and U. Ehlert. Biopsychosocial predictors of depressive symptoms in the perimenopause—findings from the swiss perimenopause study. *Menopause*, 28(3):247–254, January 2021.
- [21] J. Wolff. What doctors don't know about menopause, July 2018.



## **A Appendix**

This is where you can include your documentation.

Remember that the marker is not required to read this, but might well check to ensure that you have included product documentation, and ethical approval, as required.

### **A.1 Ethical Approval Form**

If your project required you to do any evaluation with humans, you **MUST** include this. It can be downloaded from the Ethics system.

<https://local.cis.strath.ac.uk/wp/extras/ethics/index.php>

### **A.2 Participant Information Sheet**

If your project required you to do any evaluation with humans, you **MUST** include this

<https://www.strath.ac.uk/ethics/information-sheet-and-consent-form/>

### **A.3 Consent Form**

If your project required you to do any evaluation with humans, you **MUST** include this.

<https://www.strath.ac.uk/ethics/information-sheet-and-consent-form/>

## A.4 Marking Scheme

REMEMBER TO DELETE THIS. IT IS ONLY INCLUDED FOR your INFORMATION.

### 11.2. Marking Schemes

There are three marking schemes which weight the assessment criteria as follows.

	Software Development Based	Experimentation-based with Significant Software Development	Experiment-based
<b>Project progress presentation</b>	10%	10%	10%
<b>Product</b>			
Implementation (including documentation as this indicates maintainability)	25	20	10
Verification and Validation	10	5	5
<b>Product Total:</b>	35%	25%	15%
<b>Process</b>			
Methodology, analysis and documentation	15	20	20
Design	10	5	5
<b>Process Total</b>	25%	25%	25%
<b>Results and Evaluation</b>			
	15%	25%	35%
<b>Report Presentation</b>			
	10%	10%	10%
<b>Student Performance</b>			
	5%	5%	5%