


Distribution of Clonic_seizure by num_stable_meds


$\chi^2_{\text{Pearson}}(7) = 14.48, p = 0.04, \widehat{V}_{\text{Cramer}} = 0.31, \text{CI}_{95\%} [0.00, 1.00], n_{\text{obs}} = 79$



$\log_e(\text{BF}_{01}) = -2.57, \widehat{V}_{\text{Cramer}}^{\text{posterior}} = 0.30, \text{CI}_{95\%}^{\text{ETI}} [0.00, 0.49], a_{\text{Guel-Dickey}} = 1.00$

Distribution of Complex_partial_seizure_with_impairment_of_consciousness by num_stable_meds


$\chi^2_{\text{Pearson}}(7) = 14.34, p = 0.05, \widehat{V}_{\text{Cramer}} = 0.30, \text{CI}_{95\%} [0.00, 1.00], n_{\text{obs}} = 79$



$\log_e(\text{BF}_{01}) = -0.83, \widehat{V}_{\text{Cramer}}^{\text{posterior}} = 0.23, \text{CI}_{95\%}^{\text{ETI}} [0.00, 0.48], a_{\text{Guel-Dickey}} = 1.00$

Distribution of Myoclonic_absence_seizure by num_stable_meds


$\chi^2_{\text{Pearson}}(7) = 14.99, p = 0.04, \hat{V}_{\text{Cramer}} = 0.32, \text{CI}_{95\%} [0.00, 1.00], n_{\text{obs}} = 79$



$\log_e(\text{BF}_{01}) = -0.77, \hat{V}_{\text{Cramer}}^{\text{posterior}} = 0.21, \text{CI}_{95\%}^{\text{ETI}} [0.00, 0.51], a_{\text{Guel-Dickey}} = 1.00$

Distribution of Myoclonic_seizure by num_stable_meds


$\chi^2_{\text{Pearson}}(7) = 15.38, p = 0.03, \hat{V}_{\text{Cramer}} = 0.33, \text{CI}_{95\%} [0.00, 1.00], n_{\text{obs}} = 79$



$\log_e(\text{BF}_{01}) = -0.19, \hat{V}_{\text{Cramer}}^{\text{posterior}} = 0.26, \text{CI}_{95\%}^{\text{ETI}} [0.00, 0.49], a_{\text{Gunnel-Dickey}} = 1.00$

Distribution of Myoclonic-atonic_seizure by num_stable_meds

$\chi^2_{\text{Pearson}}(7) = 14.99, p = 0.04, \hat{V}_{\text{Cramer}} = 0.32, \text{CI}_{95\%} [0.00, 1.00], n_{\text{obs}} = 79$



$\log_e(\text{BF}_{01}) = -0.77, \hat{V}_{\text{Cramer}}^{\text{posterior}} = 0.21, \text{CI}_{95\%}^{\text{ETI}} [0.00, 0.52], a_{\text{Gunnel-Dickey}} = 1.00$