Marian San Carlos Company	The second secon
Ex.No.: 4	WORKING WITH CONSTRAINTS
Date: 06/08/2024	WORKING
[OP   OO   2029	

# **OBJECTIVE**

and I

After the completion of this exercise the students should be able to do the following

- Describe the constraints
- Create and maintain the constraints

### What are Integrity constraints?

- Constraints enforce rules at the table level.
- Constraints prevent the deletion of a table if there are dependencies

# The following types of integrity constraints are valid

- a) Domain Integrity
- ✓ NOT NULL
- ✔ CHECK
- b) Entity Integrity
- ✓ UNIQUE
- ✔ PRIMARY KEY
- c) Referential Integrity
- ✓ FOREIGN KEY

#### Constraints can be created in either of two ways

- At the same time as the table is created
- 2. After the table has been created.

### **Defining Constraints**

Create table tablename (column\_name1 data\_ type constraints, column\_name2 data\_ type constraints ...);

#### Example:

Create table employlees (employee\_id number(6), first\_name varchar2(20), ...job\_id varchar2 (10), CONSTRAINT emp\_emp\_id\_pk PRIMARY KEY (employlee\_id));

(OR) ALTER TABLE test 1 DROP(pk, fk, coll) CASCADE CONSTRAINTS;

### VIEWING CONSTRAINTS

Query the USER\_CONSTRAINTS table to view all the constraints definition and names.

### Example:

1

-

-

1

-

1

TATATATATATATATATATATATATATATATATATA

SELECT constraint\_name, constraint\_type, search\_condition FROM user\_constraints WHERE table\_name='employees';

# Viewing the columns associated with constraints

SELECT constraint\_name, constraint\_type, FROM user\_cons\_columns WHERE table name='employees';

### Find the Solution for the following:

1. Add a table-level PRIMARY KEY constraint to the EMP table on the ID column. The constraint should be named at creation. Name the constraint my\_emp\_id\_pk.

2. Create a PRIMAY KEY constraint to the DEPT table using the ID colum. The constraint should be named at creation. Name the constraint my\_dept\_id\_pk.

ALTER TABLE dept ADD CONSTRAINT my\_dept-id-Pk PRIMARY NEY(id);

3. Add a column DEPT\_ID to the EMP table. Add a foreign key reference on the EMP table that ensures that the employee is not assigned to nonexistent department. Name the constraint my\_emp\_dept\_id\_fk\_

ALTER TABLE emp ADD dept\_Ed NUMBER;

ALTER TABLE RMP ADD CONSTRAINT my\_empid - fr FOREIGN KEY (dept\_id) REFERENCES

dept(id);

4. Modify the EMP table. Add a COMMISSION column of NUMBER data type, precision 2, scale 2. Add a constraint to the commission column that ensures that a commission value is greater than zero.

ALTER TABLE RMP ADD COMMISSION NOMBER (2,2);
ALTER TABLE RMP ADD CONSTRAINT EMPL Commission - CK CHECK ( COMMISSION >0);

Evaluation Procedure	Marks awarded
Query(5)	2
Execution (5)	5
Viva(5)	4
Total (15)	14
Faculty Signature	2