Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
ASL a	13	812,5	187,5	2		187,5	3		10															
LSR a	13	812,5	187,5	2		187,5	3		10															
ROL a	14	875,0	125,0	2		125,0	4		10															
ROR a	14	875,0	125,0	2		125,0	4		10															
DEC a	14	875,0	125,0	2		125,0	4		10															
INC a	14	875,0	125,0	2		125,0	4		10															
CLC	12	750,0	250,0	2		250,0	2		10															
CLD	13	812,5	187,5	2		187,5	3		10															
CLI **-/+6	14	875,0	125,0	2		125,0	4		10															
CLV	12	750,0	250,0	2		250,0	2		10															
SEC	12	750,0	250,0	2		250,0	2		10															
SED	13	812,5	187,5	2		187,5	3		10															
SEI **+3/-	14	875,0	125,0	2		125,0	4		10															
DEX	14	875,0	125,0	2		125,0	4		10															
DEY	14	875,0	125,0	2		125,0	4		10															
INX	14	875,0	125,0	2		125,0	4		10															
INY	14	875,0	125,0	2		125,0	4		10															
NOP	16	1000,0	0,0	2		0,0	6		10															
РНА	20	1250,0	250,0	3		250,0	10		10															
PHP	26	1625,0	-125,0	3		-125,0	16		10															
PHX	20	1250,0	250,0	3		250,0	10		10															
PHY	20	1250,0	250,0	3		250,0	10		10															
PLA	21	1312,5	687,5	4		687,5	8		10									3						
PLP **+5/+7	30	1875,0	125,0	4		125,0	16		10										4					
PLX	21	1312,5	687,5	4		687,5	8		10									3						
PLY	21	1312,5	687,5	4		687,5	8		10									3						

Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
TAX	15	937,5	62,5	2		62,5	2		10									3						
TAY	15	937,5	62,5	2		62,5	2		10									3						
TSX	15	937,5	62,5	2		62,5	2		10									3						
TXA	15	937,5	62,5	2		62,5	2		10									3						
TXS	12	750,0	250,0	2		250,0	2		10															
TYA	15	937,5	62,5	2		62,5	2		10									3						
BRA	21	1312,5	187,5	3		187,5	6	15																
BCC C=1	18	1125,0	-125,0	2		-125,0	3	15																
BCC C=0	23	1437,5	62,5	3	1	562,5	8	15																
BCS C=0	18	1125,0	-125,0	2		-125,0	3	15																
BCS C=1	23	1437,5	62,5	3	1	562,5	8	15																
BEQ Z=0	18	1125,0	-125,0	2		-125,0	3	15																
BEQ Z=1	23	1437,5	62,5	3	1	562,5	8	15																
BMI N=0	18	1125,0	-125,0	2		-125,0	3	15																
BMI N=1	23	1437,5	62,5	3	1	562,5	8	15																
BNE Z=1	18	1125,0	-125,0	2		-125,0	3	15																
BNE Z=0	23	1437,5	62,5	3	1	562,5	8	15																
BPL N=1	18	1125,0	-125,0	2		-125,0	3	15																
BPL N=0	23	1437,5	62,5	3	1	562,5	8	15																
BVC V=1	18	1125,0	-125,0	2		-125,0	3	15																
BVC V=0	23	1437,5	62,5	3	1	562,5	8	15																
BVS V=0	18	1125,0	-125,0	2		-125,0	3	15																
BVS V=1	23	1437,5	62,5	3	1	562,5	8	15																
BBR zp bit=1	28	1750,0	750,0	5		750,0	13	15																
BBR zp bit=0	34	2125,0	375,0	5	1	875,0	19	15																
BBS zp bit=0	28	1750,0	750,0	5		750,0	13	15																

Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
BBS zp bit=1	34	2125,0	375,0	5	1	875,0	19	15																
JMP abs	22	1375,0	125,0	3		125,0	7	15															<u> </u>	
JMP (abs)	34	2125,0	875,0	6		875,0	19	15															<u> </u>	
JMP (abs,x)	36	2250,0	750,0	6		750,0	21	15															<u> </u>	
JSR abs	37	2312,5	687,5	6		687,5	22	15															<u> </u>	
RTS	29	1812,5	1187,5	6		1187,5	14	15															<u> </u>	
RTI **+5/+7	41	2562,5	437,5	6		437,5	27		10										4					
RTI after WAI **	47	2937,5	62,5	6		62,5	28	15											4					
BRK **+3/-	52	3250,0	250,0	7		250,0	37	15																
IRQ **+3/-	59	3687,5	-187,5	7		-187,5	44	15																
NMI **+3/-	60	3750,0	-250,0	7		-250,0	45	15																
ADC abs D=0	33	2062,5	-62,5	4		-62,5	6	15		7						5								
ADC abs,x D=0	37	2312,5	-312,5	4	1	187,5	6	15			11					5								
ADC abs,y D=0	37	2312,5	-312,5	4	1	187,5	6	15			11					5								
ADC (zp) D=0	40	2500,0	0,0	5		0,0	6	15					14			5								
ADC (zp,x) D=0	41	2562,5	437,5	6		437,5	6	15				15				5								
ADC (zp),y D=0	41	2562,5	-62,5	5	1	437,5	6	15				15				5								
ADC zp,x D=0	28	1750,0	250,0	4		250,0	6	15						7										
ADC zp D=0	27	1687,5	-187,5	3		-187,5	6	15							6									
ADC # D=0	21	1312,5	-312,5	2		-312,5	6	15																
ADC abs D=1	40	2500,0	0,0	5		0,0	10	15		7						5		З						
ADC abs,x D=1	44	2750,0	-250,0	5	1	250,0	10	15			11					5		3						
ADC abs,y D=1	44	2750,0	-250,0	5	1	250,0	10	15			11					5		3						
ADC (zp) D=1	47	2937,5	62,5	6		62,5	10	15					14			5		3						
ADC (zp,x) D=1	48	3000,0	500,0	7		500,0	10	15				15				5		3						
ADC (zp),y D=1	48	3000,0	0,0	6	1	500,0	10	15				15				5		3						

Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
ADC zp,x D=1	35	2187,5	312,5	5		312,5	10	15						7				3						
ADC zp D=1	34	2125,0	-125,0	4		-125,0	10	15							6			3						
ADC # D=1	28	1750,0	-250,0	3		-250,0	10	15										3						
SBC abs D=0	34	2125,0	-125,0	4		-125,0	7	15		7						5								
SBC abs,x D=0	38	2375,0	-375,0	4	1	125,0	7	15			11					5								
SBC abs,y D=0	38	2375,0	-375,0	4	1	125,0	7	15			11					5								
SBC (zp) D=0	41	2562,5	-62,5	5		-62,5	7	15					14			5								
SBC (zp,x) D=0	42	2625,0	375,0	6		375,0	7	15				15				5								
SBC (zp),y D=0	42	2625,0	-125,0	5	1	375,0	7	15				15				5								
SBC zp,x D=0	29	1812,5	187,5	4		187,5	7	15						7										
SBC zp D=0	28	1750,0	-250,0	3		-250,0	7	15							6									
SBC # D=0	22	1375,0	-375,0	2		-375,0	7	15																
SBC abs D=1	40	2500,0	0,0	5		0,0	10	15		7						5		3						
SBC abs,x D=1	44	2750,0	-250,0	5	1	250,0	10	15			11					5		3						
SBC abs,y D=1	44	2750,0	-250,0	5	1	250,0	10	15			11					5		3						
SBC (zp) D=1	47	2937,5	62,5	6		62,5	10	15					14			5		3						
SBC (zp,x) D=1	48	3000,0	500,0	7		500,0	10	15				15				5		3						
SBC (zp),y D=1	48	3000,0	0,0	6	1	500,0	10	15				15				5		3						
SBC zp,x D=1	35	2187,5	312,5	5		312,5	10	15						7				3						
SBC zp D=1	34	2125,0	-125,0	4		-125,0	10	15							6			3						
SBC # D=1	28	1750,0	-250,0	3		-250,0	10	15										3						
AND abs	31	1937,5	62,5	4		62,5	4	15		7						5								
AND abs,x	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
AND abs,y	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
AND (zp)	38	2375,0	125,0	5		125,0	4	15					14			5								
AND (zp,x)	39	2437,5	562,5	6		562,5	4	15				15				5								

Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
AND (zp),y	39	2437,5	62,5	5	1	562,5	4	15				15				5								
AND zp,x	26	1625,0	375,0	4		375,0	4	15						7										
AND zp	25	1562,5	-62,5	3		-62,5	4	15							6									
AND#	19	1187,5	-187,5	2		-187,5	4	15																
EOR abs	31	1937,5	62,5	4		62,5	4	15		7						5								
EOR abs,x	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
EOR abs,y	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
EOR (zp)	38	2375,0	125,0	5		125,0	4	15					14			5								
EOR (zp,x)	39	2437,5	562,5	6		562,5	4	15				15				5								
EOR (zp),y	39	2437,5	62,5	5	1	562,5	4	15				15				5								
EOR zp,x	26	1625,0	375,0	4		375,0	4	15						7										
EOR zp	25	1562,5	-62,5	3		-62,5	4	15							6									
EOR #	19	1187,5	-187,5	2		-187,5	4	15																
ORA abs	31	1937,5	62,5	4		62,5	4	15		7						5								
ORA abs,x	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
ORA abs,y	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
ORA (zp)	38	2375,0	125,0	5		125,0	4	15					14			5								
ORA (zp,x)	39	2437,5	562,5	6		562,5	4	15				15				5								
ORA (zp),y	39	2437,5	62,5	5	1	562,5	4	15				15				5								
ORA zp,x	26	1625,0	375,0	4		375,0	4	15						7										
ORA zp	25	1562,5	-62,5	3		-62,5	4	15							6									
ORA#	19	1187,5	-187,5	2		-187,5	4	15																
CMP abs	31	1937,5	62,5	4		62,5	4	15		7						5								
CMP abs,x	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
CMP abs,y	35	2187,5	-187,5	4	1	312,5	4	15			11					5								
CMP (zp)	38	2375,0	125,0	5		125,0	4	15					14			5								

Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
CMP (zp,x)	39	2437,5	562,5	6		562,5	4	15				15				5								
CMP (zp),y	39	2437,5	62,5	5	1	562,5	4	15				15				5								
CMP zp,x	26	1625,0	375,0	4		375,0	4	15						7										
CMP zp	25	1562,5	-62,5	3		-62,5	4	15							6									
CMP#	19	1187,5	-187,5	2		-187,5	4	15																
BIT abs	36	2250,0	-250,0	4		-250,0	9	15		7						5								
BIT abs,x	40	2500,0	-500,0	4	1	0,0	9	15			11					5							<u> </u>	
BIT zp,x	31	1937,5	62,5	4		62,5	9	15						7										
BIT zp	30	1875,0	-375,0	3		-375,0	9	15							6								<u> </u>	
BIT#	20	1250,0	-250,0	2		-250,0	5	15																
CPX abs	31	1937,5	62,5	4		62,5	4	15		7						5								
CPX zp	25	1562,5	-62,5	3		-62,5	4	15							6									
CPX #	19	1187,5	-187,5	2		-187,5	4	15																
CPY abs	31	1937,5	62,5	4		62,5	4	15		7						5								
CPY zp	25	1562,5	-62,5	3		-62,5	4	15							6									
CPY #	19	1187,5	-187,5	2		-187,5	4	15																
LDA abs	31	1937,5	62,5	4		62,5	1	15		7						5		3						
LDA abs,x	35	2187,5	-187,5	4	1	312,5	1	15			11					5		3						
LDA abs,y	35	2187,5	-187,5	4	1	312,5	1	15			11					5		3						
LDA (zp)	38	2375,0	125,0	5		125,0	1	15					14			5		3						
LDA (zp,x)	39	2437,5	562,5	6		562,5	1	15				15				5		3						
LDA (zp),y	39	2437,5	62,5	5	1	562,5	1	15				15				5		3						
LDA zp,x	26	1625,0	375,0	4		375,0	1	15						7				3						
LDA zp	25	1562,5	-62,5	3		-62,5	1	15							6			3						
LDA#	19	1187,5	-187,5	2		-187,5	1	15										3						
LDX abs	31	1937,5	62,5	4		62,5	1	15		7						5		3						

Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
LDX abs,y	35	2187,5	-187,5	4	1	312,5	1	15			11					5		3						
LDX zp,y	26	1625,0	375,0	4		375,0	1	15						7				3						
LDX zp	25	1562,5	-62,5	3		-62,5	1	15							6			3						
LDX #	19	1187,5	-187,5	2		-187,5	1	15										3						
LDY abs	31	1937,5	62,5	4		62,5	1	15		7						5		3						
LDY abs,x	35	2187,5	-187,5	4	1	312,5	1	15			11					5		3						
LDY zp,x	26	1625,0	375,0	4		375,0	1	15						7				3						
LDY zp	25	1562,5	-62,5	3		-62,5	1	15							6			3						
LDY#	19	1187,5	-187,5	2		-187,5	1	15										3						
STA abs	32	2000,0	0,0	4		0,0	0	15		7													10	
STA abs,x	36	2250,0	250,0	5		250,0	0	15			11												10	
STA abs,y	36	2250,0	250,0	5		250,0	0	15			11												10	
STA (zp)	39	2437,5	62,5	5		62,5	0	15					14										10	
STA (zp,x)	40	2500,0	500,0	6		500,0	0	15				15											10	
STA (zp),y	40	2500,0	500,0	6		500,0	0	15				15											10	
STA zp,x	27	1687,5	312,5	4		312,5	0	15												6				6
STA zp	26	1625,0	-125,0	3		-125,0	0	15													5			6
STX abs	32	2000,0	0,0	4		0,0	0	15		7													10	
STX zp,y	27	1687,5	312,5	4		312,5	0	15												6				6
STX zp	26	1625,0	-125,0	3		-125,0	0	15													5			6
STY abs	32	2000,0	0,0	4		0,0	0	15		7													10	
STY zp,x	27	1687,5	312,5	4		312,5	0	15												6				6
STY zp	26	1625,0	-125,0	3		-125,0	0	15													5			6
STZ abs	32	2000,0	0,0	4		0,0	0	15		7													10	
STZ abs,x	36	2250,0	250,0	5		250,0	0	15			11												10	
STZ zp,x	27	1687,5	312,5	4		312,5	0	15												6				6

Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
								15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
STZ zp	26	1625,0	-125,0	3		-125,0	0	15													5			6
ASL abs	38	2375,0	625,0	6		625,0	3	15		7						5						8		
ASL abs,x	42	2625,0	375,0	6	1	875,0	3	15			11					5						8		
ASL zp,x	33	2062,5	937,5	6		937,5	3	15						7								8		
ASL zp	32	2000,0	500,0	5		500,0	3	15							6							8		
LSR abs	38	2375,0	625,0	6		625,0	3	15		7						5						8		
LSR abs,x	42	2625,0	375,0	6	1	875,0	3	15			11					5						8		
LSR zp,x	33	2062,5	937,5	6		937,5	3	15						7								8		
LSR zp	32	2000,0	500,0	5		500,0	3	15							6							8		
ROL abs	39	2437,5	562,5	6		562,5	4	15		7						5						8		
ROL abs,x	43	2687,5	312,5	6	1	812,5	4	15			11					5						8		
ROL zp,x	34	2125,0	875,0	6		875,0	4	15						7								8		
ROL zp	33	2062,5	437,5	5		437,5	4	15							6							8		
ROR abs	39	2437,5	562,5	6		562,5	4	15		7						5						8		
ROR abs,x	43	2687,5	312,5	6	1	812,5	4	15			11					5						8		
ROR zp,x	34	2125,0	875,0	6		875,0	4	15						7								8		
ROR zp	33	2062,5	437,5	5		437,5	4	15							6							8		
DEC abs	39	2437,5	562,5	6		562,5	4	15		7						5						8		
DEC abs,x	43	2687,5	812,5	7		812,5	4	15			11					5						8		
DEC zp,x	34	2125,0	875,0	6		875,0	4	15						7								8		
DEC zp	33	2062,5	437,5	5		437,5	4	15							6							8		
INC abs	39	2437,5	562,5	6		562,5	4	15		7						5						8		
INC abs,x	43	2687,5	812,5	7		812,5	4	15			11					5						8		
INC zp,x	34	2125,0	875,0	6		875,0	4	15						7								8		
INC zp	33	2062,5	437,5	5		437,5	4	15							6							8		
RMB zp	29	1812,5	687,5	5		687,5	14	15																

	Instruction (condition f=#)	Total AVR cyles used	AVR ns @ 16MHz	65C02 ns @ 2MHz negative=AVR slower positive=AVR faster	65C02 cycles	page cross add	ns if page crossed	individual cycles	op_decode	op_decode_single	adgen_a	adgen_x, adgen_y	adgen_zxi, adgen_ziy	adgen_zi	adgen_zx, adgen_zy	adgen_z	op_fetch	reg_fetch	flags_gen_nz	IRQ_restore	adgen_s_zx, adgen_s_zy	adgen_s_z	store_modify *	store_reg * (label STr_o)	store_reg (label STr_m)
									15	10	7	11	15	14	7	6	5	5	3	4	6	5	8	10	6
SMB zp		29	1812,5	687,5	5		687,5	14	15																
TRB abs		44	2750,0	250,0	6		250,0	9	15		7						5						8		
TRB zp		38	2375,0	125,0	5		125,0	9	15							6							8		
TSB abs		43	2687,5	312,5	6		312,5	8	15		7						5						8		
TSB zp		37	2312,5	187,5	5		187,5	8	15							6							8		
average				145,0			248,2																*	*	
		-		REAL is defiing if interrup														-	cles i tecte			AP is	defin	ed	