Ingeniørhøjskolen Århus

DISCRETE MATHMATICS

Hand in 3

Written by:

Rasmus Lund-Jensen Studienummer: 11111 Nicolai Glud Studienummer: 11102

Johnny Kristensen Studienummer: 10734



Intro

Hest

Considerations

- 1. Why blackfin?
- 2. Distance measurements

a) Ultrasound

The first method we discussed was ultrasound. But if we were to choose ultrasound we wouldnt have much data processing since we would just have a transmitter/reciever circuit which has an electrical interface. And we wouldnt learn much about implementing digital signal processing. Peter also

b) Laser

We didnt realy consider laser since we would rather try to play around with sound and measurements of sound. We also figured it would be a lot more complicated for this type of project.

c) Hearable sound

We went along with hearable sound by suggestion from Peter. Hearable sound is easier to work with since, yes we can hear it, but it is easier to measure and produce. When we record sound we also get a lot of sample which we can process.

- 3. Display/output
- 4. Signal considerations Before we went any further with the project we investigated which kind of signals which was good to send. We did that by generating a signal, made a delay and the cross-correlated these two signals. We tried three different signal
 - a) Chirp

We started with a chirp. We did that because of gut feeling. We thought this would be the best signal to send mostly because it was controlled and not random, and the signal changed characteristic over time.

- b) Sinusoid
- c) White gaussian noise
- 5. Clock cycles and resources Regarding resources on the blackfin we are looking to try to make our own implementation through the project and then compare with the built-in function. We are not trying to do it better but rather get the understanding of what is going on. We also want to investigate the use of DMA on the blackfin so we do not waste resources on moving data only processing it.

Theory

- 1. X-corr
- 2. DMA
- 3. Generated noise

Algoritm development

- 1. X-corr
- 2. Generated noise
- 3. display/rs232

Setup of Blackfin

- 1. DMA setup
- 2. Port/IO setup

Implementation of Algoritm

- 1. Input
- 2. Output
- 3. X-corr
- 4. rs232

Test

1 Test of Algoritm

matlab

2 Test on blackfin

blackfin

Full test

blackfin all inclusive

Discussion of results

Conclusion