



# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

## Experiment-2

**Student Name:** Anshul Aery

**UID** 23BCS12640

**Branch:** CSE

**Section/Group:** KRG-1B

**Semester:** 6th

**Date of Performance:** 12/01/26

**Subject Name:** System Design

**Subject Code:** 23CSH-314

1. **AIM :** To design an online E-commerce platform similar to Amazon/Flipkart for browsing and purchasing products like mobiles, laptops, cameras, and clothes.  
To implement Kafka, Elasticsearch, and a CDC pipeline for real-time data processing, fast search, and scalability.

### 2. Objective:

- To develop a scalable online shopping system for product listing, search, and order management.
- To use Apache Kafka for real-time event streaming and inter-service communication.
- To implement Elasticsearch for fast and efficient product search.
- To integrate a CDC pipeline for real-time synchronization between databases and services.

### 3. Tools Required:

- Programming Language: Java / Python / JavaScript
- Backend Framework: Spring Boot / Express.js / Flask
- Database: MySQL / PostgreSQL / MongoDB
- API Testing Tool: Postman
- Design Tool: Draw.io (for HLD diagrams)
- Web Browser
- ElasticSearch
- Kafka
- CDC connector

### 4. SYSTEM DESIGN / SYSTEM SPECIFICATION:

#### 4.1. Functional Requirements:

- User should be able to search and find the products based on product title or names.
- User should be able to view the details of the product like description, image, available quantity, review, accessed.
- User should be able to select the quantity and move the product/item into the cart.
- User should be able to make the payment and should be able to perform the check out.
- User should be able to check the status of the order.
- System should be able to manage purchase of items having limited stocks.

#### 4.2. Non-functional Requirements:

- Target Scale: 100 Million DAU with 10 orders processed per second. Availability – System should be available 24/7
- Consistency & Availability: Here for this system we need both as per the Target Scale. Now we should specify that, which part of our system needs what?
- Latency: Required: ~200 ms
- Scaling: Horizontal / Vertical Consistency

#### 4.3. Core-Entities of the System:

1. User / Client
2. Product
3. Cart
4. Orders
5. Checkout followed by Payment

#### 4.4. API Endpoints Creation:

##### 1. GET API Call: Prod\_Search

Https://Local\_Host/products/search\_item = {Search\_keywords}

HTTP Req

```
{  
  GET: <iPhone 16>  
}
```

HTTP Res

```
{  
  <ProductID:iPhone>  
}
```

Now, on front-end if multiple data of respective product is coming in that case the FE becomes faulty -> ultimately increasing the LATENCY.

For that: we can use Pagination 1, 2, 3, 4, ----- SO ON

##### 2. GET API Call: View Product Details

Https://Local\_Host/products/{product\_id}

HTTP Req

```
{  
  GET: <Product_id = 17>  
}
```

HTTP Res

```
{
```



# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
Product_id:17,  
Name: iPhone 17,  
Color: Navy Blue,  
Price: $1099,  
Image Thumbnail: URL_Image  
}
```

### 3. POST API Call: Item add in cart

Https://Local\_Host/cart/add\_products

```
HTTP Req  
{  
  Product_id = 17,  
  Product_id = 16  
}
```

```
HTTP Req Header  
{  
  User_id: 04  
}
```

```
HTTP Res  
{  
  Cart_id: 101  
}
```

### 4. PUT API Call: To update any order in the cart

Let's Suppose you want to add one more product into the cart.

### 5. DELETE API Call: To remove any item from the cart

Let's Suppose you want to delete one more product into the cart.

### 6. POST API Call: for check out & Payment Htps://Local\_Host/checkout

-> {post body}

```
HTTP REQ  
{  
  All products ID's,  
  Total Quantity,  
  Total Price  
}
```

```
HTTP RES  
{
```



# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

Order\_ID

}

Https://Local\_Host/payment -> {post body}

HTTP REQ

{



## DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.


```
        Order ID,  
        Payment Type,  
        Payment Mode  
    }  
    HTTP RES  
    {  
        Confirmation_Status: Succes / Fail  
    }
```

### 7.GET API Call: Order Status

Https://Local\_Host/orde\_status = {order\_id}

### 5. HLD(High Level Design):

We have to follow a distributed / micro-services approach not the monolithic one.



## 7. Learning Outcomes

- Understand the design and architecture of a scalable E-commerce platform.
- Gain hands-on experience with Apache Kafka for real-time data streaming.
- Learn to implement fast and efficient search using Elasticsearch.
- Understand Change Data Capture (CDC) pipelines for real-time data synchronization.

- Develop skills in integrating distributed systems for high availability and scalability.