Install of KeTCindy(Windows) Modified : Dec 9th 2018

- 1) Install Cinderella, R, Maxima and Sumatra.
 - · https://beta.cinderella.de (Cinderella)
 - https://cran.r-project.org (R)
 - https://sourceforge.net/projects/maxima (Maxima)

2) Install TeX

- (1) TeXLive is recommended.
 - * Files necessary for KeTCindy are already implemented.(2018 or later)
 - i) texmf-dist/scripts/ketcindy ketlib, setketcindy, ketoutset, etc.
 - ii) texmf-dist/tex/latex/ketcindy Style files for ketcindy
 - iii) texmf-dist/doc/support/ketcindy Manuals and source files
- (2) kettex is a light-weight TeXLive.
 - * Download kettex.exe from

https://www.dropbox.com/s/fthw4btjqqs33tc/kettex.exe?dl=0

* Move kettex to C:\

Rem) It will take time.

- 3) Install KeTCindy
 - (1) Open ketcindy-master/forWin

Rem) Download ketcindyfolder-master if not yet.

https://github.com/ketpic/ketcindy

Rem) If you use TeX other than TeXLIve/KeTTeX,

- * Open setketcindy.bat with a text editor.
- * Edit paths in it.
- (2) Right click setketcindy.bat and select "Run as adiministrator"
 - * Contents of scripts will be copied into TeX.
 - * ketcindystyle files will be copied and mktexlsr will be executed.
 - * Head of userhome : choose usually "d".
 - * In Cinderella/Plugins

KetcindyPluign.jar will be copied ketcindy.ini will be generated .

- (3) Click setwork.bat.
 - * Work directory "ketcindy" will be generated in User's home.
 - * TeX(typeset) will be usually latex, xelatex or pdflatex.
 - * Contents of work will be copied into "ketcindy".

- * ".ketcindy.conf" will be also generated in User's home.
 - You can change the setting of PathT, Mackc, etc.
- * "ketcindy.conf" will be also copied to work directory.
- * Configuration files are read in order of
 - (1) ketoutset.txt in Script folder
 - (2) .ketcindy.conf in User's home
 - (3) ketcindy.conf in the work folder.
- 4) Test run of KeTCindy
 - (1) Double-click "template1basic.cdy" in "ketcindy/ketfiles".

Then a frame in white appear on the screen.

- (2) Press "Figure" button at the top left. then the PDF will be displayed.
- Rem) To close the window of Terminal when the process exits,

Preferences > Shell > "Colse if the shell exited clearly"

- 5) Set Texworks if necessary. For example, in case of KeTTeX,
 - (1) Launch TeXworks,

and choose Edit > Preference > Typeset

(2) Push upper + and add

/Applications/kettex/ketbin/texworkslatex.sh

(or path of your TeX)

- (3) Select Xelatex or pdflatex.
- 6) Install gcc for surface drawing.

minGW: http://www.mingw.org