

Release Notes

build passing release v2.9.0 release date last saturday github repo or version not found

Table of Contents

1. Current Issues

2. Version History

1. Current Issues

1.1 Apache Derby

- The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).

1.2 trino

- All Connectors: Absolutely unsatisfactory performance (see [here](#)).
- Oracle Connector: Oracle session not disconnected (see [here](#)).

2021-01-14 17:44:35,322 [DatabaseSeeder.java] INFO Start 2021-01-14 17:44:35,328
 [DatabaseSeeder.java] INFO tickerSymbolExtern='oracle_trino' 2021-01-14 17:44:35,328
 [DatabaseSeeder.java] INFO Start Oracle Database via trino SLF4J: Class path contains multiple SLF4J
 bindings. SLF4J: Found binding in
 [jar:file:/D:/SoftDevelopment/Projects/db_seeder/lib/db_seeder.jar!/org/slf4j/impl/StaticLoggerBinder.cl
 ass] SLF4J: Found binding in [jar:file:/D:/SoftDevelopment/Projects/db_seeder/lib/jdbc-yugabytedb-
 42.2.7-yb-3.jar!/org/slf4j/impl/StaticLoggerBinder.class] SLF4J: See
http://www.slf4j.org/codes.html#multiple_bindings for an explanation. SLF4J: Actual binding is of type
 [org.slf4j.impl.Log4jLoggerFactory] java.sql.SQLException: ORA-01940: Ein Benutzer, der
 gerade mit der DB verbunden ist, kann nicht gelöscht werden

```
at oracle.jdbc.driver.T4CTTIoer11.processError(T4CTTIoer11.java:509)
at oracle.jdbc.driver.T4CTTIoer11.processError(T4CTTIoer11.java:461)
at oracle.jdbc.driver.T4C8Oall.processError(T4C8Oall.java:1104)
at oracle.jdbc.driver.T4CTTIfun.receive(T4CTTIfun.java:553)
at oracle.jdbc.driver.T4CTTIfun.doRPC(T4CTTIfun.java:269)
at oracle.jdbc.driver.T4C8Oall.doOALL(T4C8Oall.java:655)
at oracle.jdbc.driver.T4CStatement.doOall8(T4CStatement.java:229)
at oracle.jdbc.driver.T4CStatement.doOall8(T4CStatement.java:41)
at oracle.jdbc.driver.T4CStatement.executeForRows(T4CStatement.java:928)
at
oracle.jdbc.driver.OracleStatement.doExecuteWithTimeout(OracleStatement.java
:1205)
at
oracle.jdbc.driver.OracleStatement.executeInternal(OracleStatement.java:1823
```

```

)
at oracle.jdbc.driver.OracleStatement.execute(OracleStatement.java:1778)
at
oracle.jdbc.driver.OracleStatementWrapper.execute(OracleStatementWrapper.java:303)
at
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.dropUser(AbstractJdbcSeeder.java:795)
at
ch.konnexions.db_seeder.jdbc.oracle.OracleSeeder.setupDatabase(OracleSeeder.java:133)
at
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.createData(AbstractJdbcSeeder.java:328)
at ch.konnexions.db_seeder.DatabaseSeeder.main(DatabaseSeeder.java:181)

```

Caused by: Error : 1940, Position : 0, Sql = DROP USER KXN_USER CASCADE, OriginalSql = DROP USER KXN_USER CASCADE, Error Msg = ORA-01940: Ein Benutzer, der gerade mit der DB verbunden ist, kann nicht gelöscht werden

```

at oracle.jdbc.driver.T4CTTIoer11.processError(T4CTTIoer11.java:513)
... 16 more

```

Processing of the script was aborted, error code=1

- Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).

1.3 VoltDB

- java.lang.NullPointerException: Cannot invoke "io.netty_voltpatches.NinjaKeySet.size()" because "this.m_ninjaSelectedKeys" is null

2021-04-23 15:51:09,814 [DatabaseSeeder.java] INFO Start 2021-04-23 15:51:09,827 [DatabaseSeeder.java] INFO tickerSymbolExtern='voltdb' 2021-04-23 15:51:09,828 [DatabaseSeeder.java] INFO Start VoltDB SLF4J: Class path contains multiple SLF4J bindings. SLF4J: Found binding in [jar:file:/D:/SoftDevelopment/Projects/db_seeder/lib/db_seeder.jar!/org/slf4j/impl/StaticLoggerBinder.class] SLF4J: Found binding in [jar:file:/D:/SoftDevelopment/Projects/db_seeder/lib/jdbc-yugabytedb-42.2.7-yb-3.jar!/org/slf4j/impl/StaticLoggerBinder.class] SLF4J: See http://www.slf4j.org/codes.html#multiple_bindings for an explanation. SLF4J: Actual binding is of type [org.slf4j.impl.Log4jLoggerFactory]
java.lang.NullPointerException: Cannot invoke "io.netty_voltpatches.NinjaKeySet.size()" because "this.m_ninjaSelectedKeys" is null

```

at
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.createData(AbstractJdbcSeeder.java:328)
at
org.voltcore.network.VoltNetwork.optimizedInvokeCallbacks(VoltNetwork.java:478)

```

```
at org.voltcore.network.VoltNetwork.run(VoltNetwork.java:329)
at java.base/java.lang.Thread.run(Thread.java:831)
```

Apr. 23, 2021 3:51:10 PM org.voltcore.logging.VoltUtilLoggingLogger log SEVERE: NULL : Throwable:
 java.lang.NullPointerException: Cannot invoke "io.netty_voltpatches.NinjaKeySet.size()" because
 "this.m_ninjaSelectedKeys" is null java.lang.NullPointerException: Cannot invoke
 "io.netty_voltpatches.NinjaKeySet.size()" because "this.m_ninjaSelectedKeys" is null

```
at
org.voltcore.network.VoltNetwork.optimizedInvokeCallbacks(VoltNetwork.java:478)
at org.voltcore.network.VoltNetwork.run(VoltNetwork.java:329)
at java.base/java.lang.Thread.run(Thread.java:831)
```

Apr. 23, 2021 3:51:10 PM org.voltcore.logging.VoltUtilLoggingLogger log SEVERE: NULL : Throwable:
 java.lang.NullPointerException: Cannot invoke "io.netty_voltpatches.NinjaKeySet.size()" because
 "this.m_ninjaSelectedKeys" is null Apr. 23, 2021 3:53:11 PM org.voltcore.logging.VoltUtilLoggingLogger log
 WARNING: Connection to VoltDB node at: localhost:21212 was lost. java.sql.SQLException: Connection closed
 (CONNECTION_LOST): 'Connection to database host (localhost/127.0.0.1:21212) was lost before a response
 was received'

```
at org.voltdb.jdbc.SQLError.get(SQLError.java:60)
at org.voltdb.jdbc.JDBC4Statement$VoltSQL.execute(JDBC4Statement.java:133)
at org.voltdb.jdbc.JDBC4Statement.execute(JDBC4Statement.java:376)
at org.voltdb.jdbc.JDBC4Statement.execute(JDBC4Statement.java:387)
at
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.dropAllTablesIfExists(AbstractJdbc
Seeder.java:638)
at
ch.konnexions.db_seeder.jdbc.voltdb.VoltdbSeeder.setupDatabase(VoltdbSeeder.java:1
02)
at
ch.konnexions.db_seeder.jdbc.AbstractJdbcSeeder.createData(AbstractJdbcSeeder.java
:328)
at ch.konnexions.db_seeder.DatabaseSeeder.main(DatabaseSeeder.java:230)
Caused by: org.voltdb.client.ProcCallException: Connection to database host
(localhost/127.0.0.1:21212) was lost before a response was received
at org.voltdb.client.ClientImpl.internalSyncCallProcedure(ClientImpl.java:461)
at
org.voltdb.client.ClientImpl.callProcedureWithClientTimeoutImpl(ClientImpl.java:31
1)
at
org.voltdb.client.ClientImpl.callProcedureWithClientTimeout(ClientImpl.java:285)
at org.voltdb.jdbc.JDBC4ClientConnection.execute(JDBC4ClientConnection.java:351)
at org.voltdb.jdbc.JDBC4Statement$VoltSQL.execute(JDBC4Statement.java:122)
... 6 more`
```

Processing of the script was aborted, error code=1

2. Version History

2.9.1

Release Date: dd.mm.2021

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- Docker Desktop Community: 3.0.4
- Eclipse IDE: 2021.03 (from [Eclipse Download Page](#))
- Gradle Build Tool: 7 (e.g.: v7.0.2 from [here](#))
- Java Development Kit 16, (e.g. open-source JDK Version 16.0.1 from [here](#))
- an environment variable called `HOME_ECLIPSE` that points to the installation directory of Eclipse IDE, e.g.: `C:\Software\eclipse\java-2021-03\eclipse`

New Features

n/a

Modified Features

- CockroachDB: DBMS v21.1.2
- Exasol: DBMS 7.0.10
- xxx: DBMS 999 / JDBC 999

Deleted Features

- Docker Compose functionality removed
-

2.9.0

Release Date: 04.06.2021

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- Docker Desktop Community: 3.0.4
- open-source JDK Version 16 (e.g.: 16.0.1 from [here](#))
- Gradle Build Tool: 7 (e.g.: v7.0.2 from [here](#))

- an environment variable called `HOME_ECLIPSE` that points to the installation directory of Eclipse IDE, e.g.: `C:\Software\eclipse\java-2021-03\eclipse`

New Features

- OmniSciDB: DBMS 5.6.1 / JDBC 5.6.0

Modified Features

- CockroachDB: DBMS v21.1.1
 - CUBRID: JDBC 11.0.1.0286
 - Firebird: DBMS v4.0.0rc1
 - MariaDB Server: DBMS 10.6.1
 - trino: DBMS 358 / JDBC 358
 - YugabyteDB: DBMS 2.7.1.1-b1
-

2.8.2

Release Date: 28.05.2021

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- Docker Desktop Community: 3.0.4
- open-source JDK Version 16 (e.g.: 16.0.1 from [here](#))
- Gradle Build Tool: 7 (e.g.: v7.0.2 from [here](#))
- an environment variable called `HOME_ECLIPSE` that points to the installation directory of Eclipse IDE, e.g.: `C:\Software\eclipse\java-2021-03\eclipse`

Modified Features

- in Windows 10: replacing `grep` by `find`
- CockroachDB: DBMS v21.1.0
- CrateDB: DBMS 4.5.1
- Exasol: DBMS 7.0.8 & shutting down the database in the Docker container
- HSQLDB: JDBC 2.6.0
- MariaDB Server: DBMS 10.6.0 / JDBC 2.7.3
- MonetDB: DBMS Oct2020-SP5

- MySQL Database: DBMS 8.0.25 / JDBC 8.0.25
 - Percona Server for MySQL: DBMS 8.0.23-14
 - PostgreSQL: DBMS 13.3 / JDBC 42.2.20
 - trino: DBMS 356 / JDBC 356
 - YugabyteDB: DBMS 2.7.1.0-b131
-

2.8.1

Release Date: 01.04.2021

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- Docker Desktop Community: 3.0.4
- open-source JDK Version 15 (e.g.: from [here](#))
- Gradle Build Tool: 6.8.3
- grep utility, e.g. for Windows from [here](#)
- an environment variable called `HOME_ECLIPSE` that points to the installation directory of Eclipse IDE, e.g.: `C:\Software\eclipse\java-2020-12\eclipse`

Modified Features

- AgensGraph: DBMS v2.1.3
 - CockroachDB: DBMS v20.2.7
 - CrateDB: DBMS 4.5.0
 - CUBRID: DBMS 11.0
 - Exasol: DBMS 7.0.8
 - Firebird: JDBC 4.0.3.java11
 - HSQLDB: DBMS 2.6.0
 - IBM Db2 Database: DBMS 11.5.5.1
 - SQL Server: JDBC 9.2.1.jre15
 - trino: DBMS 354 / JDBC 354
 - YugabyteDB: DBMS 2.5.3.1-b10
-

2.8.0

Release Date: 03.03.2021

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- Docker Desktop Community: 3.0.4
- open-source JDK Version 15 (e.g.: from [here](#))
- Gradle Build Tool: 6.8.3
- grep utility, e.g. for Windows from [here](#)
- an environment variable called `HOME_ECLIPSE` that points to the installation directory of Eclipse IDE, e.g.: `C:\Software\eclipse\java-2020-12\eclipse`

New Features

- New DBMS: CockroachDB

Modified Features

- Mimer SQL: DBMS v11.0.5a
-

2.7.1

Release Date: 27.02.2021

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- Docker Desktop Community: 3.0.4
- open-source JDK Version 15 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)
- an environment variable called `HOME_ECLIPSE` that points to the installation directory of Eclipse IDE, e.g.: `C:\Software\eclipse\java-2020-12\eclipse`

Modified Features

- CrateDB: DBMS 4.4.1
- CUBRID: JDBC 11.0.0.0248
- Exasol: DBMS 7.0.7 / JDBC 7.0.7
- MariaDB Server: DBMS 10.5.9 / JDBC 2.7.2
- MonetDB: DBMS Oct2020-SP3 / JDBC 3.0.jre8

- Oracle Database: JDBC 21.1.0.0
 - PostgreSQL: DBMS 13.2 / JDBC 42.2.19
 - SQL Server: JDBC 9.2.0.jre15
 - trino: DBMS 352 / JDBC 352
 - YugabyteDB: DBMS 2.5.2.0-b104
-

2.7.0

Release Date: 28.01.2021

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- Docker Desktop Community: 3.0.4
- open-source JDK Version 15 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)
- an environment variable called `HOME_ECLIPSE` that points to the installation directory of Eclipse IDE, e.g.: `C:\Software\eclipse\java-2020-12\eclipse`

New Features

Rebranding of Presto to trino

Modified Features

- CrateDB: DBMS 4.3.4
 - Exasol: DBMS 7.0.6 / JDBC 7.0.4
 - Firebird: JDBC 4.0.2.java11
 - IBM Db2 Database: DBMS 11.5.5.0
 - IBM Informix: DBMS 14.10.FC5DE
 - Mimer SQL: JDBC 3.41a
 - Oracle Database: JDBC 19.9.0.0
 - SQLite: DBMS 3.34.0 / JDBC 3.34.0
 - trino: DBMS 351 / JDBC 351
 - YugabyteDB: DBMS 2.5.1.0-b153
-

2.6.1

Release Date: 28.11.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 15 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Exasol
 - JDBC Driver: java.sql.SQLException: Invalid character in connection string (see [here](#)).
 - Ubuntu 20.10: com.exasol.jdbc.ConnectFailed: Connection reset (see [here](#))
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Oracle Database
 - Database 19c: ORA-12637: Packet receive failed (see [here](#)).
- Presto Distributed Query Engine
 - All Connectors: Absolutely unsatisfactory performance (see [here](#)).
 - Oracle Connector: Oracle session not disconnected (see [here](#)).
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
- YugabyteDB
 - Windows 10: Creation of Docker Container fails (see [here](#)).

Modified Features

- CrateDB: DBMS 4.3.1
- IBM Db2 Database: JDBC 11.5.5.0
- MariaDB Server: DBMS 10.5.8 / JDBC 2.7.1
- Mimer SQL: DBMS v11.0.4b
- MySQL Database: DBMS 8.0.23 / JDBC 8.0.23
- PostgreSQL: DBMS 13.1
- Presto Distributed Query Engine: DBMS 347 / JDBC 347

- Travis CI has been limited to the compilation functionality
 - VoltDB: JDBC 10.1.1
 - YugabyteDB: DBMS 2.5.0.0-b2
-

2.6.0

Release Date: 27.10.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 15 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Exasol
 - JDBC Driver: java.sql.SQLException: Invalid character in connection string (see [here](#)).
 - Ubuntu 20.10: com.exasol.jdbc.ConnectFailed: Connection reset (see [here](#))
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Oracle Database
 - Database 19c: ORA-12637: Packet receive failed (see [here](#)).
- Presto Distributed Query Engine
 - All Connectors: Absolutely unsatisfactory performance (see [here](#)).
 - Oracle Connector: Oracle session not disconnected (see [here](#)).
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
- YugabyteDB
 - Windows 10: Creation of Docker Container fails (see [here](#)).

New Features

- new scripts for creating a summary file from the benchmark data

Modified Features

- CrateDB: DBMS 4.3.0
 - Exasol: DBMS 7.0.3 / JDBC 7.0.3
 - Firebird: DBMS 3.0.7
 - MariaDB Server: DBMS 10.5.6
 - MySQL Database: DBMS 8.0.22 / JDBC 8.0.22
 - Oracle Database: JDBC 19.8.0.0
 - PostgreSQL: JDBC 42.2.18
 - Presto Distributed Query Engine: DBMS 345 / JDBC 345
-

2.5.2

Release Date: 05.10.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 15 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Exasol
 - JDBC Driver: java.sql.SQLException: Invalid character in connection string (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Oracle Database
 - Database 19c: ORA-12637: Packet receive failed (see [here](#)).
- Presto Distributed Query Engine
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
 - SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).
- YugabyteDB
 - Windows 10: Creation of Docker Container fails (see [here](#)).

New Features

- Docker Compose functionality added

Modified Features

- YugabyteDB: DBMS 2.3.2.0-b37
-

2.5.1

Release Date: 29.09.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 15 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Oracle Database
 - Database 19c: ORA-12637: Packet receive failed (see [here](#)).
- Presto Distributed Query Engine
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
 - SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).
- YugabyteDB
 - Windows 10: Creation of Docker Container fails (see [here](#)).

Modified Features

- CrateDB: DBMS 4.2.4
- CUBRID: JDBC 10.2.2.8874
- Exasol: DBMS 7.0.2
- MariaDB Server: JDBC 2.7.0

- PostgreSQL: DBMS 13
 - Presto Distributed Query Engine: DBMS 343
 - Presto Distributed Query Engine: JDBC 343
-

2.5.0

Release Date: 30.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Presto Distributed Query Engine
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
 - SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).
- YugabyteDB
 - Windows 10: Creation of Docker Container fails (see [here](#)).

New Features

- New DBMS: Exasol

Modified Features

- SQL Server: JDBC 8.4.1.jre14
-

2.4.0

Release Date: 27.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Presto Distributed Query Engine
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
 - SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).
- YugabyteDB
 - Windows 10: Creation of Docker Container fails (see [here](#)).

New Features

- New DBMS: AgensGraph
 - New DBMS: VoltDB
-

2.3.0

Release Date: 26.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Presto Distributed Query Engine

- Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
- SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).
- YugabyteDB
 - Windows 10: Creation of Docker Container fails (see [here](#)).

New Features

- New DBMS: Percona Server for MySQL
- New DBMS: YugabyteDB

Modified Features

- CrateDB: DBMS 4.2.3
 - PostgreSQL: DBMS 12.4 / JDBC 42.2.15
-

2.2.0

Release Date: 18.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- MonetDB
 - Exception in thread "main" java.sql.BatchUpdateException.
- Presto Distributed Query Engine
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
 - SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).

New Features

- New DBMS: MonetDB

Modified Features

- the [original image from Presto](#) is now used
-

2.1.3

Release Date: 17.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Presto Distributed Query Engine
 - Oracle Connector: Support Oracle's NUMBER data type (see [here](#)).
 - SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).

Modified Features

- PostgreSQL: JDBC 42.2.15
 - Presto Distributed Query Engine: use of Docker network
 - minor script fixes
-

2.1.2

Release Date: 13.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Presto Distributed Query Engine
 - MySQL Connector: Connection failure (see [here](#)).
 - PostgreSQL Connector: Connection failure (see [here](#)).
 - SQL Server Connector: Failed to insert NULL for varbinary in SQL Server (see [here](#)).

Modified Features

- minor script fixes.
-

2.1.1

Release Date: 13.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Presto Distributed Query Engine
 - MySQL Connector: JDBC INSERT limited to about 100 rows - observed 98 to 115 (see [here](#)).
 - SQL Server Connector: Issues with BLOB and CLOB (see [here](#)).

New Features

- Demonstration programs for the Presto Connectors

Modified Features

- Firebird: JDBC 4.0.1.java11
 - MariaDB Server: DBMS 10.5.5
 - Presto Distributed Query Engine: JDBC 340
 - solved: PostgreSQL Connector: Cannot insert BLOB using Presto JDBC (see [here](#)).
 - solved: SQL Server Connector: Login failed (see [here](#)).
 - solved: gradle warning with <http://maven.cubrid.org> (see [\[here\]](#)(<http://jira.cubrid.org/browse/CBRD-23727>)).
-

2.1.0

Release Date: 11.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- CUBRID
 - gradle warning with <http://maven.cubrid.org> (see [\[here\]](#)(<http://jira.cubrid.org/browse/CBRD-23727>)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).
- Presto Distributed Query Engine
 - MySQL Connector: JDBC INSERT limited to about 100 rows - observed 98 to 115 (see [here](#)).
 - PostgreSQL Connector: Cannot insert BLOB using Presto JDBC (see [here](#)).
 - SQL Server Connector: Login failed (see [here](#)).

New Features

- Adding the JDBC driver of the Presto Distributed Query Engine (see [Issue #5](#)).

Modified Features

- MariaDB Server: JDBC 2.6.2

- SQL Server: JDBC 8.4.0.jre14
-

2.0.0

Release Date: 02.08.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).

New Features

- The underlying database schema can now be freely defined using a JSON-based parameter file (Issues [37](#), [38](#), [39](#) and [50](#)).

Modified Features

- CrateDB: DBMS 4.1.8
 - SQLite: DBMS 3.32.3 / JDBC 3.32.3.2
-

1.15.10

Release Date: 14.07.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby

- The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).

Modified Features

- Config.java: reduce number of properties (issue #36)
 - MySQL Database: DBMS & JDBC 8.0.22
-

1.15.8

Release Date: 13.07.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))
- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).

Modified Features

- Added complete run and upload of statistics data to Travis CI (issue #42)
 - Scripts restructured and extended (issue #40)
 - Solved IBM Informix issue (issue #41)
-

1.15.5

Release Date: 10.07.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

- grep utility, e.g. for Windows from [here](#)

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- IBM Informix
 - Sporadically during Informix startup: "shared memory not initialized for INFORMIXSERVER 'informix'" (see [here](#)).
- Mimer SQL & DBeaver
 - DBeaver: Previewing BLOB column shows "Error loading text value" (see [here](#)).

New Features

- New batch script: `run_db_seeder_complete`: Run all DBMS variations
- New DBMS: Mimer SQL

Modified Features

- CrateDB: DBMS 4.1.8
- Firebird: DBMS 3.0.6
- IBM Db2 Database: DBMS & JDBC 11.5.4.0
- IBM Informix: JDBC 4.50.4.1
- Oracle Database: JDBC 19.7.0.0

1.14.0

Release Date: 06.07.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).

New Features

- New DBMS: IBM Informix
-

1.13.0

Release Date: 01.07.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).

New Features

- New DBMS: H2 Database Engine
-

1.12.0

Release Date: 29.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).

New Features

- New DBMS: H2 Database Engine
-

1.11.2

Release Date: 26.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).

Modified Features

- introducing encoding support for ISO-8859-1 and UTF-8
 - Tested DBMS version: MariaDB Server 10.5.4
-

1.11.0

Release Date: 26.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- Mimer SQL
 - Previewing BLOB columns with DBeaver gives the error message "Error loading text value" (see [here](#))

New Features

- New DBMS: Firebird
-

1.8.3

Release Date: 21.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

Current Issues

- Apache Derby
 - The second run with the embedded version of Apache Derby stumbles over a known problem of Apache Derby (see [here](#)).
- CUBRID
 - It is not possible to construct a valid URL for JDBC (see [here](#)).

New Features

- New DBMS: Apache Derby (both client and embedded version)
- New DBMS: CUBRID

Modified Features

- Tested DBMS version: MariaDB Server 10.5.3
 - Tested DBMS version: Oracle database 12c
 - Tested DBMS version: Oracle database 18c
-

1.6.0

Release Date: 16.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

New Features

- New DBMS: SQLite
-

1.5.0

Release Date: 15.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

New Features

- New DBMS: CrateDB
-

1.4.0

Release Date: 14.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

New Features

- New DBMS: IBM Db2 Database
-

1.3.0

Release Date: 12.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

New Features

- New DBMS: MariaDB Server
-

1.2.0

Release Date: 10.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

New Features

- New DBMS: PostgreSQL
-

1.1.0

Release Date: 06.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

New Features

- Documentation
- New DBMS: SQL Server
- Travis CI Integration
- Verification of the data storage

Modified Features

- Adding BLOB and CLOB support
-

1.0.0

Release Date: 01.06.2020

System Requirements

- Operating system: any Java-enabled Linux, Mac or Windows variant
- open-source JDK Version 14 (e.g.: from [here](#))

New Features

- New DBMS: MySQL Database
 - New DBMS: Oracle Database
-