

How Cameras Work

Let's say it is a sunny day and you are standing in a field a few meters from a cow. You use the camera on your phone to take a picture of the cow. How does that whole process work?




Figure 1.1: A cow in a field.

1.1 The Light That Shines On the Cow

The sun is a sphere of hot gas. About 70% of the gas is hydrogen. About 28% is helium. There's also a little carbon, nitrogen, and oxygen.

Gradually, the sun is converting hydrogen into helium through a process known as “nuclear fusion” (which we will be discussing more in a future chapter). A large amount of heat is created in this process. This heat makes the gases glow.

How does heat make things glow? The heat pushes the electrons into higher orbitals. When they come back down to a lower orbital, they release a photon of energy, which travels away from the atom as an electromagnetic wave.




Figure 1.2: Photons are released when the sunlight hits the cow.

Heat is not the only way to push the electrons into a higher orbital. For example, a fluorescent lightbulb is filled with gas. When we pass electricity through the gas, its electrons are moved to a higher orbital. When they fall back to a lower orbital, light is created.

What is the frequency of the wave that the photon travels on? Depending on what orbital it falls from and how far it falls, the photon created has different amounts of energy. The amount of energy determines the frequency of the electromagnetic wave.

Formula for energy of a photon

If you want to know the amount of energy E in a photon, here is the formula:

$$E = \frac{hc}{\lambda}$$

where c is the speed of light, λ is the wavelength of the electromagnetic wave, and h Planck's constant: $6.63 \times 10^{-34} \text{ m}^2 \text{ kg/s}$

For example, a red laser light has a wavelength of about 630 nm. So, the energy in each photon is:

$$\frac{(300 \times 10^6)(6.63 \times 10^{-34})}{630 \times 10^{-9}} = 3.1 \times 10^{-19} \text{ joules}$$

In the sun, there are several kinds of molecules and each has a few different orbitals that the electrons can live in. Thus, the light coming from the sun is made up of electromagnetic waves of many different frequencies.

We can see some of these frequencies as different colors, but some are invisible to humans, such as ultraviolet and infrared.

1.2 Light Hits the Cow

When these photons from the sun hit the cow, the hide and hairs of the cow will absorb some of the photons. These photons will become heat and make the cow feel warm. Some of the photons will not be absorbed – they will leave the cow. When you say “I see the cow,” what you are really saying is “I see some photons that were not absorbed by the cow.”

Different materials absorb different amounts of each wavelength. A plant, for example, absorbs a large percentage of all blue and red photons that hit it, but it absorbs only a small percentage of the green photons that hit it. Thus, we say “That plant is green.”

White things absorb very small percentages of photons of any visible wavelength. Black things absorb very *large* percentages of photons of any visible wavelength. That is why, on a hot summer day, a black car with black seats and interior will heat up on the inside much hotter than a white car.

Before we go on, let’s review: The sun creates photons that travel as electromagnetic waves of assorted wavelengths to the cow. Many of those photons are absorbed, but some are not. Some of those photons that are not absorbed go into the lens of our camera.

1.3 Pinhole camera

The simplest cameras have no lenses. They are just a box. The box has a tiny hole that allows photons to enter. The side of the box opposite the hole is flat and covered with film or some other photo-sensitive material.

The photons entering the box continue in the same direction they were going when they passed through the hole. Thus, the photons that entered from high hit the back wall at a low point. The photons that came from the left hit the back wall on the right. This is how the image is projected onto the back wall, rotated 180 degrees; what was up is down,




Figure 1.3: Photons hitting the cow create a heated spot, where some are absorbed.

what was on the left is on the right.




Figure 1.4: A pinhole camera flips the image it “sees” by 180° .

Exercise 1 Height of the image

Working Space

FIXME: cow swap Let's say that the pinhole is exactly the same height as the shoulder of the cow, and that the shoulder is directly above one hoof. This means the pinhole, the shoulder, and the hoof form a right triangle.

Now, let's say that the camera is being held perpendicular to the ground. The pinhole, the image of the shoulder, and the image of the hoof on the back wall of the camera now also form a right triangle.

These two triangles are similar.

The shoulder is 2 meters from the hoof. The cow is standing 3 meters from the camera. The distance from the pinhole to the back wall of the camera is 3 cm. How tall is the image of the cow on the back wall of the camera?

Answer on Page 9

1.4 Lenses

Now, a quick review: A photon leaves the sun in some random direction. It travels 150 million km from the sun and hits a cow. It is not absorbed by the cow, and heads off in a new direction. It passes through the pinhole and hits the back wall of the camera. That seems incredibly improbable, right?

It actually is relatively improbable, especially if there isn't a lot of light — like you are taking the picture at dusk. To increase the odds, we added a *lens* to the camera. If you focus a lens on a wall and you draw a dot on that wall, the lens is designed such that all the photons from the dot that hit the lens get redirected to the same spot on the back wall of the camera — regardless of which path it took to get to the lens.




Figure 1.5: A pinhole with a lens allows you to choose the points it reflects.

Note that the image still gets flipped. There is a *focal point* that all the photons pass through.

The distance from the lens to its focal point is called the lens's *focal length*. Telephoto lenses, that let you take big pictures of things that are far away, have long focal lengths. Wide-angle lenses have short focal lengths.

1.5 Sensors

The camera on your phone has a sensor on the back wall of the camera. The sensor is broken up into tiny rectangular regions called pixels. When you say a sensor is 6000 by 4000 pixels (most common ratio for photography), we are saying the sensor is a grid of 24,000,000 pixels: 6000 pixels wide and 4000 pixels tall.

Each pixel has three types of cavities that take in photos. One of the cavities measures the amount of short wavelength light, like blues and violets. One of the cavities measures the long wavelength light, like reds and oranges. One of the cavities measures the intensity of wavelengths in the middle, like greens. Thus, if your camera has a resolution of 6000×4000 , the image is 72,000,000 numbers: Every one of the 24,000,000 pixels yields three numbers: intensity of long wavelength, mid wavelength, and short wavelength light. We call these numbers “RGB” for Red, Green, and Blue.




Figure 1.6: A lens still flips the image, but introduces a focal point.

This is a draft chapter from the Kontinua Project. Please see our website (<https://kontinua.org/>) for more details.

Answers to Exercises

Answer to Exercise 1 (on page 6)

The two triangles are similar; one is 2 m and 3m, the other is x cm and 3 cm.

The image of the cow is 2 cm tall.



INDEX

camera, [1](#)
camera
 lens, [6](#)
 lens
 focal length, [7](#)
 pinhole, [3](#)
photon, [2](#)
 colors of, [3](#)
 wavelength, [3](#)
rgb, [7](#)