

Geocoding and Reverse Geocoding

Geocoding and reverse geocoding are essential processes in geographic information systems (GIS) that are used to convert between addresses and spatial data.

1.1 Geocoding

Geocoding is the process of converting addresses (like "1600 Amphitheatre Parkway, Mountain View, CA") into geographic coordinates (like latitude 37.423021 and longitude -122.083739), which you can use to place markers on a map, or position the map. The resulting latitude and longitude are often used as a key index in merging datasets based on location.

Here is an example of using Google's Geocoding service to get the longitude and latitude of the Dallas County Administration Building:

```
1
2 import requests
3 import json
4
5 # Encode the parameters
6 parameters = {"address": "411 Elm St, Dallas, TX 75202", "key": "YOUR_API_KEY"}
7 base_url = "https://maps.googleapis.com/maps/api/geocode/json?"
8
9 # Send the GET request
10 response = requests.get(base_url, params=parameters)
11
12 # Convert the response to json
13 data = response.json()
14
15 # Extract the latitude and longitude
16 if len(data["results"]) > 0:
17     latitude = data["results"][0]["geometry"]["location"]["lat"]
18     longitude = data["results"][0]["geometry"]["location"]["lng"]
19     print(latitude, longitude)
20 else:
21     print(f"Could not find the latitude and longitude .")
22
```

1.2 Reverse Geocoding

Reverse geocoding, as the name implies, is the opposite process of geocoding. It involves converting geographic coordinates into a human-readable address. This can be useful in applications where you need to display an actual address to a user instead of latitude and longitude coordinates.

Here is an example of using Google's reverse geocoding API¹ to find the address at latitude = 33.9474096, longitude = -118.1179069

```
1 import requests
2 import json
3
4 api_key = "YOUR_API_KEY"
5 latitude = 33.9474096
6 longitude = -118.1179069
7
8     # Encode the parameters
9 parameters = {"latlng": f"{latitude},{longitude}", "key": api_key}
10 base_url = "https://maps.googleapis.com/maps/api/geocode/json?"
11
12 # Send the GET request
13 response = requests.get(base_url, params=parameters)
14
15 # Convert the response to json
16 data = response.json()
17
18 # Extract the address
19 if len(data["results"]) > 0:
20     address = data["results"][0]["formatted_address"]
21     print(address)
22 else:
23     print(f"Could not find the address")
24
```

This is a draft chapter from the Kontinua Project. Please see our website (<https://kontinua.org/>) for more details.

¹Note that the API key is something you obtain on your own. People do not share API keys for privacy and security reasons.

Answers to Exercises



INDEX

geocoding, [1](#)

reverse geocoding, [2](#)