#### Lab 3.2 - Student Notebook

#### **Overview**

This lab is a continuation of the guided labs in Module 3.

### Introducing the business scenario

You work for a healthcare provider, and want to improve the detection of abnormalities in orthopedic patients.

You are tasked with solving this problem by using machine learning (ML). You have access to a dataset that contains six biomechanical features and a target of *normal* or *abnormal*. You can use this dataset to train an ML model to predict if a patient will have an abnormality.

#### About this dataset

This biomedical dataset was built by Dr. Henrique da Mota during a medical residence period in the Group of Applied Research in Orthopaedics (GARO) of the Centre Médico-Chirurgical de Réadaptation des Massues, Lyon, France. The data has been organized in two different, but related, classification tasks.

The first task consists in classifying patients as belonging to one of three categories:

- Normal (100 patients)
- Disk Hernia (60 patients)
- Spondylolisthesis (150 patients)

For the second task, the categories *Disk Hernia* and *Spondylolisthesis* were merged into a single category that is labeled as *abnormal*. Thus, the second task consists in classifying patients as belonging to one of two categories: *Normal* (100 patients) or *Abnormal* (210 patients).

#### **Attribute information**

Each patient is represented in the dataset by six biomechanical attributes that are derived from the shape and orientation of the pelvis and lumbar spine (in this order):

- Pelvic incidence
- Pelvic tilt
- Lumbar lordosis angle
- Sacral slope
- Pelvic radius

Grade of spondylolisthesis

The following convention is used for the class labels:

- DH (Disk Hernia)
- Spondylolisthesis (SL)
- Normal (NO)
- Abnormal (AB)

For more information about this dataset, see the Vertebral Column dataset webpage.

#### **Dataset attributions**

This dataset was obtained from: Dua, D. and Graff, C. (2019). UCI Machine Learning Repository (http://archive.ics.uci.edu/ml). Irvine, CA: University of California, School of Information and Computer Science.

## Lab setup

Because this solution is split across several labs in this module, you must run the following cells so that you can load the data:

### Importing the data

```
In [1]: import warnings, requests, zipfile, io
    warnings.simplefilter('ignore')
    import pandas as pd
    from scipy.io import arff

In [2]: f_zip = 'http://archive.ics.uci.edu/ml/machine-learning-databases/00212/vertebra
    r = requests.get(f_zip, stream=True)
    Vertebral_zip = zipfile.ZipFile(io.BytesIO(r.content))
    Vertebral_zip.extractall()

In [3]: data = arff.loadarff('column_2C_weka.arff')
    df = pd.DataFrame(data[0])
```

## Step 1: Exploring the data

You will start by looking at the data in the dataset.

To get the most out of this lab, carefully read the instructions and code before you run the cells. Take time to experiment!

First, you will use **shape** to examine the number of rows and columns

```
In [4]: df.shape
```

```
Out[4]: (310, 7)
```

You will now get a list of the columns.

You can see the six biomechanical features, and the target column is named class.

What column types do you have?

```
df.dtypes
In [6]:
Out[6]: pelvic_incidence
                                     float64
        pelvic_tilt
                                     float64
        lumbar_lordosis_angle
                                     float64
        sacral slope
                                     float64
        pelvic radius
                                     float64
        degree_spondylolisthesis
                                     float64
        class
                                      object
        dtype: object
```

You have six floats for the biomechanical features, but the target is a class.

To look at the statistics for the first column, you can use the **describe** function.

```
df['pelvic_incidence'].describe()
Out[7]: count
                 310.000000
                  60.496653
        mean
        std
                  17.236520
        min
                  26.147921
        25%
                  46.430294
        50%
                  58.691038
        75%
                  72.877696
        max
                  129.834041
        Name: pelvic_incidence, dtype: float64
```

**Challenge Task:** Try updating the code in the previous cell to view the statistics of other features. Which features have outliers that you might want to examine?

Because this dataset only has six features, you can display the statistics of each feature by running **describe** on the entire DataFrame.


```
In [8]: df.describe()
```

Out[8]:		pelvic_incidence	pelvic_tilt	lumbar_lordosis_angle	sacral_slope	pelvic_radius	degree_s
	count	310.000000	310.000000	310.000000	310.000000	310.000000	
	mean	60.496653	17.542822	51.930930	42.953831	117.920655	
	std	17.236520	10.008330	18.554064	13.423102	13.317377	
	min	26.147921	-6.554948	14.000000	13.366931	70.082575	
	25%	46.430294	10.667069	37.000000	33.347122	110.709196	
	50%	58.691038	16.357689	49.562398	42.404912	118.268178	
	75%	72.877696	22.120395	63.000000	52.695888	125.467674	
	max	129.834041	49.431864	125.742385	121.429566	163.071041	


**Question:** Are there any features that aren't well-distributed? Are there any features with outliers that you want to look at? Does it look like there might be any correlations between features?

It's not always easy to make observations when you look only at numbers, so you will now plot these values.





You will now plot the distribution of the values for each feature by using a *density or kernel density estimate (KDE) plot*.




Do any of the visualizations stand out?

### Investigating degree\_spondylolisthesis


You will now investigate degree\_spondylolisthesis:


Start with the density plot, which if you recall, shows the distribution of the values.


```
In [11]: df['degree_spondylolisthesis'].plot.density()
Out[11]: <Axes: ylabel='Density'>
```



A density plot smooths out the curve. It looks like there might be an increase around **400**. Visualize the data with a *histogram*.







By using a box plot, you can see if there any outliers.

```
In [13]: df['degree_spondylolisthesis'].plot.box()

Out[13]: <Axes: >

400 -

300 -

100 -

0 -

degree_spondylolisthesis
```

You can see a small increase around **400**. Sometimes, outliers like this can throw off training models. The only way to find out would be to test the model both with and without the outliers, and compare the models' scores. However, this is a task for a later lab.

You can see from the box plot that there seems to be a cluster above what *looks like* the maximum. Is there a correlation between those data points and the target?

Before you can look for a correlation, you will examine the target more.

#### Analyzing the target

First, what kind of distribution do you have?

```
In [14]: df['class'].value_counts()

Out[14]: class
    b'Abnormal' 210
    b'Normal' 100
    Name: count, dtype: int64
```

It loks like you have about 1/3 *Normal* and 2/3 *Abnormal*. This result should be fine, but if you could get more data, you would want to try and balance the numbers more.


The class values aren't going to work for your ML model, so you will convert this column to a numeric value. You can use a *mapper* for this task.

```
In [15]: class_mapper = {b'Abnormal':1,b'Normal':0}
df['class']=df['class'].replace(class_mapper)
```

Now, you can plot the degree\_spondylolisthesis against the target.

```
In [16]: df.plot.scatter(y='degree_spondylolisthesis',x='class')
```

Out[16]: <Axes: xlabel='class', ylabel='degree\_spondylolisthesis'>



What do you see?

Though there appears to be a link between the high values and the abnormalities, there are also many values that are in the same range. So, there could be a correlation, but it's worth taking a closer look at the data.


**Challenge Task:** By using the previous cells, determine how the values of other features correspond against the target.

### Visualizing multiple variables

As the previous steps demonstrate, visualizations can be very powerful. Sometimes, you will want to analyze multiple data points. You can do this by using *groupby*.


Plotting out the features for both *Abnormal* and *Normal* values side by side might help you observe any other differences.

```
In [17]: df.groupby('class').boxplot(fontsize=20,rot=90,figsize=(20,10),patch_artist=True
```




Using the **corr** function, you can create a correlation matrix for the entire dataset.

```
corr_matrix = df.corr()
In [18]:
         corr_matrix["class"].sort_values(ascending=False)
Out[18]: class
                                       1.000000
         degree spondylolisthesis
                                       0.443687
         pelvic_incidence
                                       0.353336
         pelvic tilt
                                       0.326063
         lumbar_lordosis_angle
                                       0.312484
         sacral_slope
                                       0.210602
         pelvic_radius
                                      -0.309857
         Name: class, dtype: float64
         You can also plot out this data.
In [19]:
         pd.plotting.scatter_matrix(df,figsize=(12,12))
         plt.show()
```



By using **seaborn**, you can visualize the correlation as a *heatmap*.

```
import seaborn as sns
# Plot figsize
fig, ax = plt.subplots(figsize=(10, 10))
# Generate Color Map
# colormap = sns.diverging_palette(220, 10, as_cmap=True)
colormap = sns.color_palette("BrBG", 10)
# Generate Heat Map, allow annotations and place floats in map
sns.heatmap(corr_matrix, cmap=colormap, annot=True, fmt=".2f")
#ax.set_yticklabels(column_names);
plt.show()
```



**Challenge task:** Find other data from the UCI Machine Learning Repository. Using the previous code for reference, go explore!

# Congratulations!

You have completed this lab, and you can now end the lab by following the lab guide instructions.

```
In [ ]: #E0123021
In [ ]:
```