Journal of Information Processing -Vol._0 -1-5 (??? 1992)

[DOI: 10.2197/ipsjjip.0.1]

Technical Note

Magnet or Sticky? A Stack Overflow Tag-by-Tag **Typology**

KOTORI HIEDA^{1a)} —Yu MINGZHE^{1b)} —YASUTAKA KAMEI^{2c)}

Abstract: Stack Overflow (SO) is one of the most popular question and answer websites amongsites for software developers. SO stores posts <u>assigned</u> with tags that <u>indicatecorrespond to</u> the <u>keyword that categories thekeywords of each</u> question. For example, if If a developer posts assigned unit tags that interested in Python and puts "inputs" "Python" at go in the post, the developers who are interested in Python and easily find and answer participate in the post; easily. Since 2008, SO has started its service since 2008 and is still becoming popular. Therefore become one of the most trusted online communities. In the present study, we explore how developers' developers' interest shift-by analyzing how they use tags. We classify tags into four types: (1) attractive, (2) stagnant, (3) fluctuating, and (4) terminal based on magnet values and sticky values. We analyze the data fromof table "". Posts" which includes about of approximately 42 million posts from Ste overflowin SO and table ""Users" where there are about" of approximately 9 million rows of user information. Results reveal that: (1) There were some Some historical events in IT such as the launchare retrieved, which include launching of new tools and the termination terminating of services when there were characteristics in with the transition of magnet value and sticky value. (2) The typescharacteristics of tags that arethese classified do not change much tags are the same.

Keywords: magnet, sticky, tag, user migration, OSS census

1. Introduction

The Pew Research Center (PRC) [1], an organization] is the U.S. fact finder that studies provides information on social problems in and demographic trends that shape the United States and the world, investigated society and population using US tax survey data. States that have a high percentage of people migrating from the outside. Magnet states are defined as magnet states and states where a high percentage of the high population migrated from the outside, whereas sticky states have a high proportion of the population who continues to livethose living in the same state since birth are defined as sticky states. For example, Nevada is a magnet state because 86% of Nevada'sthe population migrated from other states so Nevada state is quite magnet. Through such a survey, we can . It is possible to find the tend howmovement of American citizens move.

For by studying this demographic trend. For software developers, it is understanding other developers' interests are important to know the changes in as the interestspopularity of other developers because popularity among many developers should have advantages. Developers always want Many developers like to work with convenient and easy-to-use tools. To make develop a project better, excellent efficiently. developers need to be interested in the project over the must focus on long-term-

Therefore, in projects. In this study, we focus on new and existing interests in the topics of Stack Overflow (SO). Inspired by previous studies [2], we apply Magnet and Sticky metrics to the topics that are collected in StackOverflow. SO. The mMagnet metric idicatesis the number of new developers attracted to a topic and Sticky metric indicatesis the number of existing developers that who stay with the topic. We examined tags' magnets and stickythe values of tags "magnets" and tags "sticky" by classifying them asto the tags programming language, framework, and environment. We also compared the news and history of software companies and web services. If changes in their characteristics are discovered, we examine factors responsible for the changes based on their magnet values and sticky

We address the following two research questions:

(RO1) What are the values of magnet and sticky in Stack Overflow?

In many cases, the sticky value is higher than the magnet value. In addition, the magnet value rate decreases more than that of the sticky value. The magnet value and the sticky value can be easily used like the .NET Framework

(RQ2) How do magnet and sticky values change over time?

n identify obsolete tags. When the tags move quadrant, we find that something happens.

-Definition of Magnet and Sticky

This section describes how we measure the appeal and adhesion of users on different topics. Following the Pew Research Center (PRC) definition, we use the Magnet and Sticky metrics to illustrate the migratory trends of the U.S. citizens. The PRC defines magnet states as states where a large proportion of adults are from other states. From the magnet metric, the proportion of adults residing in the magnet states were not born in the state. PRC defines the sticky state as the state where a large proportion of adults born there continue to live in the state. Thus, the sticky metric for the state is the proportion of adult residents born in the state. These definitions are good for a population study where a single adult can only occupy one state at a time. However, the definition is inapplicable to the topics discussed by the SO users as users can ask or answer questions on several topics at the same time. Therefore, we expand new definitions for SO topics (refer to Figure 1):

Graduate School of Information Science and Electrical Engineering, Kyushu University 2—A«*?^XfA LSI WA"_^"fe>#-

Faculty of Information Science and Electrical Engineering, Kyushu University

hieda@f.ait.kyushu-u.ac.jphieda@f.ait.kyushu-u.ac.jp

ei@ait.kvushu u.ac.in

Comment [A1]: Remark: Note that the corresponding text has been heavily edited. Please verify whether the edits convey the desired meaning.

Comment [A2]: Remark: Note that the corresponding text has been heavily edited. Please verify whether the edits convey the desired meaning.

companies and web services, if there are characteristic changes in magnet values and sticky values, we examined why it was like that. We addressed the following two research questions: (RQ1) What are typical values of magnet and sticky in Stack Overflow? In many cases, the sticky value tended to be higher than the magnet value. In addition, the decrease rate was higher for the magnet value than for the sticky value. If it is easy to use and convenient like the .NET Framework, the magnet value and the sticky value are high. (a) value are high. (b) value are high. (c) value are high. (d) value are hig

(RQ2) How do magnet and sticky values change over time?

We can identify which tags are obsolete. When the tags move quadrant, we find that something happens.

2. Definition of Magnet and Sticky

This section describes how we measure the appeal and adhesion of users on different topics on Stack Overflow in this study, we use the Magnet and Sticky metrics defined by the Pew Research Center for illustrating the migratory trends of citizens in the United States. The Pew Research Center report defines magnet states as those states where a large proportion of adults who live there have moved from another state. Thus, the magnet metric for a state is the proportion of adult residents of a state who were not born in the state. Furthermore, the report also defines sticky states as those states where a large proportion of adults who were born there continue to live there. Thus, the sticky metric for a state is the proportion of adult residents who were born in the state

These definitions are sound for a study of populations, where a single adult can only occupy one state at a time. However, the definition cannot be applied directly to the topics discussed by the users of Stack Overflow where a user can ask or answer questions on several topics at the same time. Therefore, we expand

© 1992 Information Processing Society of Japan

2

Journal of Information Processing -Vol.0 -1-5 (??? 1992)

| | User | 2017 | 2018 | Magnet 2017 | Magnet 2018 | Sticky 2018 |
|------------------|-------------------|------|------|----------------|----------------|----------------|
| TopiclTo pic1 | B CDE G | • | • | 4/4 | 2/3 | 1/4 |
| Topic2 | B C EF G | • | • | 2/4 | 3/3 | 1/2 |
| Topic3 | A B CEF | • | • | 2/4 | 2/3 | 2/2 |

Fig. 1 -Example of Magnet and Sticky values definition

Magnet and Sticky in SOtack Overflow

Questions in Stack Overflow

SO contents are composed of the content of the question, questions and answers to the questions and comments [3], that are call] called Posts in the database of SOTorrent database. Each question has one or more tags that separate the question into different topics. Simultaneously, posts in a Posts on a question have their own creator (for the question content, one is the questioner, and for the answer, one is the respondent) who is), a participant of the topics of, and the question. We also define the activity of asking or answering questions activity on some topic as a discussion of the topic. For example, a classical question in Stack overflowSO has three tags like java, apacheJava, Apache, and Linux which is asked by a user A and answered by a user B, and C, so A, and Thus, C are participants of topic java, acheJava, Apache, and Linux-topics.

Magnet. Magnet topics are those that attract a large proportion of new users. Thus, thus, we calculate the magnetism of a topic as the proportion of users who ask or answer questions during the time period under research to all new registered users who registered their unt at thein a specific year.

Sticky. Sticky In sticky topics are those where, a large proportion of the users will keep participating in the discussion in the time periodunder research and the following. Thus, we calculate the stickiness of a topic as the proportion of the users who discuss within the topic in the time period-under research to who have also discussed in the following time period.

Example (Calculating magnet and sticky values). Let us explain how weTo calculate magnet and sticky values for someof topics that belong to a major category as an example. There are, we use a total of six6 questions (a, b, c, d, e, f) and seven users (A, B, C, D, E, F, (G):); the Last Activity Date of question a, b, c is duringwas in 2017, and question d, e, f is duringin 2018. The registration date of user A, B, C, D is duringwas in 2017, and the registration date of user E, F, G is duringwas in 2018 [2].

To calculate the magnet metric, we observe that there are four new users who register his/her accountregistered their accounts in 2017 (A, B, C, and D), and all of them discuss in topic 1, whilewhereas two of them (B, C) participate in the discussion of topic 2 and 3. In this case, the Magnet value of topic 1 in 2017 is 4/4, topic 2 is 2/4, and topic 3 is 2/4.

| Question | Last Activity Date | Tag1 | Tag2 | Topic1 | Topic2 |
|----------|-----------------------|------|------|--------|--------|
| a | 2017 | 1.0 | | 1 | |
| b | 2017 | 1.1 | | 1 | |
| С | 2017 | 1.0 | 3.1 | 2 | 3 |

Comment [Editor3]: Tip: Serial comma: In American English, a comma (called serial or Oxford comma) is inserted before "and" in a series of three or more items.

| d | 2018 | 2.1 | 2 | |
|---|------|-----|---|--|
| e | 2018 | 3.0 | 3 | |
| f | 2018 | 1.2 | 1 | |

Fig. 2 -Example of the merge of tags belonging to analogous subjects

rig. 2 - Example of the inerge of tags beronging to analogous subjects.

To calculate the sticky metric, on topic 1, there are three users participated in the discussion in 2017 (A, B, and C)-but only). Only one of them also participated in the discussion in 2018 (A). Hence, the sticky value of project 1 is 1/4. onln topic 2, there are 2two users participated in the discussion in 2017 (B and C) but); however, only one of them also participated in the discussion in 2018 (B). Even though Though new users E, F, G participated in the discussion in 2018, we still calculate the value of sticky as 1 /2. For the same reason, the sticky of topic 3 is 2/2 in 2018.

Example (Merging similar subjects into one topic). We merge subjects (i.e., tags) belongingthat belong to analogous subjects into one topic. For example, we consider that different version number suffixes numbers (e.g., "pythonthe tag "Python-2.7" and tag "python "Python Python topic." 3.6")" are one of the common examples of analogous tags.

We also consider that we need to merge include derivatives of the same technology on different platforms, merge derivatives of special tools "react-router", "," "reactjs-flux", ";" "create-react-app" should be merged into one topic ""react!", "" We can get this information from the ""Related Tag" column of the "," "Tag Info" on Stack Overflow."

"of SO." Figure 2 shows that question a has tag 1.0, question b has tag 1.1, and question f has tag 1.2, which means according. According

to our merge rule, they all belong to topic 1. Simultaneously, The question c has tag 2.0 and tag 3.1, which means showing that it belongs to ame time. Therefore, questonquestion d belongs to topic 2, and question e belongs to topic 3.

In this paper, weWe analyze the Stack OverflowSO dataset (SOTor rentSOTorrent) provided by Sebastian Baltes et al. [4]. SOTorrent is an open dataset based on the official SO data dump. "SOTorrent provides access to the version history of SO content at the level of whole posts

and individual text or code blocks.

The dataset includes consists of 20 different tables which store not onlystored in data from on official SO data dump but also and data. extracted from the original official SO data dump.

this paper However, we only analyze the data from table *Posts* which includes about of approximately 42 million posts from Stack overflowSO and table *Users* where there are about of approximately 9 million rows of user information from July 2008 to September 2018. We focus on users, tags, and time information of questions. Moreover, we consider users who ask or answer questions in SO. Those who comment or like/dislike questions or answers are excluded from the statistics.


In this paner, we consider a user to be one who asks or answers questions in Stack Overflow. Those who comment or like/unlike

©c 1992 Information Processing Society of Japan

Comment [A4]: Remark: Please consider providing a suitable citation at this instance. These texts are quoted because they are lifted

https://ieeexplore.ieee.org/document/859521

Journal of Information Processing -Vol.0 -1-5 (??? 1992) J ava



0.10 0.09 0.08


0.07 « <u>"</u>" 06

si 0.05 to

5 0.04 0.03 0.02 0.01 0.00

Comment [A5]: Remark: Note that the table may have been distorted because of file conversion. Please insert the file before submission.

Comment [A6]: Remark: Note that the table may have been distorted because of file conversion. Please insert the file before submission.



0.10 0.09 0.08

0.07 ~ 0.06

i>0.05 to
E 0.04 0.03
2010

31

0.01 0.00

Eclipse
).0 - 0.1 - 0.2 - 0.3 - 0.4 0.5 Sticky
0.1 - 0.2 0.3

0.0 - 0.1 - 0.2 0.3 Sticky

Fig. 3 – Distribution of Magnet and Sticky values in Prosgraming Programming Language, Framework and Environment on questions or answers are not counted in the statistics.

4. –Study Results

We set research results and faced two questions against these results. We discuss the questions based on the results.

In this section, we provide answers to these questions:

4.1 –(RQ1) What are typicalthe values of magnet and sticky in Stack Overflow?

Approach. We have calculated magnet and sticky values as defined in Section 2. We plot the magnet value on the vertical axis and the sticky value on the horizontal axis. We classify the plotted points into four4 quadrants.

Attractive: TagTags with thea high magnet and sticky value. By knowing attractive understanding the tags, we can find out whatdiscover the interests of developers are interested in.

Fluctuating: TagTags with higher magnet and low-lower sticky value. This tag attracts people, but it is short-term. Excellent developers will not continue to be interested disinterested.

Stagnant: TagTags with the lowa lower magnet and high higher sticky value. These tags are difficult to attract new users, but it can maintain existing users. Terminal: TagTags with the Lowlower magnet and lowlower sticky value. This tag can neither attract new users' developers nor keep them interested.

In this paper, the The median of the magnet and sticky values for each year is used for the quadrant threshold of the quadrant because the median value is not much affected unaffected by outliers. As we showed From the sticky value definition in Section 2, the sticky value depends on the number of tag users in thata year and the following year. So in order to To answer RQ1, we got 9 years' years' worth of sticky value from values based on the information on the number of tag users from 2009 to 2018. The sticky value must depend on the number of new tag users, but, if the number of new tag users in the targeta year is too low, the sticky value will be too small. Therefore, in order to To remove noise, we decided fix thresholds for each topic and when. When the magnet and sticky value is less than the threshold value, it is set

We did not analyze all the tags at once, but divided them into three categories for analysis. The selected categories we selected and their contents are:

- contents are:

 programming languages (assembly, Bash, C, C #, C ++,

 CSS, Go, HTML, Java, JavaScript, PHP, Python, Ruby, SQL, Swift, TypeScript)

 frameworks NET Framework, Angular, Cordova, Django, Hadoop, Node, is, React, Spark, Spring, TensorFlow, Torch, Xamarin) • environment (Android Studio, Atom Editor, Eclipse, Emacs, IntelliJ, IPython, Jupyter, NetBeans, Notepad++, PhpStorm, PyCharm.
- RStudio, RubyMine, Sublime Text, TextMate, Vim, Visual Studio, Visual Studio Code, Xcode)

PyCharm, RStudio, RubyMine, Sublime Text, TextMate,

im. Visual Studio, Visual Studio Code, Xcode)

We chose these tags based on Stack Overflow's SO's survey of over 100,000 developers in 2018 -. We focused on tags used by more than 5% of developers who answered the questionnaire.

Results: Figure 3 shows a quadrant plot of the magnet and sticky values of the 2010 framework, programming language, and environmental tag12. We can see, revealing that the magnet value is lower than the value of sticky. This is value. The results are similar to the findings with the investigation of the PRCew Research Center. Like For example, the U.S. citizens are more likely to spend more time living onlive in the same landhouse than to change houses, it is easier for developers to continue developing about the same content. Summary. Tags with high magnet value are easy to use even for beginners. A tag that is familiar from old days liketo Java has a high

magnet value and sticky value, and it is more attractive.

4.2--(RQ2) How do magnet and sticky values change over

Approach: From 2010 to 2018, we calculated the probability thatof the tags movemoves quadrants from one year to the following year. For example, there arewere six Attractive tags in 2010. Of the six Attractive tags that were Attractive in 2010, there are five that were Attractive the following year as well. Therefore, the transition probability from

Attractive to Attractive for 2010 - 2011 is 5/6 or 83.3%.

Quantitative results: Table 2 shows that the proportion thatof the vertical axis is in thatthe quadrant for some years up to 2010_2018, the horizontal axis is thatthe year old. From the table, we can find that the ratio of tags is the highest for those that do not move the quadrants from the previous year to the following year is the highest in any field of programming language, framework, and environment. Since the tags have hardly changed from any quadrant to 2, once the tags have become popular to a certain extent, the users of the tags have not significantly reduced. This shows that once tags have become less popular, it may continue to be unpopular.

*1 https://insights.stackoverflow.com/survey/2S18

*1 https://insights.stackoverflow.com/survey/2818

Manual analysis: Table 1 shows the transition of each tag quadrant in the framework, revealing how the tags move in the quadrant. Xamarin is an interesting example. Xamarin is an API for Android and iOS developed with C #. Thus, it is difficult to develop an application without having knowledge of both applications. Developing Android and iOS apps in Windows and Visual Studio requires a lot of programming knowledge and is not good for beginners. When Xamarin was launched, it attracted the attention of many developers owing to its efficiency. However, when beginners ask questions on sites such as SO, its popularity gradually declines owing to its application difficulty for beginners.

Similarly, React is a Facebook JavaScript library that builds the web application user interface efficiently. Riact was first launched on Facebook's news feed in 2011 and on Instagram in 2012. It was an open source at the JSConf US on May 2013. Social networking services (SNSs) such as Facebook and Instagram became popular around 2015–2016 when React changed from Terminal to Floating. Therefore, it seems that the popularity of the Framework changed based on its application on the popular SNSs.

Summary: If tags were the popular tool, their popularity would decline if they were difficult to use. Even if they were not a popular tool and they turn out to be an efficient tool, they will be popular among developers.

©c 1992 Information Processing Society of Japan

Please verify whether the edits convey the desired meaning

Comment [A7]: Remark: Note that the corresponding text has been heavily edited.

^{12 —} We choose the year 2010 because it is the first year for which yearly data of sticky value can be obtained.

^{22 —}We choose the year 2010 because it is the first year for which yearly data of sticky value can be obtained.

Journal of Information Processing -Vol.0 -1-5 (??? 1992)

Table 1 -Quadrant Transition of Framework 2010 - 2018

| Programing Language | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|---------------------|-------------|-------------|---------------|----------------|----------------|----------------|----------------|----------------|------------|
| assembly | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal |
| Bash | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal |
| С | Fluctuating | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal | Terminal |
| C# | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive |
| C++ | Attractive | Attractive | Attractive | Attractive | Attractive | Stagnant | Stagnant | Stagnant | Stagnant |
| CSS | Terminal | Stagnant | Stagnant | Terminal | Terminal | Stagnant | Stagnant | Terminal | Terminal |
| Go | * | * | Terminal | Terminal | Fluctuating | Fluctuating Fl | uctuating Flu | ctuating Fluct | uating |
| HTML | Attractive | Attractive | Attractive | Attractive | Stagnant | Stagnant | Stagnant | Stagnant | Stagnant |
| J ava | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive |
| J avaScript | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive |
| PHP | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive | Attractive |
| Python | Attractive | Fluctuating | Fluctuating A | ttractive | Attractive | Fluctuating | Fluctuating A | ttractive | Attractive |
| Ruby | Terminal | Fluctuating | Fluctuating F | luctuating Flu | ctuating Fluct | uating | Terminal | Terminal | Terminal |
| SQL | Stagnant | Stagnant | Stagnant | Stagnant | Stagnant | Stagnant | Stagnant | Stagnant | Stagnant |
| Swift | * | * | * | * | Terminal | F luctuating | F luctuating I | luctuating Fl | uctuating |
| TypeScript | * | * | * | Terminal | Terminal | Terminal | Fluctuating | Fluctuating Fl | uctuating |

| Table 2 Average | Quadrant Transition rate | Language |
|-----------------|--------------------------|----------|
| | | |

| | Attractive | Fluctuating | Stagnant | Terminal | • |
|-------------|------------|-------------|----------|----------|------|
| Attractive | 92.3 | 3.9 | 3.9 | 0 | 0 |
| Fluctuating | 9.4 | 75.0 | 0 | 15.6 | 0 |
| Stagnant | 0 | 0 | 90.6 | 9.4 | 0 |
| Terminal | 0 | 9.8 | 4.6 | 85.6 | 0 |
| * | 0 | 0 | 0 | 45.8 | 54.2 |

Framework

| | Attractive | Fluctuating | Stagnant | Terminal | • |
|-------------|------------|-------------|----------|----------|------|
| Attractive | 84.6 | 4.2 | 11.3 | 0 | 0 |
| Fluctuating | 0 | 70.2 | 14.3 | 15.5 | 0 |
| Stagnant | 12.5 | 0 | 87.5 | 0 | 0 |
| Terminal | 0 | 10.4 | 0 | 85.4 | 4.2 |
| * | 0 | 26.7 | 0 | 6.7 | 66.7 |

Environment

| | Attractive | Fluctuating | Stagnant | Terminal | |
|-------------|------------|-------------|----------|----------|------|
| Attractive | 80.9 | 2.1 | 17.0 | 0 | 0 |
| Fluctuating | 6.3 | 84.7 | 0 | 9.1 | 0 |
| Stagnant | 11.3 | 0 | 80.0 | 8.8 | 0 |
| Terminal | 0 | 20.8 | 17.5 | 61.7 | 0 |
| • | 10.0 | 13.3 | 3.3 | 15.0 | 58.3 |

been significantly reduced since then. It also shows that once tags have become less popular, it will be difficult to become popular again. Manual analysis: Table 1 shows the transition of each tag quadrant in the framework. From this table we can see how the tags move in the quadrant. Here we turn to Xamarin as an interesting example. Basically, Xamarin is an API for Android and iOS that can be called from C#, so you can not develop an application without knowing both details. This means that if you start developing Android and iOS apps with Windows and Visual Studio you will need a lot of knowledge, which is not good for beginners. When Xamarin first appeared, it attracted attention as a tool that developers can efficiently develop. However, on sites where beginners often ask questions, such as StackOverflow, its popularity seems to have gradually declined due to its use difficulty.

About Riact, this is a JavaScript library from Facebook. It aims to build the user interface of web application efficiently. It was first used on Facebook's news feed in 2011 and in 2012 on Instagram. It was open sourced at JSConf US in May 2013. SNSs such as FaceBook and Instagram have begun to become popular around 2015-2016, when React has changed from Terminal to Floating. Therefore, it seems that the popularity of Framework that builds it to popular SNS has also changed.

Summary: Even if it was a tool that was initially popular, its popularity would decline if it was difficult to use. Even if it was a tool that was not as popular as it was born, It turns out that as the content using the tool becomes popular, the tool also becomes popular

5. Conclusions

Whether it is

Critical development of a programming language-of, a program framework, or an operating system, keeping depends on their ability to keep the community alive and attractingattract more people to participate in discussions is critical to its development. Especially on SO, the stack overflow, the world'sworld's largest program Q&A platform, having morehas enough questions and answers on a topic means that customers of the product are more likely-to solve their ownusers' problems, which is even more tedious than that developers rack their brains to write a lengthy development document or Q&A. This paperstudy applied the magnet and sticky population concepts to a set-of explore topics in Stack Overflow. We find

4SO. The number of results show that the numbers of participating topics that people participate in is are exploding with the development and popularity of computer technology. Even the most popular themes cannot attract the high percentage of people involved in the discussion like what they that did tennot attract people's attention 10 years

ago2. Under their now attract a large number of participants. Under respective major categories, the most popular topics are still very popular after ten 10 years, and only a small number of languages or frameworks can stand out and become one of the most popular topics.

3. This research ean provide someprovides a reference for enterprises to choose their own main technology stack, and. It can also be used as a reference for computer science students to learn new technologies, because it. The study (1) predictscan predict the trend of computer technology in the next few years; and (2) points out which an identify easier technologies are easier toto access the questions and answers.

©c 1992 Information Processing Society of Japan 8

Journal of Information Processing -Vol.0 -1-5 (??? 1992)

References

- [1] –C. for Community and C. E. Economic Development University –of -Wisconsin-Extension, —"Community –& economic development –update," 2011, https://myemail.constantcontact.com/ News-from-the-Center-for-Community---Economic-Development. html?soid= [1] — C. for Community and C. E. Economic Development University — of -Wisconsin-Extension, — "Community — & __economic development — update="__" — 2011, https://myemail.constantcontact.com/ News-from-the-Center-for-Community— Economic-Development. html?s 1104293309477\&aid=FnOIZtbhFgo.
 [2] K. Yamashita, Y. Kamei, S. McIntosh, A. E. Hassan, and N. Ubayashi, "Magnet or sticky? measuring project characteristics from the perspective of developer attraction and retention;"," Journal of Information Processing, vol. 24, no. 2, pp. 339-348, 2016.
 [3] X. Liu and H. Zhong, "Mining stackoverflow for program repair;", in 2018 IEEE 25th International Conference on Software Analysis, Evolution and Reengineering (SANER).—IEEE, 2018, pp. 118-129.
 [4] S. Baltes, C. Treude, and S. Diehl, ""Sotorrent: Studying the origin, evolution, and usage of stack overflow code snippets;"," 2019.
 ©C 1992 Information Processing Society of Japan

 9