Sasi Institute of Technology and Engineering (Autonomous)

Aim:

Write a program to implement stack using arrays.

```
Sample Input and Output:
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option : 4
    Stack is empty.
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option : 2
    Stack is underflow.
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option : 3
    Stack is empty.
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option : 5
    Stack is underflow.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 1
    Enter element : 25
    Successfully pushed.
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option : 1
    Enter element : 26
    Successfully pushed.
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option: 3
    Elements of the stack are : 26 25
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option : 2
    Popped value = 26
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 4
    Stack is not empty.
    1. Push 2. Pop 3. Display 4. Is Empty 5. Peek 6. Exit
    Enter your option : 5
    Peek value = 25
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 6
```

Source Code:

StackUsingArray.c

```
#include <stdio.h>
#include <stdlib.h>
#define STACK_MAX_SIZE 10
#include "StackOperations.c"
int main() {
   int op, x;
   while(1) {
```

```
printf("1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit\n");
      printf("Enter your option : ");
      scanf("%d", &op);
      switch(op) {
         case 1:
            printf("Enter element : ");
            scanf("%d", &x);
            push(x);
            break;
         case 2:
            pop();
            break;
         case 3:
            display();
            break;
         case 4:
            isEmpty();
            break;
         case 5:
            peek();
            break;
         case 6:
            exit(0);
      }
   }
}
```

StackOperations.c

```
# define size 10
int stack[size];
int top=-1;
void push(int x)
   if(top>=size-1)
      printf("Stack is overflow.\n");
   }
   else
      top++;
      stack[top]=x;
      printf("Successfully pushed.\n");
   }
}
int pop()
   if(top<0)
      printf("Stack is underflow.\n");
   }
   else
      printf("Popped value = %d\n",stack[top]);
      top--;
```

```
}
void display()
   int i;
   if(top>=0)
      printf("Elements of the stack are : ");
      for(i=top;i>=0;i--)
         printf("%d ",stack[i]);
      }
      printf("\n");
   }
   else
      printf("Stack is empty.\n");
   }
}
void peek()
   if(top==-1)
      printf("Stack is underflow.\n");
   else
      printf("Peek value = %d\n",stack[top]);
   }
}
void isEmpty()
   if(top==-1)
      printf("Stack is empty.\n");
   }
   else
      printf("Stack is not empty.\n");
   }
}
```

Execution Results - All test cases have succeeded!

Test Case - 1
User Output
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 1
Enter your option : 1
Enter element : 10
Successfully pushed. 1
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 1
Enter your option : 1
Enter element : 20
Successfully pushed. 1

1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 1 Enter your option : 1 Enter element : 30 Successfully pushed. 3 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 3 Enter your option : 3 Elements of the stack are : 30 20 10 5 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 5 Enter your option : 5 Peek value = 302 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 2 Enter your option : 2 Popped value = 302 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 2 Enter your option : 2 Popped value = 203 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 3 Enter your option : 3 Elements of the stack are : 10 5 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 5 Enter your option : 5 Peek value = 104 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 4 Enter your option : 4 Stack is not empty. 2 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 2 Enter your option : 2 Popped value = 103 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 3 Enter your option : 3 Stack is empty. 4 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 4 Enter your option : 4 Stack is empty. 6 1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 6 Enter your option : 6