Rajalakshmi Engineering College

Name: Krishna Kumar

Email: 240701622@rajalakshmi.edu.in

Roll no: Phone: null Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 18

Section 1: MCQ

1. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

fo = open(_____(1), "wb") print("Name of the file: ",_____)(2)

Answer

1) "ex.txt"2) fo.name

Status: Correct Marks: 1/1

2. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

3. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
        if i > 2:
            break
print(f.closed)

Answer
True
```

Status: Correct Marks: 1/1

4. Fill in the blanks in the following code of writing data in binary files.

```
import _______(1)
rec=[]
while True:
    rn=int(input("Enter"))
    nm=input("Enter")
    temp=[rn, nm]
    rec.append(temp)
    ch=input("Enter choice (y/N)")
    if ch.upper=="N":
        break
f.open("stud.dat","______")(2)
_____.dump(rec,f)(3)
_____.close()(4)

Answer
```

(pickle,wb,pickle,f)

| Status: Correct | Marks : 1/1 |
|---|-------------|
| 5. Which of the following is true about fp.seek(10,1) | |
| Answer | |
| Move file pointer ten characters ahead from the current position Status: Correct | Marks : 1/1 |
| 6. How do you create a user-defined exception in Python? | |
| Answer | |
| By creating a new class that inherits from the Exception class | |
| Status: Correct | Marks : 1/1 |
| 7. What happens if an exception is not caught in the except clau | ıse? |
| Answer | |
| The program will display a traceback error and stop execution | |
| Status: Correct | Marks : 1/1 |
| 8. Which clause is used to clean up resources, such as closing f Python? | îles in |
| Answer | |
| finally | |
| Status: Correct | Marks : 1/1 |
| 9. What is the output of the following code? | |
| try: | |

```
x = 1 / 0
except ZeroDivisionError:
  print("Caught division by zero error")
finally:
  print("Executed")
Answer
Caught division by zero errorExecuted
Status: Correct
                                                                     Marks: 1/1
10. What will be the output of the following Python code?
# Predefined lines to simulate the file content
lines = [
  "This is 1st line",
  "This is 2nd line",
  "This is 3rd line".
  "This is 4th line",
  "This is 5th line"
]
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
  print("Line No %d - %s" % (index + 1, line.strip()))
Answer
None of the mentioned options
                                                                     Marks: 0/1
Status: Wrong
11. What is the default value of reference_point in the following code?
file_object.seek(offset [,reference_point])
Answer
```

Status: Correct Marks: 1/1

12. What is the correct way to raise an exception in Python?

Answer

raise Exception()

Status: Correct Marks: 1/1

13. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

14. What happens if no arguments are passed to the seek function?

Answer

error

Status: Wrong Marks: 0/1

15. What is the output of the following code?

```
try:
    x = "hello" + 5
except TypeError:
    print("Type Error occurred")
finally:
    print("This will always execute")
```

Answer

Type Error occurredThis will always execute

Status: Correct Marks: 1/1

16. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

- 17. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

18. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

19. How do you rename a file?

Answer

os.rename(existing_name, new_name)

Status: Correct Marks: 1/1

20. What is the output of the following code?

```
class MyError(Exception): pass
```

try:

raise MyError("Something went wrong") except MyError as e: print(e)

Answer

Something went wrong

Status: Correct Marks: 1/1