# Python Basics: Takeaways 🖻

by Dataquest Labs, Inc. - All rights reserved  $\ensuremath{\text{@}}$  2018

### Syntax

#### COMMON ARITHMETIC OPERATORS

```
• Parentheses 0 : (5 / 5) + 5
```

• Exponent \*\* : 65 \*\*5

• Multiplication \* : 5 \* 5

• Division / : 5 / 5

• Addition + : 5 + 5

• Subtraction - : 5 - 5

#### **COMMON VARIABLE OPERATIONS**

• Assigning a value directly to a variable:

```
integer_val = 5
float_val = 5.0
string_val = "5"
```

• Assigning the result of a calculation to a variable:

```
total = 5 + 5
average = (5 + 5 + 5) / 3
```

#### **DISPLAYING VALUES**

• Displaying a value:

```
integer_val = 5
print(5)
print(integer_val)
print(5 + 5 + 5)
```

• Displaying a value's data type:

```
integer_val = 5
print(type(integer_val))
```

#### LIST OPERATIONS

• Creating an empty list:

```
crime_rates = []
```

• Creating a list with values:

```
crime_rates = [749, 371, 828, 503, 1379]
```

• Appending a value to a list:

```
crime_rates = []
crime_rates.append(749)
crime_rates.append(371)
```

• Accessing individual elements in a list:

```
crime_rates = [749, 371, 828, 503, 1379]

cr_first = crime_rates[0]

cr_third = crime_rates[2]
```

• Working with the length of a list:

```
crime_rates = [749, 371, 828, 503, 1379]
length = len(crime_rates)
last_element = crime_rates[length-1]
```

• Accessing slices of values in a list:

```
crime_rates = [749, 371, 828, 503, 1379]
cr_slice = crime_rates[0:3] # Values at 0, 1, 2
```

## Concepts

- When evaluating expressions, Python uses the <u>order of operations</u> rules from mathematics.
- Every value in Python has a data type associated with it. The common data types are:

• Strings: "6"

• Integers: 6

• Floats: **6.0** 

#### Resources

- <u>Documentation on all arithmetic operators</u>
- List of reserved words in Python
- <u>Documentation on lists</u>



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2018