```
|#include<stdio.h>
 2
     =include<string.h>
    int main()
 3
 4.
         char str1[1000000], str2[1000000];
 5
         int flag=1;
 6
 7
         scanf("%s", str1);
 8
         scanf("%s", str2);
 9
         int a=strlen(strl);
10
         int b=strlen(str2);
11
         if(a==b)
12
         ₹
13 -
             for(int i=a-1;i>=0;i++)
14
15 .
16
                  while(str1[i]!=str2[i])
17 .
                      for(int j=0;j<=1;j++)
18
19.
28
                          if(str1[j]<'z')
21
                          str1[j]++;
22
                          else
23 .
24
                               flag=0;
25
                               break;
25
27
                           if(flag==0)
28
                          break:
29
38
                      }
                  }
31
             }
32
33
34
         )
35
          else
36
          flag=0;
37
          if(flag==0)
          printf("NO");
38
39
          else
          printf("YES");
40
          return 0;
41
42
```

	Input	Expected	Got	
×	abaca cdbda	YES	***Time limit exceeded***	×

Testing was aborted due to error.

Your code must pass all tests to earn any marks. Try again.

Show differences

	Input	Expected	Got	
~	4 abc def feg cba	3 b	3 b	~

Passed all tests! ~

```
1 |=include(Stale.n>
    #include<string.h>
 2
    int main()
3
4. (
        int n;
 5
 6
        scanf("%d",&n);
 7
        char res[n][21];
        int rate[n];
8
9
        for(int i=0;i<n;i++)
10 .
             scanf("%s", res[i]);
11
             scanf("%d",&rate[i]);
12
13
14
15
        int max=rate[0];
        char ans[20];
16
        strcpy(ans,res[0]);
17
        for(int 1=1;i<n;i++)
18
19 +
28
             if(rate[i]>max)
21 .
22
                 max=rate[1];
                 strcpy(ans,res[i]);
23
24
             else if(rate[i]==max)
25
             ₹
26 .
                 if(strcmp(res[i],ans)<0)
27
                 strcpy(ans,res[i]);
28
29
             }
30
        printf("%s",ans);
31:
32
        return 0;
    }
33
34
```

	Input	Expected	Got	
~	3 Pizzeria 108 Dominos 145 Pizzapizza 49	Dominos	Dominos	~

Passed all tests! ~

```
#include<string.h>
  2
  3
     int main()
 4 .
 5
         int t;
         scanf("%d",&t);
 6
 7
         while(t--)
         1
 8 .
             int flag=1;
 9
             char s[100000];
10
             scanf("%s",s);
11
             int k=strlen(s);
12
13
14
             1f(k==10)
15 .
             1
                 for(int i=0;i<10;i++)
15
17.
                  Ŧ
                      for(int i=0;i<10;i++)
18
19 .
                      Ł
                          if(5[0]=='0')
20
21 .
22
                              flag=0;
23
                              break;
24
                           if(s[i]<'0'||s[i]<'9')
25
26 .
                           flag=0;
27
28
                           break;
                          }
29
30.
                      }
31
32
33
             }
             else
34
             flag=0;
35
             if(flag==1)
36
             printf("YES\n");
37
38
             else
             printf("NO\n");
39
40
        return 0;
41
42
    }
```

	Input	Expected	Got	
×	3	YES	NO	×
	1234567898	NO CM	NO	
	0123456789	NO	NO	
	0123456.87	10050		

Some hidden test cases failed, too.

Your code must pass all tests to earn any marks. Try again.

Show differences