# Rajalakshmi Engineering College

Name: Krithika Gopalakrishnan

Email: 241801128@rajalakshmi.edu.in

Roll no: 241801128 Phone: 9025860927

Branch: REC

Department: I AI & DS FB

Batch: 2028

Degree: B.E - AI & DS



### NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 2\_COD\_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

### **Input Format**

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

## Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

```
Sample Test Case
```

```
Input: 5
   10 20 30 40 50
Output: 10 20 30 40 50
   Answer
   // You are using GCC
   #include<stdio.h>
   #include<stdlib.h>
   typedef struct node
     int data;
     struct node*next;
     struct node*prev;
   }Node:
   void insertAtend(Node**head,int data)
     node*newNode=(Node*)malloc(sizeof(Node));
     newNode->data=data;
     newNode->next=NULL:
     newNode->prev=NULL;
     if(*head==NULL)
       *head=newNode;
       return;
     Node*temp=*head;
     while(temp->next!=NULL)
       temp=temp->next;
```

```
24,801,128
                                                    24,801,128
temp->next=newNode;
newNode->prev=temp;
}
    void Traverse(Node*head)
      Node*temp=head;
      while(temp!=NULL)
         printf("%d",temp->data);
         temp=temp->next;
      }
                                                                              24,801,128
    int main()
      int n,e;
      Node*head=NULL;
      scanf("%d",&n);
      for(int i=0;i<n;i++)
         scanf("%d",&e);
         insertAtend(&head,e);
      Traverse(head);
                                                                       Marks : 10/10
    Status: Correct
241801
```

24,801,128

241801128

24,180,178

24,801,128