CHAPTER-9

APPENDICES

9.1 APPENDIX-A: SAMPLE SOURCE CODE

Main.py

```
from django.http import HttpResponse
from django.shortcuts import get_object_or_404, render, redirect
from django.contrib.auth.models import User
from django.contrib.auth import login,authenticate,logout
from django.contrib.auth.decorators import login_required
from django.contrib import messages
from .models import EvaluationResult, ExamSubmission,Exam
from .evaluation.ocr import generate ocr
from .evaluation.extract_question_answerkey import question_answer_content
from .evaluation.preprocess ocr import preprocess ocr question wise
from .evaluation.evalution import evaluate_exam_with_ocr_to_json
from .evaluation.report import generate_report
from.evaluation.proper_json import parse_json_string
import ison
def home(request):
  return render(request, 'home.html')
def signup_view(request):
  if request.method == "POST":
     username = request.POST['username']
    email = request.POST['email']
     password1 = request.POST['password1']
    password2 = request.POST['password2']
    if password1 != password2:
       messages.error(request, "Passwords do not match!")
       return redirect('signup')
    if User.objects.filter(username=username).exists():
       messages.error(request, "Username already taken!")
       return redirect('signup')
    if User.objects.filter(email=email).exists():
       messages.error(request, "Email is already in use!")
       return redirect('signup')
     user = User.objects.create user(username=username, email=email, password=password1)
     login(request, user)
```

```
messages.success(request, "Account created successfully!")
    return redirect('login')
  return render(request, 'authentication/signup.html')
def login_view(request):
  if request.method == "POST":
     username = request.POST['username']
     password = request.POST['password']
     user = authenticate(request, username=username, password=password)
    if user is not None:
       login(request, user)
       messages.success(request, "Login successful!")
       return redirect('student_dashboard')
    else:
       messages.error(request, "Invalid username or password!")
  return render(request, 'authentication/login.html')
def student dashboard(request):
  exams = ExamSubmission.objects.filter(student=request.user) # Fetch exams created by
logged-in student
  return render(request, 'dashboard/student/student dashboard.html', {'exams': exams})
def logout_view(request):
  logout(request)
  messages.success(request, "Logged out successfully!")
  return redirect('login')
def student_exam_fill(request):
  if request.method == "POST":
     subject = request.POST.get("subject")
    exam type = request.POST.get("exam type")
     year = request.POST.get("year")
     staff name = request.POST.get("staff name")
    # Check if an exam exists with these details
    exam = Exam.objects.filter(year=year).first()
    if not exam:
       messages.error(request, " X No matching exam found. Please check the details.")
       return redirect("student_exam_fill") # Prevent saving if exam doesn't exist
     # Create a new submission linked to this exam
     submission = ExamSubmission.objects.create(
```

```
exam=exam, # Assigning the required exam field
       student=request.user,
       subject=subject,
  if request.method == "POST":
     subject = request.POST.get("subject")
     exam_type = request.POST.get("exam_type")
     year = request.POST.get("year")
     staff_name = request.POST.get("staff_name")
                                                         exam_type=exam_type,
       year=year,
       staff_name=staff_name,
    )
    messages.success(request, " \( \subseteq \) Exam submission successful!")
     return redirect("student dashboard")
  return render(request, "dashboard/student/exam_fill.html")
def teacher_login(request):
  if request.method == "POST":
     username = request.POST["username"]
     password = request.POST["password"]
    user = authenticate(request, username=username, password=password)
    if user is not None:
       if user.is_superuser: # Allow only superusers
         login(request, user)
         messages.success(request, "Welcome, Teacher!")
         return redirect("teacher_dashboard") # Redirect to teacher dashboard
       else:
         messages.error(request, "Access Denied! Only teachers (superusers) can log in.")
     else:
       messages.error(request, "Invalid Username or Password!")
  return render(request, "dashboard/teacher/teacher_login.html")
@login required
def teacher_dashboard(request):
  if not request.user.is_superuser:
    return redirect("home") # Redirect unauthorized users
  exams = Exam.objects.all().order_by("-id") # Fetch all exams
  return render(request, "dashboard/teacher/teacher_dashboard.html", {"exams": exams})
@login required
def create_exam(request):
  if not request.user.is_superuser:
```

```
messages.error(request, " X Unauthorized access!")
    return redirect("home")
     question_paper = request.FILES.get("question_paper")
     answer key = request.FILES.get("answer key")
    if not all([subject, exam_type, year, staff_name, question_paper, answer_key]):
       messages.error(request, " \( \Lambda \) All fields are required!")
       return redirect("create_exam")
    Exam.objects.create(
       subject=subject,
       exam_type=exam_type,
       year=year,
       staff_name=staff_name,
       question paper=question paper,
       answer_key=answer_key
    messages.success(request, " Exam successfully created!")
    return redirect("teacher dashboard")
  return render(request, "dashboard/teacher/create exam.html")
@login_required
def view_submissions(request, exam_id):
  exam = get object or 404(Exam, id=exam id)
  submissions = ExamSubmission.objects.filter(year=exam.year)
  if request.method == "POST":
    for submission in submissions:
       file_field_name = f"answer_sheet_{submission.id}"
       if file field name in request.FILES:
         if submission.answer sheet:
            messages.warning(request, f" \( \Lambda \) Answer sheet for {submission.student.username}
already uploaded.")
         else:
            submission.answer_sheet = request.FILES[file_field_name]
            submission.save()
           messages.success(request, f" Answer sheet uploaded for
{submission.student.username}.")
     return redirect('view_submissions', exam_id=exam.id)
```

```
return render(request, "dashboard/teacher/view_submissions.html", {"exam": exam,
"submissions": submissions})
def evaluate_submission_view(request, submission_id):
  submission = get_object_or_404(ExamSubmission, id=submission_id)
  # Check if the submission is already evaluated
  # Render the evaluation results page
  return render(request, 'dashboard/teacher/evaluate submission.html', {
    'submission': submission,
    'formatted_report': formatted_report,
    'total_score': total_score,
    'max_score': max_score
      evaluation = EvaluationResult.objects.filter(submission=submission).first()
  if evaluation:
    messages.info(request, "This submission has already been evaluated.")
    formatted_report = parse_json_string(evaluation.formatted_report)
    total_score = evaluation.total_score
    max_score = evaluation.max_score
  else:
    #OCR text from uploaded answer sheet
    ocr text = generate ocr(submission.answer sheet.path)
    # Extract question paper and answer key
    question paper text = question answer content(submission.exam.question paper.path)
    answer_key_text = question_answer_content(submission.exam.answer_key.path)
    # Preprocess OCR text to align with question numbers
    structured ocr text = preprocess ocr question wise(ocr text, question paper text)
    # Evaluate answers using Gemini API
    evaluation_result_json = evaluate_exam_with_ocr_to_json(structured_ocr_text,
answer_key_text)
    formatted_report = generate_report(evaluation_result_json)
    formatted_report = parse_json_string(formatted_report)
    print(formatted report)
    total_score = formatted_report["summary"]["user_total_score"]
    max_score = formatted_report["summary"]["total_possible_score"]
    # Save the evaluation result in the database
    evaluation = EvaluationResult.objects.create(
       submission=submission,
       evaluated_by=request.user,
```

```
formatted_report=json.dumps(formatted_report),
       total_score=total_score,
       max_score=max_score,
     submission.is_graded = True
     submission.save()
     messages.success(request, "Evaluation completed successfully!")
def view_results(request,exam_id):
  submission = get_object_or_404(ExamSubmission, id=exam_id)
  # Check if the submission is already evaluated
  evaluation = EvaluationResult.objects.filter(submission=submission).first()
  if evaluation:
     messages.info(request, "This submission has already been evaluated.")
    formatted_report = parse_json_string(evaluation.formatted_report)
     total score = evaluation.total score
    max_score = evaluation.max_score
  return render(request, 'dashboard/teacher/evaluate_submission.html', {
     'submission': submission,
     'formatted_report': formatted_report,
     'total score': total score,
     'max_score': max_score
  })
Urls.py
from django.contrib import admin
from django.urls import path
from app import views
from django.conf import settings
from django.conf.urls.static import static
urlpatterns = [
  path("admin/", admin.site.urls),
  path(", views.home, name='home'),
  path('signup/', views.signup view, name='signup'),
  path('login/', views.login_view, name='login'),
  path('logout/', views.logout view, name='logout'),
  path('student_dashboard/', views.student_dashboard, name='student_dashboard'),
  path('view-results/<int:exam id>/', views.view results, name='view results'),
```

```
path('student_exam_fill', views.student_exam_fill, name='student_exam_fill'),
  path('teacher-login/', views.teacher_login, name='teacher_login'),
  path('teacher-dashboard/', views.teacher_dashboard, name='teacher_dashboard'),
  path('create-exam/', views.create exam, name='create exam'),
  path('view-submissions/<int:exam_id>/', views.view_submissions, name='view_submissions'),
  path('evaluate/<int:submission_id>/', views.evaluate_submission_view,
name='evaluate submission'),
]+ static(settings.MEDIA_URL,document_root=settings.MEDIA_ROOT)
urlpatterns+= static(settings.STATIC_URL,document_root=settings.STATIC_ROOT)
Models.py
from django.db import models
from django.contrib.auth.models import User
class Exam(models.Model):
  YEAR_CHOICES = [
    (1, "First Year"),
    (2, "Second Year"),
    (3, "Third Year"),
    (4, "Fourth Year"),
  1
  EXAM_TYPE_CHOICES = [
    ("CAT1", "CAT 1"),
    ("CAT2", "CAT 2"),
  1
  subject = models.CharField(max length=255)
  exam_type = models.CharField(max_length=4, choices=EXAM_TYPE_CHOICES,
default="CAT1")
  year = models.IntegerField(choices=YEAR_CHOICES)
  staff name = models.CharField(max length=255)
  question_paper = models.FileField(upload_to='question_papers/')
  answer_key = models.FileField(upload_to='answer_keys/')
  created at = models.DateTimeField(auto now add=True)
  def __str__(self):
    return f"{self.subject} - {dict(self.YEAR_CHOICES).get(self.year, 'Unknown')} -
{self.get_exam_type_display()}"
class ExamSubmission(models.Model):
  EXAM_TYPES = [
    ('CAT1', 'CAT 1'),
    ('CAT2', 'CAT 2'),
```

```
]
  YEARS = [
    (1, "First Year"),
    (2, "Second Year"),
    (3, "Third Year"),
    (4, "Fourth Year"),
  1
  exam = models.ForeignKey(Exam, on_delete=models.CASCADE) # Remove null=True,
blank=True
  student = models.ForeignKey(User, on_delete=models.CASCADE)
  subject = models.CharField(max_length=100)
  exam_type = models.CharField(max_length=10, choices=EXAM_TYPES)
  year = models.CharField(max_length=1, choices=YEARS)
  staff name = models.CharField(max length=100)
  answer_sheet = models.FileField(upload_to='answer_sheets/', null=True, blank=True)
  is_graded = models.BooleanField(default=False)
  def __str__(self):
    return f"{self.subject} - {self.exam_type} ({self.get_year_display()})"
class EvaluationResult(models.Model):
  submission = models.OneToOneField(
    ExamSubmission,
    on delete=models.CASCADE,
    related_name="evaluation"
  evaluated_by = models.ForeignKey(
    User,
    on delete=models.SET NULL,
    null=True,
    blank=True,
    related name="evaluations"
  formatted report = models.TextField() # Stores only the human-readable report
  total_score = models.FloatField(default=0.0)
  max score = models.FloatField(default=0.0)
  created_at = models.DateTimeField(auto_now_add=True)
  def __str__(self):
    exam_subject = self.submission.exam.subject if self.submission.exam else "Unknown
Exam"
    return f"Evaluation for {self.submission.student.username} {exam subject}"
```

Admin.py

```
from django.contrib import admin
from .models import EvaluationResult,Exam
admin.site.register(EvaluationResult)
admin.site.register(Exam)
```

Student-dashboard.html

```
{% extends 'base.html' %}
{% block content %}
<div class="container mt-5">
 <div class="card shadow-lg p-4">
   <h2 class="text-center text-primary fw-bold">Welcome, {{ request.user.username
} }!</h2>
   <hr>
   <div class="d-flex justify-content-between align-items-center mb-4">
     <h3 class="text-secondary fw-semibold"> Your Submitted Exams</h3>
     <a href="{% url 'student_exam_fill' %}" class="btn btn-success btn-lg shadow-sm">
       + Fill Exam Details
     </a>
   </div>
   {% if exams %}
   <div class="table-responsive">
     <thead class="table-dark">
         暑 Subject
            Exam Type
          Sear
          Staff Name
          Status
          Q Actions
         </thead>
       {% for exam in exams %}
         {{ exam.subject }}
          {{ exam.get_exam_type_display }}
```

```
{{ exam.get_year_display }}
             {{ exam.staff_name }}
             {% if exam.is_graded %}
                  <span class="badge bg-success px-3 py-2">Graded</span>
               {% else %}
                  <span class="badge bg-warning text-dark px-3 py-2">Pending</span>
                {% endif %}
             >
                {% if exam.is_graded %}
                  <a href="{% url 'view_results' exam.id %}" class="btn btn-primary btn-sm
shadow-sm">
                    View Results
                  </a>
               {% else %}
                  <button class="btn btn-secondary btn-sm shadow-sm" disabled>Awaiting
Grading</button>
               {% endif %}
             {% endfor %}
         </div>
    {% else %}
    <div class="alert alert-info text-center">
        No exams submitted yet. Start by filling out your first exam!
    </div>
    {% endif %}
    <div class="text-center mt-4">
      <a href="{% url 'logout' %}" class="btn btn-danger btn-lg px-4 shadow-sm">\begin{align*} \Bar{\text{\text{B}}} \]
Logout</a>
    </div>
  </div>
</div>
<style>
  body {
    background-color: #f8f9fa;
  .card {
    border-radius: 12px;
    border: none;
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
```

```
}
.table th {
    background-color: #212529;
    color: white;
}
.table td {
    vertical-align: middle;
}
.btn {
    border-radius: 8px;
}
.btn-success {
    background-color: #28a745;
}
</style>
{% endblock %}
```

Teacher-dashboard.html

```
{% extends 'base.html' %}
{% block content %}
<div class="container-fluid">
  <div class="row">
    <!-- Sidebar -->
    <nav class="col-md-3 col-lg-2 d-md-block bg-dark sidebar vh-100 p-3">
      <h4 class="text-white text-center">  Teacher Panel</h4>
      <hr class="text-white">
      cli class="nav-item">
          <a class="nav-link text-white" href="{% url 'teacher_dashboard' %}">
Dashboard</a>
        <a class="nav-link text-white" href="{% url 'create_exam' %}">  Create
Exam</a>
        cli class="nav-item">
          <a class="nav-link text-white" href="{% url 'logout' %}"> Logout</a>
        </nav>
    <!-- Main Content -->
    <main class="col-md-9 ms-sm-auto col-lg-10 px-md-4 mt-4">
```

```
<div class="d-flex justify-content-between align-items-center">
       <h2 class="text-primary">  Welcome, {{ request.user.username }}</h2>
       <a href="{% url 'create_exam' %}" class="btn btn-success btn-lg shadow-sm">
         + Create Exam
       </a>
     </div>
     <hr>
     <h3 class="text-secondary"> Created Exams</h3>
     {% if exams %}
       <div class="table-responsive">
         <thead class="table-dark">
            Subject
              Exam Type
              Year
              Actions
            </thead>
          {% for exam in exams %}
              {{ exam.subject }}
                {{ exam.get_exam_type_display }}
                {{ exam.get_year_display }}
                <a href="{% url 'view_submissions' exam.id %}" class="btn btn-primary btn-sm">
                    View Submissions
                  </a>
                {% endfor %}
          </div>
     {% else %}
       <div class="alert alert-info text-center">
         No exams created yet.
       </div>
     { % endif % }
   </main>
 </div>
</div>
<style>
```

```
/* Sidebar Styling */
         .sidebar {
           height: 100vh;
            position: fixed;
            left: 0;
            top: 0;
            width: 250px;
         /* Adjust main content */
         main {
           margin-left: 260px;
         /* Button Styling */
         .btn-sm {
            font-size: 0.9rem;
         /* Responsive Design */
         @media (max-width: 768px) {
            .sidebar {
              position: relative;
              height: auto;
              width: 100%;
           main {
              margin-left: 0;
       </style>
       {% endblock %}
Create_Exam.html
       {% extends 'base.html' %}
       {% block content %}
       <div class="container mt-5">
         <div class="card shadow-lg p-4 rounded-4">
            <h2 class="text-center text-primary fw-bold"> Create Exam</h2>
            <hr class="mb-4">
            {% if messages %}
              {% for message in messages %}
                <div class="alert alert-{{ message.tags }} text-center">{{ message }}</div>
```

```
{% endfor %}
    {% endif %}
    <form method="POST" enctype="multipart/form-data">
      {% csrf_token %}
     <div class="mb-3">
        <input type="text" name="subject" class="form-control rounded-3 shadow-sm"</pre>
placeholder="Enter subject name" required>
      </div>
      <div class="mb-3">
       <select name="exam_type" class="form-select rounded-3 shadow-sm" required>
          <option value="CAT 1">\boxedeta CAT 1</option>
         <option value="CAT 2">\overline{\infty} CAT 2
         </select>
      </div>
      <div class="mb-3">
        <label class="form-label fw-bold"> Year</label>
        <select name="year" class="form-select rounded-3 shadow-sm" required>
         <option value="1">  First Year
         <option value="2"> Second Year
         <option value="4"> Fourth Year</option>
        </select>
      </div>
      <div class="mb-3">
        <a href="class="form-label fw-bold"> Staff Name</a>label>
       <input type="text" name="staff_name" class="form-control rounded-3 shadow-sm"</pre>
placeholder="Enter staff name" required>
     </div>
      <div class="mb-3">
        <a href="class="form-label fw-bold"> Upload Question Paper (PDF)</a>/label>
       <input type="file" name="question_paper" class="form-control rounded-3 shadow-</pre>
sm" accept=".pdf" required>
      </div>
      <div class="mb-3">
```

```
<label class="form-label fw-bold"> Dpload Answer Key (PDF)</label>
         <input type="file" name="answer_key" class="form-control rounded-3 shadow-sm"</pre>
accept=".pdf" required>
       </div>
       <button type="submit" class="btn btn-success w-100 fw-bold py-2 shadow-lg">
         ✓ Submit Exam
       </button>
    </form>
    <div class="text-center mt-4">
       <a href="{% url 'teacher_dashboard' %}" class="btn btn-secondary fw-bold shadow-sm
px-4 py-2">
         ← Back to Dashboard
       </a>
    </div>
  </div>
</div>
<style>
  body {
    background-color: #f4f6f9; /* Light Gray Background */
  .card {
    max-width: 600px;
    margin: auto;
    background: #ffffff;
    border-radius: 15px;
    box-shadow: 0px 4px 10px rgba(0, 0, 0, 0.1);
  }
  .btn-success {
    background-color: #28a745;
    border: none;
  }
  .btn-success:hover {
    background-color: #218838;
  .btn-secondary {
    background-color: #6c757d;
    border: none;
  }
```

```
.btn-secondary:hover {
          background-color: #5a6268;
        .form-control {
          border-radius: 10px;
      </style>
      {% endblock %}
Evaluate_Submission.html
{% extends 'base.html' %}
{% block content %}
<div class="container mt-5">
  <h2 class="text-center text-primary"> Exam Report</h2>
  <hr>
  <!-- Student & Exam Info Section -->
  <div class="card shadow-sm mb-4">
    <div class="card-body">
      <h5 class="card-title text-center text-dark">  Exam Details</h5>
      <hr>>
      <div class="row">
        <div class="col-md-6">
          <strong>   Exam Name:</strong> {{ submission.exam.subject }}
          <strong> Date:</strong> {{ submission.exam.created_at|date:"d M Y" }}
          <strong>  Exam Type:</strong> {{ submission.exam.get_exam_type_display }}
        </div>
        <div class="col-md-6">
          <strong> \( \frac{2}{2} \) Student Name:</strong> \( \{ \) submission.student.username \\ \} \
          <strong>  Roll Number:</strong> {{ submission.student.id }}
          </div>
      </div>
    </div>
  </div>
  <!-- Exam Report Table -->
  <div class="table-responsive">
    <thead class="table-dark">
        <th><Q.No</th>
          Question
```

```
Student Answer
        Correct Answer
        Marks Awarded
        Max Marks
        Evaluation
      </thead>
    {% for result in formatted_report.report %}
        {{ result.question_number }}
        {{ result.question }}
        {{ result.student_answer }}
        {{ result.correct_answer }}
        {{ result.marks_awarded }}
        {{ result.max marks }}
        {{ result.reason }}
      {% endfor %}
    </div>
 <!-- Total Score Section -->
 <div class="text-center mt-4 p-3 bg-light rounded">
   <h4>Total Score: <span class="text-success">{{ total score }}</span> / <span class="text-success">
primary">{{ max_score }}</span></h4>
 </div>
</div>
{% endblock %}
```

View_Submissions.html

```
{% if submissions %}
    <form method="POST" enctype="multipart/form-data">
      {% csrf token %}
      <thead class="table-dark">
          Student Name
            Year
            Answer Sheet
             Upload Answer Sheet
            Evaluate
          </thead>
        {% for submission in submissions %}
            {{ submission.student.username }}
              {{ submission.get_year_display }}
              {% if submission.answer sheet %}
                  <a href="{{ submission.answer_sheet.url }}" class="btn btn-info btn-sm"
target="_blank"> View</a>
                {% else %}
                  <span class="badge bg-danger">Not Uploaded</span>
                { % endif % }
              {% if submission.answer_sheet %}
                  <span class="badge bg-success"> Uploaded</span>
                {% else %}
                  <input type="file" name="answer_sheet_{{ submission.id }}" class="form-</pre>
control form-control-sm">
                { % endif % }
              {% if submission.answer_sheet %}
                  <a href="{% url 'evaluate submission' submission.id %}" id="evaluate-btn-{{
submission.id }}"
                    class="btn btn-warning btn-sm evaluate-btn">
                    Evaluate
                  </a>
                  <div id="loading-spinner-{{ submission.id }}" class="text-center mt-2 d-none">
                    <div class="spinner-border text-primary" role="status">
                       <span class="visually-hidden">Loading...</span>
                    </div>
```

```
Processing Evaluation...
                    </div>
                  { % else % }
                    <button class="btn btn-secondary btn-sm" disabled> ⚠ No Answer
Sheet</button>
                  { % endif % }
                {% endfor %}
         <div class="text-center">
         <button type="submit" class="btn btn-success px-4 py-2"> Upload Selected Files</button>
      </div>
    </form>
  {% else %}
    <div class="alert alert-info text-center">
      No submissions yet.
    </div>
  { % endif % }
  <div class="text-center mt-4">
    <a href="{% url 'teacher_dashboard' %}" class="btn btn-secondary"> Back to Dashboard</a>
  </div>
</div>
<script>
  document.addEventListener("DOMContentLoaded", function() {
    let evaluateButtons = document.querySelectorAll(".evaluate-btn");
    evaluateButtons.forEach(function(button) {
      button.addEventListener("click", function(event) {
         let submissionId = button.id.split("-").pop();
         let loader = document.getElementById("loading-spinner-" + submissionId);
         // Show the loader and hide the button
         button.classList.add("d-none");
         loader.classList.remove("d-none");
         // Allow normal navigation to Django route (page will reload)
      });
    });
  });
</script>
{% endblock %}
```

9.2 APPENDIX-B: DEMO SCREENSHOTS




Fig: 9.1 GradeX Website




Fig: 9.2 GradeX Information




Fig: 9.3 Gradex Student Signin




Fig: 9.4 Gradex Student Sign up




Fig: 9.5 Gradex Student Dashboard




Fig: 9.6 Gradex Student Exam Fill




Fig: 9.7 Gradex Student Awaiting Exam Status




Fig: 9.8 Gradex Teacher Login




Fig: 9.9 Gradex Teacher Dashboard




Fig: 9.10 Gradex Teacher Exam Creation




Fig: 9.11 Gradex Teacher Dashboard-Created Exams




Fig: 9.12 Gradex Teacher Dashboard-Exam Submissin List




Fig: 9.13 Gradex Teacher Dashboard-Answer Sheet Upload




Fig: 9.14 Gradex Teacher Dashboard-Answer Sheet Evaluating




Fig: 9.15 Gradex Teacher Dashboard-Results-1




Fig: 9.16 Gradex Teacher Dashboard-Results-2

Chapter 10

Future Enhancement

While the Gradex system has successfully streamlined the process of evaluating handwritten student answer sheets using OCR and AI, the current workflow still requires manual scanning or photographing of the answer sheets before processing. A major area for improvement lies in automating this input step to make the system more seamless and scalable.

The primary future enhancement will focus on digitizing the answer sheet collection process. Instead of manually scanning or converting student-written sheets into PDFs or image formats, the system can be integrated with school digital infrastructure to automatically ingest answer sheets directly from:

- Smart exam papers written on digital pads or tablets with stylus input
- **Mobile app-based capture systems** where teachers simply click pictures, and the app auto-converts and uploads them to the backend
- Scanner integration APIs that trigger evaluation as soon as papers are scanned

This would eliminate delays, reduce human effort, and improve the overall efficiency of the system from input to evaluation.

In addition to this, several other enhancements are planned for the Gradex platform:

Multilingual Answer Sheet Support

Expanding OCR and NLP capabilities to evaluate responses written in regional languages.

• Real-time Evaluation via Digital Input Devices

Supporting direct writing on tablets to allow instant feedback and autoevaluation.

Learning Feedback Loop for Scoring Adjustment

Using machine learning models to learn from teacher corrections and adapt future scoring.

Advanced Student Performance Analytics

Generating detailed reports with topic-wise analytics, progress tracking, and feedback suggestions.

Plagiarism Detection

Adding modules to detect similar or copied content between students' answers.

LMS and Mobile Integration

Integrating with Learning Management Systems (LMS) and offering mobile apps for easy access by both students and teachers.

By focusing on automating the initial input step, Gradex will not only become more efficient but also truly scalable for large-scale educational deployments.

REFERENCES

- 1 Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," Nature, vol. 521, no. 7553, pp. 436–444, 2015.
- 2 A. Graves, S. Fernández, M. Liwicki, H. Bunke, and J. Schmidhuber, "Unconstrained online handwriting recognition with recurrent neural networks," in Proc. 20th Int. Conf. Neural Inf. Process. Syst. (NIPS), 2008, pp. 577–584.
- 3 S. Hochreiter and J. Schmidhuber, "Long short-term memory," Neural Computation, vol. 9, no. 8, pp. 1735–1780, 1997.
- 4 M. D. Zeiler and R. Fergus, "Visualizing and understanding convolutional networks," in Proc. European Conf. Computer Vision (ECCV), 2014, pp. 818–833.
- 5 R. Smith, "An overview of the Tesseract OCR engine," in Proc. Int. Conf. Document Anal. Recognit. (ICDAR), 2007, pp. 629–633.
- 6 OpenAI, "GPT-4 technical report," arXiv preprint arXiv:2303.08774, 2023.
- 7 R. S. Sutton and A. G. Barto, Reinforcement Learning: An Introduction, 2nd ed. Cambridge, MA, USA: MIT Press, 2018.
- 8 N. Dalal and B. Triggs, "Histograms of oriented gradients for human detection," in Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit. (CVPR), 2005, vol. 1, pp. 886–893.
- 9 D. Bahdanau, K. Cho, and Y. Bengio, "Neural machine translation by jointly learning to align and translate," in Proc. Int. Conf. Learn. Represent. (ICLR), 2015.
- 10 K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), 2016, pp. 770–778.

CONFERENCE CERTIFICATES







COURSE CERTIFICATES



Certificate un: UC-3308c41b-93cb-485a-9ea3-755110f8ef37
Certificate un: ude.my/UC-3308c41b-93cb-485a-9ea3-755110f8ef37

Reference Number-0008

CERTIFICATE OF COMPLETION

PyTorch Ultimate 2024: From Basics to Cutting-Edge

Instructors Bert Gollnick

Mohamed Asick A

Date 12 Feb 2025



Certificate no: UC-3308c41b-93cb-485a-9ee3-481000f8ef106
Certificate url: ude.my/UC-3308c41b-93cb-485a-9ee3-481000f8ef106
Reference Number: 0003

CERTIFICATE OF COMPLETION

PyTorch Ultimate 2024: From Basics to Cutting-Edge

Instructors Bert Gollnick

Lingesh R S

Date 12 Feb 2025

Certificate no: UC-9ae414c0-8f47-4026-8edf-ef2c51c4b725 Certificate url: ude.my/UC-9ae414c0-8f47-4026-8edf-ef2c51c4b725 Reference Number: 0004



CERTIFICATE OF COMPLETION

PyTorch Ultimate 2024: From Basics to Cutting-Edge

Instructors Bert Gollnick

Kumaresan

Date 12 Feb 2025 Length 19 total hours