Name: Kunal Kharalkar

Roll No.: A-52

Subject: Data Mining and Warehousing

Experiment No.: 3

Title:

Apply a-priori algorithm to find frequently occurring items from given data and generate strong association rules using support and confidence thresholds.

Objectives:

Model associations between products by determining sets of items frequently purchased together and building association rules to derive recommendations.

Hardware Requirement:

Pentium or higher processor, 2GB RAM and 500 GB HDD.

Software Requirement:

Rapid Miner

Outcomes:

Create association rules which can be used for product recommendations depending on the confidences of the rules

Theory:

• Association rule for mining:

- Proposed by R Agrawal and R Srikant in 1994.
- It is an important data mining model studied extensively by the database and data mining community.

- Assume all data are categorical.
- Initially used for Market Basket Analysis to find how items purchased by customers are related.

• The Apriori algorithm:

- The best known algorithm
- Two steps:
 - Find all item sets that have minimum support (frequent item sets, also called large item sets).
 - It Create Association rule with support and Confidence.
 - E.g. if we buy tooth brush: it suggest Colgate and tongue cleaner

• Data Set

T-Id Item Set

T-1000 M.O.N.K.E.Y

| T-1001 | D,O,N,K,E,Y |
|--------|-------------|
| T-1002 | M,A,K,E |
| T-1003 | M,U,C,K,Y |

T-1004 C,O,O,K,E

Table: Data Set

Given: Minimum **Support** = 60%

Minimum Confidence = 80%

• Candidate Table C1: Now find support count of each item set

Item Set Support Count

M 3

| | 111 3 | _ |
|-----|--------------|---|
| ſ | | |
| 1 | \mathbf{O} | 4 |
| - 1 | | |

| N | 2 |
|---|---|
| Е | 4 |
| Y | 3 |
| D | 1 |
| A | 1 |
| U | 1 |
| C | 2 |

K 5

Table: Candidate Table C1

- Now find out minimum Support
- Support = 60/100*5

=3

- Where 5 is Number of entry
- Compare Min Support with each item set

• L1 Support Count

Item Set Support Count

| M 3 | |
|-----|---|
| O | 4 |
| K | 5 |
| E | 4 |

Y 3

Table: L1 Support Count

• Candidate Table C2:

Item Set Support Count

| MO 1 | |
|------|---|
| MK | 3 |
| ME | 2 |
| MY | 2 |
| OK | 3 |
| OE | 3 |
| OY | 2 |
| KE | 4 |
| KY | 3 |

EY 2

Table: Candidate Table C2

• Now again Compare C2 with Min Support 3

• L2 Support Count

Item Set Support Count

 MK 3

 OK
 3

 OE
 3

 KE
 4

KY3

Table: L2 Support Count

- After satisfied minimum support criteria
- Make Pair to generate C3

• Candidate Table C3

Item Set Support count

| M,K,O 1 | |
|---------|---|
| M,K,E | 2 |
| M,K,Y | 2 |
| O,K,E | 3 |

O,K,Y 2

Table: Candidate Table C3

• L3 Support Count

Now again compare the item set with min support 3

Item Set Support Count

O,K,E 3

Table: L3 Support Count

• Now create association rule with support and Confidence for {O,K,E} • Confidence = Support/No. of time it Occurs

$O \land K \Rightarrow E \ 3 \ 3/3 = 1 \ 1*100=100$

| $O \wedge E \Rightarrow K$ | 3 | 3/3 = 1 | 1*100=100 |
|----------------------------|---|------------|-------------|
| K ^ E ⇒ O | 3 | 3/4 = 0.75 | 0.75*100=75 |
| E⇒ O ^ K | 3 | 3/4 = 0.75 | 0.75*100=75 |
| K⇒ O ^ E | 3 | 3/5 = 0.6 | 0.6*100=60 |

 $O \Rightarrow K \land E \ 3 \ 3/4 = 0.75 \ 0.75*100=75$ Table: Association Rule

• Compare this with Minimum Confidence=80%

Rule Support Confidence

 $O \land K \Rightarrow E 3 100$

 $O \land E \Rightarrow K \ 3 \ 100$

Table: Support and Confidence

Hence final Association rule are $\{O \land K \Rightarrow E\}$ $\{O \land E \Rightarrow K\}$

- From first observation we predict that if the customer buy item O and item K then defiantly he will by item E
- From Second observation we predict that the customer buy item O and item E then defiantly he will by item K
- Market Basket Analysis using Rapid Miner

Rapid Miner is a data science software platform developed by the company of the same name that provides an integrated environment for data preparation, machine learning, deep learning, text mining, and predictive analytics. It is used for business and commercial applications as well as for research, education, training, rapid prototyping, and application development and supports all steps of the machine learning process including data preparation, results visualization, model validation and optimization Rapid Miner is developed on an open core model. The Rapid Miner Studio Free Edition, which is limited to 1 logical processor and 10,000 data rows, is available under the AGPL license.

Commercial pricing starts at \$2,500 and is available from the developer.

MARKET BASKET ANALYSIS

Model associations between products by determining sets of items frequently purchased together and building association rules to derive recommendations.




Figure: MARKET BASKET ANALYSIS

| No. of Sets: 47 | Size | Support | Item 1 | Item 2 | item 3 ↓ |
|--------------------|------|---------|------------|------------|------------|
| Total Max. Size: 3 | 3 | 0.006 | Product 12 | Product 20 | Product 27 |
| fin. Size: 1 | 3 | 0.006 | Product 11 | Product 12 | Product 20 |
| lax. Size: 3 | 3 | 0.006 | Product 11 | Product 20 | Product 19 |
| Contains item: | 1 | 0.138 | Product 11 | | |
| | 1 | 0.136 | Product 12 | | |
| Update View | 1 | 0.103 | Product 20 | | |
| | 1 | 0.079 | Product 10 | | |
| | 1 | 0.079 | Product 18 | | |
| | 1 | 0.079 | Product 23 | | |
| | 1 | 0.073 | Product 15 | | |
| | 1 | 0.071 | Product 26 | | |
| | 1 | 0.067 | Product 13 | | |
| | 1 | 0.059 | Product 21 | | |

Figure: Frequent Item Sets (FP Growth)

Conclusion:

Thus we learn that to find frequently occurring items from given data and generate strong association rules using support and confidence thresholds using a-priori algorithm.