




Fundamentals of Computer Science (MCAC-0017)

Topic: Memory Organization



Memory Hierarchy



Memory Hierarchy Design

Memory Hierarchy Design

1. Registers

Registers are small, high-speed memory units located in the CPU. They are used to store the most frequently used data and instructions. Registers have the fastest access time and the smallest storage capacity, typically ranging from 16 to 64 bits.

2. Cache Memory

Cache memory is a small, fast memory unit located close to the CPU. It stores frequently used data and instructions that have been recently accessed from the main memory. Cache memory is designed to minimize the time it takes to access data by providing the CPU with quick access to frequently used data.

3. Main Memory

- Main memory, also known as RAM (Random Access Memory), is the primary memory of a computer system. It has a larger storage capacity than cache memory, but it is slower. Main memory is used to store data and instructions that are currently in use by the CPU.
- **Types of Main Memory**
- **Static RAM:** Static RAM stores the binary information in flip flops and information remains valid until power is supplied. It has a faster access time and is used in implementing cache memory.
- **Dynamic RAM:** It stores the binary information as a charge on the capacitor. It requires refreshing circuitry to maintain the charge on the capacitors after a few milliseconds. It contains more memory cells per unit area as compared to SRAM.

4. Secondary Storage

- Secondary storage, such as hard disk drives (HDD) and solid-state drives (SSD), is a non-volatile memory unit that has a larger storage capacity than main memory. It is used to store data and instructions that are not currently in use by the CPU. Secondary storage has the slowest access time and is typically the least expensive type of memory in the memory hierarchy.

5. Magnetic Disk

- Magnetic Disks are simply circular plates that are fabricated with either a metal or a plastic or a magnetized material. The Magnetic disks work at a high speed inside the computer and these are frequently used.

6. Magnetic Tape

- Magnetic Tape is simply a magnetic recording device that is covered with a plastic film. It is generally used for the backup of data. In the case of a magnetic tape, the access time for a computer is a little slower and therefore, it requires some amount of time for accessing the strip.

7. Optical Disc

- An optical disc is an electronic data storage medium that is also referred to as an optical disk, optical storage, optical media, Optical disc drive, disc drive, which reads and writes data by using optical storage techniques and technology. An optical disc, which may be used as a portable and secondary storage device, was first developed in the late 1960s. James T. Russell invented the first optical disc, which could store data as micron-sized light and dark dots.



Characteristics of Memory Hierarchy

- **Capacity:** It is the global volume of information the memory can store. As we move from top to bottom in the Hierarchy, the capacity increases.
- **Access Time:** It is the time interval between the read/write request and the availability of the data. As we move from top to bottom in the Hierarchy, the access time increases.
- **Performance:** Earlier when the computer system was designed without a Memory Hierarchy design, the speed gap increased between the CPU registers and Main Memory due to a large difference in access time. This results in lower performance of the system and thus, enhancement was required.
- **Cost Per Bit:** As we move from bottom to top in the Hierarchy, the cost per bit increases i.e. Internal Memory is costlier than External Memory.


Auxiliary Memory

An Auxiliary memory is known as the lowest-cost, highest-capacity and slowest-access storage in a computer system. It is where programs and data are kept for long-term storage or when not in immediate use. The most common examples of auxiliary memories are magnetic tapes and magnetic disks.

Magnetic Disks

A magnetic disk is a type of memory constructed using a circular plate of metal or plastic coated with magnetized materials. Usually, both sides of the disks are used to carry out read/write operations. However, several disks may be stacked on one spindle with read/write head available on each surface.

Magnetic disks



Magnetic Tape

Magnetic tape is a storage medium that allows data archiving, collection, and backup for different kinds of data. The magnetic tape is constructed using a plastic strip coated with a magnetic recording medium.

The bits are recorded as magnetic spots on the tape along several tracks. Usually, seven or nine bits are recorded simultaneously to form a character together with a parity bit.

Magnetic tape units can be halted, started to move forward or in reverse, or can be rewound. However, they cannot be started or stopped fast enough between individual characters. For this reason, information is recorded in blocks referred to as records.

*Thank
you*

