



IMPORTING DATA IN PYTHON I

Introduction to relational databases



What is a relational database?

- Based on *relational model of data*
- First described by Edgar “Ted” Codd



Example: Northwind database

- Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

- Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France

- Employees table

EmployeeID	LastName	FirstName	Title	TitleOfCourtesy	BirthDate	HireDate	Address	City	Region
1	Davolio	Nancy	Sales Representative	Ms.	12/8/1948 12:00:00 AM	5/1/1992 12:00:00 AM	507 - 20th Ave. E.\nApt. 2A	Seattle	WA
2	Fuller	Andrew	Vice President, Sales	Dr.	2/19/1952 12:00:00 AM	8/14/1992 12:00:00 AM	908 W. Capital Way	Tacoma	WA
3	Leverling	Janet	Sales Representative	Ms.	8/30/1963 12:00:00 AM	4/1/1992 12:00:00 AM	722 Moss Bay Blvd.	Kirkland	WA



The Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31



Tables are linked

- Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

- Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France

- Employees table

EmployeeID	LastName	FirstName	Title	TitleOfCourtesy	BirthDate	HireDate	Address	City	Region
1	Davolio	Nancy	Sales Representative	Ms.	12/8/1948 12:00:00 AM	5/1/1992 12:00:00 AM	507 - 20th Ave. E.\nApt. 2A	Seattle	WA
2	Fuller	Andrew	Vice President, Sales	Dr.	2/19/1952 12:00:00 AM	8/14/1992 12:00:00 AM	908 W. Capital Way	Tacoma	WA
3	Leverling	Janet	Sales Representative	Ms.	8/30/1963 12:00:00 AM	4/1/1992 12:00:00 AM	722 Moss Bay Blvd.	Kirkland	WA



Relational model

- Widely adopted
- Todd's 12 Rules/Commandments
 - Consists of 13 rules (zero-indexed!)
 - Describes what a Relational Database Management System should adhere to to be considered relational



Relational Database Management Systems

- PostgreSQL
- MySQL
- SQLite
- SQL = Structured Query Language





IMPORTING DATA IN PYTHON I

Let's practice!



IMPORTING DATA IN PYTHON I

Creating a database engine in Python



Creating a database engine

- SQLite database
 - Fast and simple
- SQLAlchemy
 - Works with many Relational Database Management Systems

```
In [1]: from sqlalchemy import create_engine
```

```
In [2]: engine = create_engine('sqlite:///Northwind.sqlite')
```



Getting table names

```
In [1]: from sqlalchemy import create_engine
```

```
In [2]: engine = create_engine('sqlite:///Northwind.sqlite')
```

```
In [3]: table_names = engine.table_names()
```

```
In [4]: print(table_names)
['Categories', 'Customers', 'EmployeeTerritories',
'Employees', 'Order Details', 'Orders', 'Products',
'Region', 'Shippers', 'Suppliers', 'Territories']
```



IMPORTING DATA IN PYTHON I

Let's practice!



IMPORTING DATA IN PYTHON I

Querying relational databases in Python



Basic SQL query

```
SELECT * FROM Table_Name
```

- Returns all columns of all rows of the table
- Example:

```
SELECT * FROM Orders
```

- We'll use SQLAlchemy and pandas



Workflow of SQL querying

- Import packages and functions
- Create the database engine
- Connect to the engine
- Query the database
- Save query results to a DataFrame
- Close the connection



Your first SQL query

```
In [1]: from sqlalchemy import create_engine
```

```
In [2]: import pandas as pd
```

```
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
```

```
In [4]: con = engine.connect()
```

```
In [5]: rs = con.execute("SELECT * FROM Orders")
```

```
In [6]: df = pd.DataFrame(rs.fetchall())
```

```
In [7]: con.close()
```



Printing your query results

```
In [8]: print(df.head())
```

	0	1	2	3	4
0	10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM
1	10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM
2	10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM
3	10256	WELLI	3	7/15/1996 12:00:00 AM	8/12/1996 12:00:00 AM
4	10258	ERNSH	1	7/17/1996 12:00:00 AM	8/14/1996 12:00:00 AM



Set the DataFrame column names

```
In [1]: from sqlalchemy import create_engine
```

```
In [2]: import pandas as pd
```

```
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
```

```
In [4]: con = engine.connect()
```

```
In [5]: rs = con.execute("SELECT * FROM Orders")
```

```
In [6]: df = pd.DataFrame(rs.fetchall())
```

```
In [7]: df.columns = rs.keys()
```

```
In [8]: con.close()
```




Set the data frame column names

```
In [9]: print(df.head())
```

	OrderID	CustomerID	EmployeeID	OrderDate
0	10248	VINET	5	7/4/1996 12:00:00 AM
1	10251	VICTE	3	7/8/1996 12:00:00 AM
2	10254	CHOPS	5	7/11/1996 12:00:00 AM
3	10256	WELLI	3	7/15/1996 12:00:00 AM
4	10258	ERNSH	1	7/17/1996 12:00:00 AM



Using the context manager

```
In [1]: from sqlalchemy import create_engine
```

```
In [2]: import pandas as pd
```

```
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
```

```
In [4]: with engine.connect() as con:
```

```
....:     rs = con.execute("SELECT OrderID, OrderDate,  
ShipName FROM Orders")
```

```
....:     df = pd.DataFrame(rs.fetchmany(size=5))
```

```
....:     df.columns = rs.keys()
```



IMPORTING DATA IN PYTHON I

Let's practice!



IMPORTING DATA IN PYTHON I

Querying relational databases directly with pandas



The pandas way to query

```
In [1]: from sqlalchemy import create_engine
```

```
In [2]: import pandas as pd
```

```
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
```

```
In [4]: with engine.connect() as con:  
...:     rs = con.execute("SELECT * FROM Orders")  
...:     df = pd.DataFrame(rs.fetchall())  
...:     df.columns = rs.keys()
```

```
In [5]: df = pd.read_sql_query("SELECT * FROM Orders", engine)
```




IMPORTING DATA IN PYTHON I

Let's practice!



IMPORTING DATA IN PYTHON I

Advanced querying: exploiting table relationships



Tables are linked

- Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

- Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France

- Employees table

EmployeeID	LastName	FirstName	Title	TitleOfCourtesy	BirthDate	HireDate	Address	City	Region
1	Davolio	Nancy	Sales Representative	Ms.	12/8/1948 12:00:00 AM	5/1/1992 12:00:00 AM	507 - 20th Ave. E.\nApt. 2A	Seattle	WA
2	Fuller	Andrew	Vice President, Sales	Dr.	2/19/1952 12:00:00 AM	8/14/1992 12:00:00 AM	908 W. Capital Way	Tacoma	WA
3	Leverling	Janet	Sales Representative	Ms.	8/30/1963 12:00:00 AM	4/1/1992 12:00:00 AM	722 Moss Bay Blvd.	Kirkland	WA



JOINing tables

- Orders table

OrderID	CustomerID	EmployeeID	OrderDate	RequiredDate	ShippedDate	ShipVia	Freight	ShipName	ShipAddress
10248	VINET	5	7/4/1996 12:00:00 AM	8/1/1996 12:00:00 AM	7/16/1996 12:00:00 AM	3	32.38	Vins et alcools Chevalier	59 rue de l'Abbaye
10251	VICTE	3	7/8/1996 12:00:00 AM	8/5/1996 12:00:00 AM	7/15/1996 12:00:00 AM	1	41.34	Victuailles en stock	2, rue du Commerce
10254	CHOPS	5	7/11/1996 12:00:00 AM	8/8/1996 12:00:00 AM	7/23/1996 12:00:00 AM	2	22.98	Chop-suey Chinese	Hauptstr. 31

- Customers table

CustomerID	CompanyName	ContactName	ContactTitle	Address	City	Region	PostalCode	Country
ALFKI	Alfreds Futterkiste	Maria Anders	Sales Representative	Obere Str. 57	Berlin	None	12209	Germany
AROUT	Around the Horn	Thomas Hardy	Sales Representative	120 Hanover Sq.	London	None	WA1 1DP	UK
BLAUS	Blauer See Delikatessen	Hanna Moos	Sales Representative	Forsterstr. 57	Mannheim	None	68306	Germany
BONAP	Bon app'	Laurence Lebihan	Owner	12, rue des Bouchers	Marseille	None	13008	France



INNER JOIN in Python (pandas)

```
In [1]: from sqlalchemy import create_engine
```

```
In [2]: import pandas as pd
```

```
In [3]: engine = create_engine('sqlite:///Northwind.sqlite')
```

```
In [4]: df = pd.read_sql_query("SELECT OrderID, CompanyName FROM  
Orders INNER JOIN Customers on Orders.CustomerID =  
Customers.CustomerID", engine)
```

```
In [5]: print(df.head())
```

	OrderID	CompanyName
0	10248	Vins et alcools Chevalier
1	10251	Victuailles en stock
2	10254	Chop-suey Chinese
3	10256	Wellington Importadora
4	10258	Ernst Handel



IMPORTING DATA IN PYTHON I

Let's practice!



IMPORTING DATA IN PYTHON I

Final Thoughts



What you've learned:

- Relational databases
- Queries
 - SELECT
 - WHERE
 - JOIN



Next course:

- Scrape data from the web
- Interact with APIs



IMPORTING DATA IN PYTHON

Congratulations!