	SEX		PREVALENCE RATIOS	
Variable	Female N = 1,780 ¹	Male N = 1,005 ¹	Female	Male
Any ART Dissuption				
Any ART Disruption (post-covid)				
No	1,521 (85.45%)	889 (88.46%)		
Yes	259 (14.55%)	116 (11.54%)	— 1.23 (0.65-2.19)	— 1.81 (0.93-3.21)
Any ART Disruption (pre-covid)	259 (14.55%)	110 (11.54%)	1.23 (0.03-2.19)	1.01 (0.83-3.21)
No	1700 (95.51%)	959 (95.42%)		
Yes	80 (4.49%)	46 (4.58%)	1.26 (0.44-2.88)	1.39 (0.53-3.07)
Age Group		- (/	. (
40-49	648 (36%)	500 (50%)		
<30	344 (19%)	90 (9.0%)	5.81 (2.72-13.9)	4.76 (2.21-9.99)
30-39	787 (44%)	415 (41%)	2.34 (1.11-5.54)	3.14(1.81-5.72)
Mobility				
In-migrant	457 (26%)	172(17%)		
Long-term resident	1,322 (74%)	833 (83%)	0.85 (0.51-1.42)	1.79 (0.92-4.01)
Community type				
Inland community	923 (52%)	326 (33%)		
Fishing community	856 (48%)	669 (67%)	1.32 (0.81-2.18)	0.94 (0.58-1.58)
Time on ART				
<2 years	199 (11%)	98(9.8%)		
2-5 years	436 (25%)	301 (30%)	0.89 (0.46-1.78)	1.16 (0.53-2.9)
>5 years	1,144 (64%)	606 (60%)	0.63 (0.34-1.24)	1.32 (0.63-3.21)

¹n (%)

²PR = Prevalence Ratio; Adj PR = Adjusted Prevalence Ratio; CI = Confidence Interval. Reference group is indicated by omission of PR values