

# SCHOLAR PLOT - DATA VISUALIZATION METHODS FOR SCIENTIFIC CAREERS

---

A Proposal

Presented to

the Faculty of the Department of Computer Science

University of Houston

---

In Partial Fulfillment

of the Requirements for the Degree

Doctor of Philosophy

---

By

Kyeongan Kwon

April 2016

# SCHOLAR PLOT - DATA VISUALIZATION METHODS FOR SCIENTIFIC CAREERS

---

Kyeongan Kwon

APPROVED:

---

Ioannis Pavlidis, Chairman  
Department of Computer Science

---

Zhigang Deng  
Department of Computer Science

---

Guoning Chen  
Department of Computer Science

---

Ricardo Vilalta  
Department of Computer Science

---

Brian Uzzi  
Northwestern University

---

---

Dean, College of Natural Sciences and Mathematics



# SCHOLAR PLOT - DATA VISUALIZATION METHODS FOR SCIENTIFIC CAREERS

---

An Abstract of a Proposal

Presented to

the Faculty of the Department of Computer Science

University of Houston

---

In Partial Fulfillment

of the Requirements for the Degree

Doctor of Philosophy

---

By

Kyeongan Kwon

April 2016

# Abstract

Evaluation of scholarly achievements in academia is largely based on the researcher's publication record. This record is communicated in exhaustive detail in the researcher's curriculum vitae (CV) or in summary via her/his  $h$ -index. The  $h$ -index, although a convenient abstraction, considers neither the time of the publication nor the impact factor ( $IF$ ) of the journal where it appeared. In this article we present a novel method that visually complements the  $h$ -index, revealing at a glance the nature of a researcher's scholastic record. This method (aka Scholar Plot) is particularly appropriate for web interfaces, as it produces information that is compact and simple, yet highly illuminating. The method uses Google Scholar, Impact Factor and NSF/NIH/NASA Funding data to create a temporal representation of a researcher's publication/funding record that blends publication prestige with paper popularity and funding information. Scholar Plot aids to obtain an insightful appraisal of academics at one's fingertips.

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Related work</b>	<b>4</b>
<b>3</b>	<b>Methodology</b>	<b>5</b>
3.1	Visualization and User Interface . . . . .	5
3.1.1	Visualizing Publication Data . . . . .	7
3.1.2	Visualizing Funding Data . . . . .	9
3.2	System Architecture . . . . .	10
3.3	Name Disambiguation . . . . .	11
3.4	Name Disambiguation - Details . . . . .	11
3.4.1	Within and across profile author name disambiguation . . . . .	11
<b>4</b>	<b>Design and Methodology</b>	<b>18</b>
4.1	Scholar Plot Design - Base Level . . . . .	18
4.2	Scholar Plot Data Sources . . . . .	22
<b>5</b>	<b>Results</b>	<b>25</b>
5.1	Usability Feedback . . . . .	25
5.1.1	User Feedback - Focus Group . . . . .	28

<b>6 Conclusion</b>	<b>29</b>
<b>Bibliography</b>	<b>30</b>

# List of Figures

3.1	The $\log_{10}$ view and <i>decimal</i> view: The radio button allows to switch between different scale views without reloading the entire page. . . .	6
3.2	An example of Scholar Plot - Visualizing Publication Data . . . . .	7
3.3	An example of the tooltip: The publication title, the year, the number of citations, the venue where published, impact factor, the list of co-authors, the visual horizontal bars with the number of collaboration between the co-authors and the selected scholar. . . . .	8
3.4	The legend allows users to selectively view journals, conferences / books and patents. . . . .	9
3.5	An example of Scholar Plot - Visualizing Funding Data . . . . .	15
3.6	Examples of y-axis projection for three different scholars. . . . .	16
3.7	System Architecture of Scholar Plot. . . . .	17
4.1	Base level Scholar Plot (SP) example - a famous physicist and interdisciplinary scientist with dozen of articles in <i>Nature</i> . The summary panels in the middle were added after feedback from the focus group. Notice how this scholar's publication production exploded in sync with the commencement of substantial federal funding. . . . .	20
4.2	Publication symbols. . . . .	21
4.3	. . . . .	23
5.1	Mean evaluation of Scholar Plot. A total of $n = 15$ participants evaluated the survey. . . . .	26
5.2	A part of sections of online survey form for User Study . . . . .	27



# List of Tables

# Chapter 1

## Introduction

In the world of Internet and apps there is a tendency to measure nearly everything, displaying publicly visual impressions of these measurements. Familiar symbols include star ratings of movies and restaurants, thumbs up/down ratings of opinion articles, and counting distributions of site visits. Visualization of professional records is increasingly part of the fray - see for example, fancy letter ratings for service providers in Angie's List<sup>TM</sup>.

A lot of these measures are based on crowdsourcing or on online data, which explains their phenomenal proliferation in the Internet and app space. Their succinct visualizations provide easily digestible cues, conditioning users' attitudes towards specific shows or services. One could argue that such summary visualizations may be an oversimplification. This is probably true and something that can be fixed with more research on multi-faceted measures and their display. At the same time, even simple data visualizations provide valuable information to the user, who could not

even imagine it in the Yellow Pages era, just a few years ago.

Professional records of distinct interest for measurement and display are the academic records. First, they differ from other records because they can be objectively quantified to a large degree. Second, they are multi-faceted and often prolific, presenting a challenge to succinct visualization. Third, they are of great social value, as academic research and education are valuable resources, about which the users (students, faculty, and funding agencies) can never have enough information.

It is relatively difficult and time consuming to thoroughly analyze academic CVs. Hence, graduate students in search of a Ph.D. advisor, aspiring faculty in search of a fitting department, and reviewers in a funding agency assessing a proposer's record can use help through an appropriate interface. Such help has been rendered in small doses the last few years with the advent of several publicly available tools. In a practical sense, the end effect of such help, would be no different than the benefit the movie-goer and restaurant-goer have already been receiving.

To quantify academic careers, some researchers focused on a quest for a 'number' that sums up an individual's scholarship. The most well-known outcome of this line of research is the  $h$ -index, proposed by Hirsch [6]. Despite its value, the  $h$ -index has weaknesses and when used, context should be carefully taken into account; such context includes the academic field and the academic age of the candidate [2]. Other efforts focused on visualizing citation patterns [3, 10] - an important measure of impact. Envision [11] and PaperCube [1] provide to users visualization tools to explore patterns in the literature. PaperLens [9] introduced a novel visualization scheme for eight years of InfoVis and 23 years of CHI conference proceedings. A

social tool named Scholarometer has been developed to facilitate citation analysis and to evaluate the impact of authors [8]. SciVal [14] summarizes researchers' profiles using Scopus, clustering them under departmental links. It offers search capabilities that aim to facilitate the formation of collaborative teams by rendering matches between experts easier.

In this article we introduce Scholar Plot (SP), a comprehensive yet compact visual interface for academic scholarship. SP scales up across the academic space, covering not only academics, but also the departments and colleges they belong to. Importantly, SP features multi-faceted information, bringing to the fore different strengths and weaknesses of individual and group records. This information includes publications, citations, impact factors, and funding. Last but not least, SP is freely available and is based on public data that are as inclusive as possible. This is in contrast to company-owned scientometrics tools with restricted access, which are based on less inclusive data sets; case in point is Elsevier's Scopus that generally does not cover the full citation space. The combination of all these characteristics makes SP a unique interface of academic merit.

## Chapter 2

### Related work

# Chapter 3

## Methodology

### 3.1 Visualization and User Interface

Scholar Plot obtains the Impact Factor ( $IF$ ) for a particular journal from our database. The data of Impact Factor is acquired from The Thomson Reuters Impact Factor - Web of Science. Based on all this information it constructs the plots as per the design outlined in the Visualization and User Interface section, using `nvd3` library [13].

The NSF/NIH/NASA funding datasets are available at the respective US government websites in various file formats such as XML, CSV and so on [4, 12]. We implemented a script to parse this massive XML dataset into our data structure that consists of AwardID, AwardAmount, First name, Last name, Investigator by RoleCode (Principal Investigator, Co-Principal Investigator and Former Principal




Figure 3.1: The  $\log_{10}$  view and *decimal* view: The radio button allows to switch between different scale views without reloading the entire page.

Investigator), using XMLStarlet [5]. We imported this data to our database using Toad DBMS tool.

Scholar Plot depicts the publications of an individual as a scatter plot and the NSF/NIH funding as a multiline plot. The publications are represented in a 2D diagram (number of citations vs. year of publication) with the  $h$ -index line (Figure 3.2). The horizontal axis is time, starting with the year of the researcher’s first publication ending with the current year. The vertical axis is the number of citations. The default plot is in  $\log_{10}$  scale. The user can also view the plot in the decimal scale by a toggle option using a radio button at the top left corner (Figure 3.1). The log scale provides a standardized scale which helps to compare the plots of multiple scholars.




Figure 3.2: An example of Scholar Plot - Visualizing Publication Data

### 3.1.1 Visualizing Publication Data

Each publication  $i$  is represented with a symbol. The center of the symbol has coordinates  $(i_{PY}, i_C)$ , where  $PY$  stands for Publication Year and  $C$  for Number of citations obtained by the publication till date. The journals are represented as circles (orange) with area analogous to the impact factor the journal. The conferences / books are represented as triangles (green) and the patents as crosses (blue). By clicking at a symbol you can obtain the publication title, the year, the number of citations, the venue where published and its impact factor (if it is a journal), as well as a breakdown in the authorship, complete with the level of collaboration between the co-authors and the selected scholar (Figure 3.3). The publication title also enables the user to navigate to the Google Scholar page for the selected paper. This helps to quickly verify and obtain further details of the selected publication. It makes user reach out to the PDF file directly if available. To enhance user experience, we customized the tooltip to give detailed information without overlapping the plots.






Figure 3.3: An example of the tooltip: The publication title, the year, the number of citations, the venue where published, impact factor, the list of co-authors, the visual horizontal bars with the number of collaboration between the co-authors and the selected scholar.

A dotted horizontal line on the plot denote the  $h$ -index of the scholar. We also denote those publications which earn greater than 10,000 citations with diamonds as they represent the great success in publications (Figure 3.2). The title of the plot contains the name of the scholar and her/his total number of citations along with the  $h$ -index. At the top right corner of the plot, a legend shows the three different types of publications we distinctly display (Figure 3.4).

You can bring the journals, patents, and conferences / books in and out of the view by clicking at the respective legend. If there is an overlap between journals, conferences and patents, this feature can help the user to selectively view them. The




Figure 3.4: The legend allows users to selectively view journals, conferences / books and patents.

user can also zoom into the plot for closer picture. Also note that the symbols are not completely opaque. So if there are multiple symbols which overlap, the user can see and interact with them by hovering the mouse over them appropriately.

### 3.1.2 Visualizing Funding Data

Scholar Plot also depicts the NSF/NIH funding of an individual as a multiline (Figure 3.5). Each breakpoint in the multiline corresponds to the individual's total amount in all NSF/NIH awards for the specific year. By pointing at a breakpoint you can obtain the NSF/NIH awards IDs, award amounts, and investigator's role. The total annual funding information per year is also available by clicking the legend.

To place the plots in your personal CV or on your web page we provide a download button at the top right corner of the plot (Figure 3.1). This function enables the user to download plots in a zip file. It includes high resolution vector images in SVG (Scalable Vector Graphics) format of the publication and funding plots.

Scholar Plot also has a projection of the data on the y-axis depicted by small horizontal colored lines. For example, we can clearly see that journals contribute to

the  $h$ -index of scholar in Figure 3.6 (a) and conferences / books contribute to the  $h$ -index of scholar in Figure 3.6 (b). We can clearly infer the scholar in Figure 3.6 (c)) has many patents. We can also infer the number of publications within a particular range of citations based on the density of the projected lines.

We improve user experience to enable users to quickly find and select from a pre-populated list of scholar names as they type. For each character the user enters, we display similar matching names on the dropdown list. Even entering the space (“ ”), we display the 10 most recently inserted scholar’s names. Scholar Plot follows the approach of responsive web design to provide optimal viewing based on the size of screen.

## 3.2 System Architecture

Scholar Plot is data visualization tool that uses HTML5, CSS3 and SVG to render a scholar’s accomplishment at a glance. We created a MySQL database to store the mapping between the scholar names and their Google scholar IDs. We also designed and created database tables for NSF/NIH funding data. The user can search the name of the scholar in a text field. When the user starts to enter the name of the scholar, the names in our database which are similar to the entered name will be listed as a drop down list. We use jQuery and Ajax (asynchronous JavaScript and XML) method to have this feature, which connects to the database to get the list of names. If there are no matching/similar names, the user can also insert her/his Google Scholar ID to the database by one click event.

The server-side application is implemented in PHP scripting language and MySQL. The HTTP protocol is used for communicating between client-side and server-side to get the basic information via JSON format (JavaScript Object Notation) and JSONP function (Figure 3.7). Scholar Plot also uses htmlSQL library to parse Google scholar’s page to extract user basic information [7].

### 3.3 Name Disambiguation

Google Scholar data has to be cleaned because it contains many non-english characters. We use regular expression to remove the invalid special characters and translate phonetic characters to english alphabets. We designed and implemented Algorithm ?? to match the author names in Google Scholar with those in NSF/NIH data. This process helps to improve the quality of results.

### 3.4 Name Disambiguation - Details

#### 3.4.1 Within and across profile author name disambiguation

Let  $i$  be an index for the Google scholar profile researchers. Within each collaboration profile of  $i$ , there are a set of  $K_0$  raw name strings that you have extracted,  $Names_k$  indexed by  $k_i$ . We will use the fact that these strings are associated with profile  $i$  in the process of name disambiguation across Google Scholar profiles. The following provides an outline of this procedure:

A) **Clean last names:** Remove strings at end of all  $Names_k$  that are not last names, and which may not consistently be listed for  $k$ , e.g. “Jr.”, “III” etc. Hence, each name string  $Name_k$  consists ideally of a First name string  $FN_k$ , a Last name string  $LN_k$ , and possibly a Middle name string  $MN_k$ .

B) **Clean middle initial strings within each profile  $i$ :** Within each  $i$ , search for inconsistencies in the use of  $MN_k$ . That is, possibly sometimes the author  $k$  is listed as *Alexander M Petersen*, sometimes *Alexander Petersen*, and sometimes *Alexander Michael Petersen*. In this example the Last name string  $LN_k = Petersen$  and the First name string  $FN_k = Alexander$  are clearly consistent. But the Middle name string  $\{_, M, Michael\}$  causes some ambiguity if simple string comparison is used, where  $_$  is a whitespace.

Then check to see how many different types of *Alexander  $\hat{X}$  Petersen* occur within each  $k$ , where  $\hat{X}$  refers to the middle name. Use the following rules for when there are 2 or more types of  $\hat{W}\hat{X}Petersen$ .

- If there are only two types of *Alexander  $\hat{X}$  Petersen*, with  $\hat{X} = _$  or  $M$ , then map all of the *Alexander  $\hat{X}$  Petersen* to *Alexander  $M$  Petersen* for this  $i$
- If there are only three types of *Alexander  $\hat{X}$  Petersen*, with  $\hat{X} =$  starting with the same initial,  $M_$  or  $M$ , then map all of the *A $\hat{X}$  Petersen* to *Alexander Michael Petersen* for this  $i$

- If there are two or more types of *Alexander $\hat{X}$ Petersen*, say  $\hat{X} = O$  and  $\hat{X} = P$ , then keep these  $X$  as they are.

**C) Disambiguate coauthors  $k$  across the Google Scholar profiles (connecting  $i$ ):** Let  $k$  and  $k'$  be coauthors in profiles  $i$  and  $i'$ , respectively. In this step we would like to identify  $k$  and  $k'$  that are likely the same person,  $k = k'$ , allowing us to connect the two profiles  $i$  and  $i'$  within the coauthor network.

If  $k$  and  $k'$  have the same initials and same surname, then there is a possibility that they are the same individual. Also, if their full first name strings match, this is clearly very positive evidence of this. Let  $A_{k,j}$  be the entire combination of First Name and Middle initial  $FM_{k,j}$  with the surname  $L_{k,j}$  (e.g. *Adam B Smith*, or *Adam - Johnson*) of the coauthor  $j$  of the coauthor  $k$ .

- If the full first name strings and the full last name strings are the same,  $FN_{k,j}=FN_{k',j}$  and  $LN_{k,j} = LN_{k',j}$  (e.g. Adam J. Johnson and Adam Johnson), and they both have at least one coauthors in common, then they are considered the same coauthor.
- If we don't have the added information of their full first names then we must rely more heavily on the information from their coauthors. If the first and last names are the same,  $FM_{k,j} = FM_{k',j}$  and  $LM_{k,j} = LM_{k',j}$ , and there are more than 2 middle names with one of the middle name being empty, we do the following -

We compute the number of coauthors in common of the empty middle name author with non-empty middle name authors by comparing the sets of coauthors,  $\{j\}$ .

We assign the empty middle name to that middle name for which there are more number of co-authors in common.

- If the first name of the author has a hyphen, we check for any other author having the same last name and the first name as the first word of the hyphenated word and middle name starting with the first letter of the second part of the hyphenated word. If any such pair of authors have at least one author in common, we update the first and middle name of the author with the hyphenated middle name to first name and middle name of the matched author.
- If the first name of the author has only two letters, we check for any other author having the same last name and the first name starting with the first letter of the first name and middle name starting with the second letter of the first name. If any such pair of authors have at least one author in common, we update the first and middle names of the author with two letters to first and middle names of the matched author.

Google Scholar data has to be cleaned because it contains many non-english characters. We use regular expression to remove the invalid special characters and translate phonetic characters to english alphabets. We designed and implemented Algorithm ?? to match the author names in Google Scholar with those in NSF/NIH data. This process helps to improve the quality of results.




Figure 3.5: An example of Scholar Plot - Visualizing Funding Data






Figure 3.6: Examples of y-axis projection for three different scholars.




Figure 3.7: System Architecture of Scholar Plot.

# Chapter 4

## Design and Methodology

### 4.1 Scholar Plot Design - Base Level

The base level of Scholar Plot (SP) visualizes individual academic records. The first issue we had to address as part of the design process for this level was to determine what to visualize. To answer this question we looked at the merit criteria considered by promotion, tenure, and search committees; these are: a) publication quality and quantity, and b) research funding. Furthermore, publication quality is defined by two factors: citation counts and prestige of the journals where the publications appeared.

Accordingly, we decided to structure individual scholar plots as two-panel arrangements - the top panel visualizing the individual's publication record, while the bottom panel visualizing the individual's research funding record (Fig. 4.1). This

arrangement brings to the fore any causal relationship that may exist between funding and publishing, as publication production is often powered by research dollars. The common timeline in the horizontal axes of the two panel graphs facilitates such an association.

The vertical axis of the publication graph indexes citation counts (Fig. 4.1) - an important quality indicator for a publication. As we mentioned, the prestige of the publication venue is another important quality indicator. We convey this additional measurement dimension by varying the size of the graph points.

Only journals have a widely accepted ranking system reflecting prestige - the Journal Impact Factor (IF) List, issued every year by Thomson Reuters. Hence, we opted to represent different publication types with different symbols, varying the symbol size of journal publications only, for which an established ranking system exists. We chose disks to be the symbols of journal publications, as disk scaling can be done very effectively by simply varying its radius ( $A \sim r^2$ ). Specifically, after performing histogram analysis on the IFs of journal publications, we settled on four disk sizes to represent journal prestige:  $\#1 < \#2 < \#3 < \#4$  (Fig. 4.2). We found that the great majority of journal publications appear in journals with  $IF < 2$ , assigning to this cohort the smallest disk size symbol,  $\#1$ . These are mid-level specialized technical and scientific journals. The next IF bracket ( $2 \leq IF < 4$ ) includes high quality specialized technical (e.g., IEEE Transactions) and scientific journals represented by disk  $\#2$ . The third IF bracket ( $4 \leq IF < 16$ ) includes very high quality science journals and specialized medical journals represented by disk  $\#3$ . The top IF bracket ( $IF \geq 16$ ) includes famous general science journals (e.g.,




Figure 4.1: Base level Scholar Plot (SP) example - a famous physicist and interdisciplinary scientist with dozen of articles in *Nature*. The summary panels in the middle were added after feedback from the focus group. Notice how this scholar's publication production exploded in sync with the commencement of substantial federal funding.




Figure 4.2: Publication symbols.

*Nature*) and top medical journals (e.g., *New England Journal of Medicine*); they are assigned the largest disk, #4.

In the funding graph, each funding agency is represented by a polyline with a characteristic color (Fig. 4.1). Grants are reported at the year they were awarded. If more than one grant was awarded by the same agency the same year to the specific investigator, then the full list shows up by rolling the mouse over the corresponding point in the polyline.

The end effect of this simple visualization scheme is a picture that does not only compress dozens of CV pages, but also brings to the fore nuanced information about an academic's profile that can be grasped at a glance. Here are some examples:

1. It is easy to identify what type of publication powers the individual's scholarship - a correlate of disciplinary culture. For example, it is easy to spot career profiles of computer scientists and engineers (Fig. 4.3a), where typically scholarship is built on conference rather than journal publications.
2. It is easy to identify if the individual's scholarship is heavily associated with high or mid/low IF journals. If the publication graph is full of mid or small


disks, this indicates that the scholar has done prolific methodological work that appeared in good specialized journals (Fig. 4.3b). If the publication graph is full of large disks, this indicates that the scholar has done trendy and novel work that appeared in famous journals (Fig. 4.3c).

3. It is easy to identify if high funding levels yield high quantity and quality of publications or not (Fig. 4.1). This may be especially useful to NSF and NIH reviewers who assess among other things the quality and impact of the investigator's prior work for the funding amounts s/he received.


## 4.2 Scholar Plot Data Sources

There were several options to get bibliographic data for powering the publication graph of Scholar Plot (SP). These included Scopus, ISI Web of Knowledge, and Google Scholar. We chose Google Scholar for two reasons: a) it is all inclusive, covering all types of publications, that is, journals, conferences, books, and patents; and, b) it is freely available.


Our choice carries a few challenges, too. Google Scholar does not provide an application programming interface. Hence, we had to develop elaborate software to scrape information off publicly available Google Scholar pages. Also, not every academic has a Google Scholar page. This has been changing fast, however, as one college after the other in the United States mandating their faculty to maintain a Google Scholar page.



(a) SP of an accomplished Engineer.



(b) SP of an accomplished Physicist.



(c) SP of a famous Interdisciplinary.

Figure 4.3:



We use the Journal IF List issued every year by Thompson Reuters to assign disk sizes to journal publications.

For funding records, we use the publicly available grant records from the National Science Foundation (NSF), the National Institutes of Health (NIH), and the National Aeronautics and Space Administration (NASA). These are the only funding agencies with publicly available datasets at this point.

# Chapter 5

## Results

Regarding the Scholar Plot (SP), we ran a user survey and a focus group. The former had primarily a validating purpose. The latter aimed to elicit detailed feedback and ideas for further improving Scholar Plot.

### 5.1 Usability Feedback

A total of 15 participants from various disciplines including Natural Sciences, Social Sciences, Life Sciences and Computer Science evaluated Scholar Plot. We asked each participant to review the interface and then complete an online survey. Special care was taken to ensure that the participants had correct understanding about the visualization component before they began rating. The participants answered the questions on a Likert scale from 1 to 5 with 1 being strongly disagree and 5 being strongly agree.




Figure 5.1: Mean evaluation of Scholar Plot. A total of  $n = 15$  participants evaluated the survey.

Figure 5.1 illustrates the mean evaluation for each visualization component. Accuracy, Usability and understandability of Scholar Plot scored the highest ( $\mu = 4.2$ ) as it is very intuitive and can be used with minimal assistance. Many participants gave us feedback that they mostly liked the visual scheme of Scholar Plot. Another observation is that the participants agree to use Scholar Plot to evaluate themselves ( $\mu = 4.1$ ). They suggested that Scholar Plot can be improved by adding more funding agencies. Overall, this evaluation indicated that Scholar Plot is a user-friendly tool that complements the CV which can be used to review a scholar's accomplishments. The survey has been approved by the University of Houston Institutional Review Board (IRB). The survey form is available at <https://goo.gl/v7zHp5>

# Scholar Plot Online Questionnaire



\* Required

## Biographic

---

### Gender \*

- ☐ Male
- ☐ Female

### Age Group \*

- ☐ 21 to 30
- ☐ 31 to 40
- ☐ 41 to 50
- ☐ 51 and Over

### Academic Rank \*

- ☐ Tenure Track - Professor
- ☐ Tenure Track - Associate Professor
- ☐ Tenure Track - Assistant Professor
- ☐ Research Faculty
- ☐ Post Doc
- ☐ Graduate Student
- ☐ Others

### Position \*

- ☐ Dean
- ☐ Director
- ☐ Member of Promotion Committee
- ☐ None of the Above

Figure 5.2: A part of sections of online survey form for User Study

### 5.1.1 User Feedback - Focus Group

We ran a focus group with 10 Principal Investigators and their post docs at Northwestern University. The participant set included biologists, physicists, computer scientists, and social scientists. The focus group’s suggestions are synopsized as follows:

**Interface team science information.** Participants wanted to see the number and intensity of collaborations for the depicted scholar.

**Summarize highly cited papers.** Participants wanted to see explicitly in a side panel the scholar’s most popular papers.

**Interface journal profile.** Participants wanted to see the specific journals where the scholar publishes most often and their impact factors.

The participants believed that accessorizing the central publication graph with this additional information would support deeper instant insights without compromising the elegance of SP’s compact visual representation. Specifically, this additional interface would reveal the collaborative nature of the scholar’s work, give hints if s/he is regular in specific disciplinary journals or if s/he publishes in a variety of journals (interdisciplinarity), and give the rank of these journals. All this information can also be gleaned by rolling the mouse over the publication graph, reading the tooltips; summarizing it in panels under the graph, however, renders such manual investigation unnecessary.

# Chapter 6

## Conclusion

We have described a visualization method that complements the information contained in a researcher's Google Scholar page and summarized by her/his  $h$ -index. One can draw insightful conclusions about the individual's scholastic accomplishments. These conclusions are not supported by the  $h$ -index alone and cannot be derived by the CV or the Google Scholar page, unless a significant investigative effort is undertaken. Our user study also supports this.

This approach not only focusses on journal publications, conferences / books and patents but also NSF/NIH funding data. Scholar Plot is a simple, yet valuable visualization scheme. It is likely to have broad appeal not only because it would be useful to evaluation committees, but also because it is available online for free at <http://www.scholarplot.com>.

# Bibliography

- [1] P. Bergström and D. C. Atkinson. Augmenting the exploration of digital libraries with web-based visualizations. In *Fourth International Conference on Digital Information Management (ICDIM 2009)*, pages 1–7, Ann Arbor, Michigan, November 1-4, 2009. IEEE.
- [2] L. Bornmann and H.-D. Daniel. The state of h index research. *EMBO reports*, 10(1):2–6, 2009.
- [3] C. Chen, R. J. Paul, and B. O’Keefe. Fitting the jigsaw of citation: Information visualization in domain analysis. *Journal of the American Society for Information Science and Technology*, 52(4):315–330, 2001.
- [4] N. S. Foundation. Download awards by year, 2015. [Online; accessed 2015].
- [5] M. Grushinskiy. Xmlstarlet command line xml toolkit, 2015. [Online; accessed 2015].
- [6] J. E. Hirsch. An index to quantify an individual’s scientific research output. *Proceedings of the National Academy of Sciences of the United States of America*, 102(46):16569–16572, 2005.
- [7] J. John. htmsql - php library, 2015. [Online; accessed 2015].
- [8] J. Kaur, M. JafariAsbagh, F. Radicchi, and F. Menczer. Scholarometer: A system for crowdsourcing scholarly impact metrics. In *Proceedings of the 2014 ACM Conference on Web Science (WebSci 2014)*, pages 285–286, Bloomington, Indiana, June 23-26, 2014. ACM.
- [9] B. Lee, M. Czerwinski, G. Robertson, and B. B. Bederson. Understanding research trends in conferences using PaperLens. In *CHI’05 Extended Abstracts on Human Factors in Computing Systems*, pages 1969–1972, Portland, Oregon, April 2-7, 2005. ACM.

- [10] L. Leydesdorff. Visualization of the citation impact environments of scientific journals: An online mapping exercise. *Journal of the American Society for Information Science and Technology*, 58(1):25–38, 2007.
- [11] L. T. Nowell, R. K. France, and D. Hix. Exploring search results with Envision. In *CHI'97 Extended Abstracts on Human Factors in Computing Systems*, pages 14–15, Atlanta, Georgia, March 22-27, 1997. ACM.
- [12] N. I. of Health. Exporter data catalog, 2015. [Online; accessed 2015].
- [13] N. Partners. Nvd3 re-usable charts for d3, 2015. [Online; accessed 2015].
- [14] E. Vardell, T. Feddern-Bekcan, and M. Moore. SciVal experts: A collaborative tool. *Medical Reference Services Quarterly*, 30(3):283–294, 2011.