Bidirectional Type System

Bidirectional Binding Signature

$$\frac{\Gamma, \vec{x}_1 : \Delta_1 \langle \rho \rangle \vdash_{\Sigma,\Omega} t_1 :^{d_1} A_1 \langle \rho \rangle}{\Gamma \vdash_{\Sigma,\Omega} \mathsf{op}_o(\vec{x}_1. t_1; \dots; \vec{x}_n. t_n) :^{d} A_0 \langle \rho \rangle} } \Gamma \vdash_{\Sigma,\Omega} t_n :^{d_n} A_n \langle \rho \rangle} \mathsf{OP}$$

 $\rho \colon \mathsf{Sub}_\Sigma(\Xi,\emptyset)$

for $o: \Xi \rhd [\Delta_1] A_1^{d_1}, \dots, [\Delta_n] A_n^{d_n} \to A_0^d$ in Ω

$$\frac{\Gamma \vdash_{\Sigma,\Omega} t : \stackrel{\Rightarrow}{\Rightarrow} B \qquad B = A}{\Gamma \vdash_{\Sigma,\Omega} t : \stackrel{\Leftarrow}{\Rightarrow} A} \S$$

 $\Gamma \vdash_{\Sigma,\Omega} t : \triangleq A$

 $\Gamma \vdash_{\Sigma,\Omega} (t \circ A) \stackrel{\Longrightarrow}{:} \overline{A}$

Anno

 $(x:A) \in \Gamma$

 $\Gamma \vdash_{\Sigma,\Omega} x : \stackrel{\Rightarrow}{\rightarrow} A$

 $\mathrm{VAR}^{\Rightarrow}$

$$\Gamma \vdash_{\Sigma,\Omega} t : ^d A$$

is either

(synthesis) or

(checking)







$$\frac{\rho \colon \mathsf{Sub}_{\Sigma}(\Xi, \emptyset)}{\Gamma, \vec{x}_{1} : \Delta_{1} \langle \rho \rangle \vdash_{\Sigma, \Omega} t_{1} :^{d_{1}} A_{1} \langle \rho \rangle \quad \cdots \quad \Gamma, \vec{x}_{n} : \Delta_{n} \langle \rho \rangle \vdash_{\Sigma, \Omega} t_{n} :^{d_{n}} A_{n} \langle \rho \rangle}{\Gamma \vdash_{\Sigma, \Omega} \mathsf{op}_{o}(\vec{x}_{1}. t_{1}; \ldots; \vec{x}_{n}. t_{n}) :^{d} A_{0} \langle \rho \rangle} \mathsf{OP}$$

for $o: \Xi \rhd [\Delta_1] A_1^{d_1}, \dots, [\Delta_n] A_n^{d_n} \to A_0^d$ in Ω