initial system:

$$\frac{ \sqcap \Gamma}{\Gamma \vdash Q} \text{ (empty)} \quad \frac{ \sqcap \Gamma}{\Gamma \vdash \Pi_i : \Pi_{i+1}} \text{ (univ)} \quad \frac{\Gamma \vdash A : \Pi_i}{\Gamma \vdash A : \Pi_{i+1}} \text{ (hier)}$$

$$\frac{ \Gamma \vdash A : \Pi_i}{\sqcap \Gamma_i \Gamma_i X : A} \text{ (ext)} \quad \frac{ \sqcap \Gamma_i \Gamma_i X : A}{\Gamma_i \Gamma_i X : A \vdash X : A} \text{ (var)}$$

$$\frac{ \Gamma \vdash A : \Pi_i}{\Gamma \vdash \Pi(x : A) \cdot B : \Pi_i} \text{ (Π)}$$

$$\frac{ \Gamma \vdash A : \Pi_i}{\Gamma \vdash \Pi(x : A) \cdot B} \text{ (Π)} \quad \frac{ \Gamma \vdash e_1 : \Pi(x : A) \cdot B}{\Gamma \vdash e_1 \otimes e_2 : B[e_1/x]} \text{ (Π)}$$

$$\frac{ \Gamma \vdash A : \Pi_i}{\Gamma \vdash A : \Pi_i} \text{ (Γ)} \quad \frac{ \Gamma \vdash e_1 : \Pi_i (x : A) \cdot B}{\Gamma \vdash e_1 \otimes e_2 : B[e_1/x]} \text{ (Π)}$$

$$\frac{ \Gamma \vdash A : \Pi_i}{\Gamma \vdash A : \Pi_i} \text{ (Γ)} \quad \frac{ \Gamma \vdash e_1 : A \vdash B : \Pi_i}{\Gamma \vdash (e_1, \dots, e_n) : \Sigma(x_1 : A_1, \dots, x_{n-1} : A_{n-1}) \cdot A_n} \text{ (Σ)}$$

$$\frac{ \Gamma \vdash e_1 : \Lambda_i}{\Gamma \vdash (e_1, \dots, e_n) : \Sigma(x_1 : \Lambda_i, \dots, x_{n-1} : \Lambda_{n-1}) \cdot A_n} \text{ (Σ)}$$

$$\frac{ \Gamma \vdash e_1 : \Sigma(x_1 : \Lambda_1, \dots, x_{n-1} : \Lambda_{n-1}) \cdot A_n}{\Gamma \vdash \text{let} (x_1, \dots, x_n) = e_1 \text{ in } e_2 : B[e_1/x]} \text{ (Σ)}$$

$$\frac{ \Gamma \vdash \text{let} (x_1, \dots, x_n) = e_1 \text{ in } e_2 : B[e_1/x]}{\Gamma \vdash \text{let} (x_1, \dots, x_n) = e_1 \text{ in } e_2 : B[e_1/x]} \text{ (Σ)}$$

polarize:

$$\frac{\Gamma \vdash P : U_i}{\sqcap \vdash \nabla} \text{ (empty)} \quad \frac{\Gamma \vdash A : U_i}{\Gamma \vdash U_i : U_{i+1}} \text{ (univ)} \quad \frac{\Gamma \vdash A : U_i}{\Gamma \vdash A : U_{i+1}} \text{ (hier)}$$

$$\frac{\Gamma \vdash P : U_i}{\sqcap \vdash \Gamma, x : P} \text{ (ext)} \quad \frac{\sqcap \vdash \Gamma, x : P}{\Gamma, x : P \vdash x : P} \text{ (var)}$$

$$\frac{\Gamma \vdash P : U_i}{\Gamma \vdash \Pi(x : P) . N : U_i} \text{ (II)}$$

$$\frac{\Gamma \vdash P : U_i}{\Gamma \vdash \Lambda x . e : \Pi(x : P) . N} \text{ (II_i)}$$

$$\frac{\Gamma \vdash e_1 : \Pi(x : P) . N}{\Gamma \vdash e_1 : \Theta_2 : N[e_1/x]} \text{ (II_e)}$$

$$\frac{\Gamma \vdash P : U_i}{\Gamma \vdash E_1 : P_1 \dots \Gamma_{x} : P \vdash Q : U_i} \text{ (II_e)}$$

$$\frac{\Gamma \vdash e_1 : P_1}{\Gamma \vdash (e_1, \dots, e_n) : \Sigma(x_1 : P_1, \dots, x_{n-1} : P_{n-1}) . P_n} \text{ (Σ_i)}$$

$$\frac{\Gamma \vdash e_1 : \Sigma(x_1 : P_1, \dots, x_{n-1} : P_{n-1}) . P_n}{\Gamma \vdash \text{let } (x_1, \dots, x_n) : \Sigma(x_1 : P_1, \dots, x_{n-1} : P_{n-1}) . P_n} \text{ (Σ_i)}$$

$$\frac{\Gamma \vdash P : U_i}{\Gamma \vdash \text{let } (x_1, \dots, x_n) : \Sigma(x_1 : P_1, \dots, x_n : P_n \vdash e_2 : N[(x_1, \dots, x_n)/z]}{\Gamma \vdash \text{let } (x_1, \dots, x_n) = e_1 \text{ in } e_2 : N[e_1/z]} \text{ (Σ_e)}$$

$$\frac{\Gamma \vdash P : U_i}{\Gamma \vdash \uparrow P : U_i} \text{ (\uparrow)} \quad \frac{\Gamma \vdash e : P}{\Gamma \vdash \text{returne}} \text{ (\uparrow)} \quad \frac{\Gamma \vdash e_1 : \uparrow P}{\Gamma \vdash e_1 \bowtie_x e_2 : N} \text{ (\uparrow_e)}$$

$$\frac{\Gamma \vdash N : U_i}{\Gamma \vdash \uparrow N : U_i} \text{ (\downarrow)} \quad \frac{\Gamma \vdash e : N}{\Gamma \vdash \text{thunke}} \text{ (\downarrow_i)} \quad \frac{\Gamma \vdash e : \downarrow N}{\Gamma \vdash \text{force}} e : N} \text{ (\downarrow_e)}$$

$$\frac{\Gamma, x : \downarrow N \vdash e : N}{\Gamma \vdash \text{rec} x . e : N} \text{ (rec)} \quad \frac{\Gamma \vdash c : P_c}{\Gamma \vdash c : P_c} \text{ (constant)}$$

after closure conversion:

$$P ::= x \mid \Sigma(x_1 : N_1, \dots, x_n : N_n). M \mid \downarrow N$$

$$N ::= \Pi(x : N). M \mid \uparrow P$$