

# Multiple Heap Buffer Overflows in PicoC at Various Locations

Hi,

I was running my fuzz tests in the background and discovered multiple heap buffer overflows in PicoC Version 3.2.2 at various locations. After triaging all of the crashes, I can verify that there are 10 separate and unique heap buffer overflows at the following locations:

- **StdioBasePrintf** in **cstdlib/stdio.c** when called from **ExpressionParseFunctionCall** in **expression.c**
- **LexGetStringConstant** in **lex.c** when called from **LexScanGetToken** in **lex.c**
- **ExpressionCoerceUnsignedInteger** in **expression.c** when called from **ExpressionParseFunctionCall** in **expression.c**
- **ExpressionCoerceInteger** in **expression.c** when called from **ExpressionInfixOperator** in **expression.c**
- **ExpressionAssign** in **expression.c** when called from **ExpressionParseMacroCall** in **expression.c**
- **StringStrcat** in **cstdlib/string.c** when called from **ExpressionParseFunctionCall** in **expression.c**
- **StringStrncpy** in **cstdlib/string.c** when called from **ExpressionParseFunctionCall** in **expression.c**
- **ExpressionCoerceFP** in **expression.c** when called from **ExpressionParseFunctionCall** in **expression.c**
- **StdioOutPutc** in **cstdlib/stdio.c** when called from **ExpressionParseFunctionCall** in **expression.c**
- **LexSkipComment** in **lex.c** when called from **LexScanGetToken** in **lex.c**

## Reproduction and Details

For each of the heap buffer overflows I have attached a reproduction file and the full output from [ASAN \(address sanitizer\)](#). The easiest way to reproduce each overflow would be to run the relevant file through the interpreter:

```
picoc -s [reproduction_filename.c]
```

### StdioBasePrintf in cstdlib/stdio.c when called from ExpressionParseFunctionCall in expression.c.

File for Reproduction: [cstdlib\\_stdio\\_heap\\_overflow.c.zip](#)

```
=====
==912065==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x60300000563b at pc 0x562a94fe1a
READ of size 1 at 0x60300000563b thread T0
#0 0x562a94fe1ae7 in StdioBasePrintf cstdlib/stdio.c:249
#1 0x562a94fe4e9f in StdioPrintf cstdlib/stdio.c:682
#2 0x562a94fd2edd in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#3 0x562a94fd037c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#4 0x562a94fc46a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#5 0x562a94fc3b07 in ParseBlock /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:558
#6 0x562a94fc474b in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:651
#7 0x562a94fc0028 in ParseStatementMaybeRun /home/kali/projects/fuzzing/fuzz_targets/picoc/parse
#8 0x562a94fc49db in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:681
#9 0x562a94fc6380 in PicoParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#10 0x562a94fdded0e in PicoPlatformScanFile platform/platform_unix.c:129
#11 0x562a94fb5213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#12 0x7fb5e3fe57fc in __libc_start_main ../csu/libc-start.c:332
#13 0x562a94fb4d49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x60300000563b is located 0 bytes to the right of 27-byte region [0x603000005620,0x60300000563b)
allocated by thread T0 here:
#0 0x7fb5e43e0987 in __interceptor_calloc ../../../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x562a94fd3b80 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
#2 0x562a94fb624a in TableSetIdentifier /home/kali/projects/fuzzing/fuzz_targets/picoc/table.c:1
#3 0x562a94fb645b in TableStrRegister2 /home/kali/projects/fuzzing/fuzz_targets/picoc/table.c:17
#4 0x562a94fb9965 in LexGetStringConstant /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:3
#5 0x562a94fbac4f in LexScanGetToken /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:502
#6 0x562a94fbbfc6 in LexTokenize /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:642
#7 0x562a94fbc527 in LexAnalyse /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:704
#8 0x562a94fc61b7 in PicoParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:874
#9 0x562a94fdded0e in PicoPlatformScanFile platform/platform_unix.c:129
#10 0x562a94fb5213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
```

```
#11 0x7fb5e3fe57fc in __libc_start_main ../csu/libc-start.c:332
```

SUMMARY: AddressSanitizer: heap-buffer-overflow cstdlib/stdio.c:249 in StdioBasePrintf

Shadow bytes around the buggy address:

```
0x0c067fff8a70: fd fd fd fa fa 00 00 00 00 fa fa fd fd fd fa
0x0c067fff8a80: fa fa fd fd fd fa fa 00 00 00 00 fa fa fd fd
0x0c067fff8a90: fd fa fa fa 00 00 00 00 fa fa fd fd fd fa fa
0x0c067fff8aa0: 00 00 00 00 fa fa fd fd fd fa fa 00 00 00 00
0x0c067fff8ab0: fa fa fd fd fd fa fa 00 00 00 02 fa fa 00 00
=>0x0c067fff8ac0: 00 02 fa fa 00 00 00[03]fa fa 00 00 00 03 fa fa
0x0c067fff8ad0: 00 00 00 07 fa fa 00 00 00 02 fa fa 00 00 00 02
0x0c067fff8ae0: fa fa 00 00 00 05 fa fa 00 00 00 02 fa fa 00 00
0x0c067fff8af0: 00 fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c067fff8b00: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c067fff8b10: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
```

Shadow byte legend (one shadow byte represents 8 application bytes):

```
Addressable:          00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:    fa
Freed heap region:    fd
Stack left redzone:   f1
Stack mid redzone:    f2
Stack right redzone:  f3
Stack after return:   f5
Stack use after scope: f8
Global redzone:       f9
Global init order:    f6
Poisoned by user:     f7
Container overflow:    fc
Array cookie:          ac
Intra object redzone: bb
ASan internal:         fe
Left alloca redzone:   ca
Right alloca redzone:  cb
Shadow gap:           cc
```

==912065==ABORTING

## LexGetStringConstant in lex.c when called from LexScanGetToken in lex.c.

File for Reprotuction:

[LexGetStringConstant lex heap overflow.c.zip](#)

```
=====
==912099==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x60c0000000b5 at pc 0x5582991788
READ of size 1 at 0x60c0000000b5 thread T0
#0 0x558299178801 in LexGetStringConstant /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:3
#1 0x558299179c4f in LexScanGetToken /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:502
#2 0x55829917afc6 in LexTokenize /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:642
#3 0x55829917b527 in LexAnalyse /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:704
#4 0x5582991851b7 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:874
#5 0x55829919dd0e in PicocPlatformScanFile platform/platform_unix.c:129
#6 0x558299174213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#7 0x7fee5afb97fc in __libc_start_main ../csu/libc-start.c:332
#8 0x558299173d49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x60c0000000b5 is located 0 bytes to the right of 117-byte region [0x60c000000040,0x60c0000000b5)
allocated by thread T0 here:
#0 0x7fee5b3b47cf in __interceptor_malloc ../../../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x55829919d8a7 in PlatformReadFile platform/platform_unix.c:94
#2 0x55829919dbfc in PicocPlatformScanFile platform/platform_unix.c:121
#3 0x558299174213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#4 0x7fee5afb97fc in __libc_start_main ../csu/libc-start.c:332

SUMMARY: AddressSanitizer: heap-buffer-overflow /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c
Shadow bytes around the buggy address:
0xc187fff7fc0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0xc187fff7fd0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
```

```

0x0c187fff7fe0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0x0c187fff7ff0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0x0c187fff8000: fa fa fa fa fa fa fa fa 00 00 00 00 00 00 00 00
=>0x0c187fff8010: 00 00 00 00 00 00 00[05]fa fa fa fa fa fa fa fa
0x0c187fff8020: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 04 fa
0x0c187fff8030: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c187fff8040: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c187fff8050: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c187fff8060: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa

```

Shadow byte legend (one shadow byte represents 8 application bytes):

```

Addressable:          00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:    fa
Freed heap region:    fd
Stack left redzone:    f1
Stack mid redzone:     f2
Stack right redzone:   f3
Stack after return:    f5
Stack use after scope: f8
Global redzone:        f9
Global init order:     f6
Poisoned by user:      f7
Container overflow:    fc
Array cookie:          ac
Intra object redzone:  bb
ASan internal:         fe
Left alloca redzone:   ca
Right alloca redzone:  cb
Shadow gap:            cc
==912099==ABORTING

```

## ExpressionCoerceUnsignedInteger in expression.c when called from ExpressionParseFunctionCall in expression.c.

File for Reprotuction:

[ExpressionCoerceUnsignedInteger heap overflow.c.zip](#)

```

=====
==912164==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x607000000230 at pc 0x563f0e1b0f
READ of size 4 at 0x607000000230 thread T0
#0 0x563f0e1b0f71 in ExpressionCoerceUnsignedInteger /home/kali/projects/fuzzing/fuzz_targets/picoc/
#1 0x563f0e1cb451 in StdioBasePrintf cstdlib/stdio.c:379
#2 0x563f0e1cee9f in StdioPrintf cstdlib/stdio.c:682
#3 0x563f0e1bcddd in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#4 0x563f0e1ba37c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#5 0x563f0e1ae6a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#6 0x563f0e1ad6c1 in ParseFor /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:524
#7 0x563f0e1aee02 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:715
#8 0x563f0e1b0380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#9 0x563f0e1c8d0e in PicocPlatformScanFile platform/platform_unix.c:129
#10 0x563f0e19f213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#11 0x7f1dbc2477fc in __libc_start_main ../csu/libc-start.c:332
#12 0x563f0e19ed49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x607000000230 is located 0 bytes to the right of 80-byte region [0x6070000001e0,0x607000000230)
allocated by thread T0 here:
#0 0x7f1dbc642987 in __interceptor_calloc ../../../../src/libsanitizer/asan/asan_malloc_linux.c
#1 0x563f0e1bdb80 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
#2 0x563f0e1c23a9 in VariableAlloc /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#3 0x563f0e1c2429 in VariableAllocValueAndData /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#4 0x563f0e1c2701 in VariableAllocValueFromType /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:30
#5 0x563f0e1c3aa7 in VariableDefine /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:30
#6 0x563f0e1c46aa in VariableDefineButIgnoreIdentical /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:366
#7 0x563f0e1ac540 in ParseDeclaration /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:366
#8 0x563f0e1aef6e in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:738
#9 0x563f0e1b0380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#10 0x563f0e1c8d0e in PicocPlatformScanFile platform/platform_unix.c:129
#11 0x563f0e19f213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62

```

```
#12 0x7f1dbc2477fc in __libc_start_main ../csu/libc-start.c:332
```

SUMMARY: AddressSanitizer: heap-buffer-overflow /home/kali/projects/fuzzing/fuzz\_targets/picoc/expr

Shadow bytes around the buggy address:

```
0x0c0e7fff7ff0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
0x0c0e7fff8000: fa fa fa fa fd fd fd fd fd fd fd fd fd fa fa
0x0c0e7fff8010: fa fa fd fd fd fd fd fd fd fd fd fa fa fa fa
0x0c0e7fff8020: 00 00 00 00 00 00 00 05 fa fa fa fa 00 00
0x0c0e7fff8030: 00 00 00 00 00 00 00 00 fa fa fa fa 00 00 00
=>0x0c0e7fff8040: 00 00 00 00 00 00[fa]fa fa fa fa fa fa fa fa
0x0c0e7fff8050: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0e7fff8060: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0e7fff8070: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0e7fff8080: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0e7fff8090: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
```

Shadow byte legend (one shadow byte represents 8 application bytes):

```
Addressable:          00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:    fa
Freed heap region:    fd
Stack left redzone:   f1
Stack mid redzone:    f2
Stack right redzone:  f3
Stack after return:   f5
Stack use after scope: f8
Global redzone:       f9
Global init order:    f6
Poisoned by user:     f7
Container overflow:    fc
Array cookie:          ac
Intra object redzone: bb
ASan internal:         fe
Left alloca redzone:   ca
Right alloca redzone:  cb
Shadow gap:           cc
```

==912164==ABORTING

## ExpressionAssign in expression.c when called from ExpressionParseMacroCall in expression.c.

File for Reprotuction:

[ExpressionAssign heap overflow.c.zip](#)

```
=====
==912198==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x60300005608 at pc 0x563053b280
READ of size 8 at 0x60300005608 thread T0
#0 0x563053b280ca in ExpressionAssign /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.
#1 0x563053b309ba in ExpressionParseMacroCall /home/kali/projects/fuzzing/fuzz_targets/picoc/exp
#2 0x563053b30d30 in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#3 0x563053b2f37c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#4 0x563053b31253 in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#5 0x563053b2f37c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#6 0x563053b236a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#7 0x563053b25380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#8 0x563053b3dd0e in PicocPlatformScanFile platform/platform_unix.c:129
#9 0x563053b14213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#10 0x7f94cf72f7fc in __libc_start_main ../csu/libc-start.c:332
#11 0x563053b13d49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x6030000560f is located 0 bytes to the right of 31-byte region [0x603000055f0,0x6030000560f)
allocated by thread T0 here:
#0 0x7f94cfb2a987 in __interceptor_calloc ../../../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x563053b32b80 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
#2 0x563053b1524a in TableSetIdentifier /home/kali/projects/fuzzing/fuzz_targets/picoc/table.c:1
#3 0x563053b1545b in TableStrRegister2 /home/kali/projects/fuzzing/fuzz_targets/picoc/table.c:17
#4 0x563053b17910 in LexGetWord /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:254
#5 0x563053b199f8 in LexScanGetToken /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:493
#6 0x563053b1afc6 in LexTokenize /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:642
```

```
#7 0x563053b1b527 in LexAnalyse /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:704
#8 0x563053b251b7 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:874
#9 0x563053b3dd0e in PicocPlatformScanFile platform/platform_unix.c:129
#10 0x563053b14213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#11 0x7f94cf72f7fc in __libc_start_main ../csu/libc-start.c:332
```

SUMMARY: AddressSanitizer: heap-buffer-overflow /home/kali/projects/fuzzing/fuzz\_targets/picoc/expre

Shadow bytes around the buggy address:

```
0x0c067fff8a70: fd fd fd fa fa fa 00 00 00 00 fa fa fd fd fd fa
0x0c067fff8a80: fa fa fd fd fd fa fa fa 00 00 00 00 fa fa fd fd
0x0c067fff8a90: fd fa fa fa 00 00 00 00 fa fa fd fd fd fa fa fa
0x0c067fff8aa0: 00 00 00 00 fa fa fd fd fd fa fa fa 00 00 00 00
0x0c067fff8ab0: fa fa fd fd fd fa fa fa 00 00 00 05 fa fa 00 00
=>0x0c067fff8ac0: 00[07]fa fa 00 00 00 02 fa fa 00 00 00 04 fa fa
0x0c067fff8ad0: 00 00 00 05 fa fa 00 00 00 05 fa fa 00 00 00 fa
0x0c067fff8ae0: fa fa 00 00 00 00 fa fa fa fa fa fa fa fa fa fa
0x0c067fff8af0: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c067fff8b00: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c067fff8b10: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
```

Shadow byte legend (one shadow byte represents 8 application bytes):

```
Addressable: 00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone: fa
Freed heap region: fd
Stack left redzone: f1
Stack mid redzone: f2
Stack right redzone: f3
Stack after return: f5
Stack use after scope: f8
Global redzone: f9
Global init order: f6
Poisoned by user: f7
Container overflow: fc
Array cookie: ac
Intra object redzone: bb
ASan internal: fe
Left alloca redzone: ca
Right alloca redzone: cb
Shadow gap: cc
```

==912198==ABORTING

## StringStrcat in cstdlib/string.c L40 when called from ExpressionParseFunctionCall in expression.c.

File for Reprotuction:

[StringStrcat heap\\_overflow.c.zip](#)

```
=====
==912341==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x606000000832 at pc 0x7f93cb9015
WRITE of size 26 at 0x606000000832 thread T0
#0 0x7f93cb90158f in __interceptor_strcat ../../../../src/libsanitizer/asan/asan_interceptors.cp
#1 0x561b032f2412 in StringStrcat cstdlib/string.c:40
#2 0x561b032dbedd in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#3 0x561b032d937c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#4 0x561b032cd6a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#5 0x561b032cf380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#6 0x561b032e7d0e in PicocPlatformScanFile platform/platform_unix.c:129
#7 0x561b032be213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#8 0x7f93cb57a7fc in __libc_start_main ../csu/libc-start.c:332
#9 0x561b032bdd49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x606000000832 is located 0 bytes to the right of 50-byte region [0x606000000800,0x606000000832)
allocated by thread T0 here:
#0 0x7f93cb975987 in __interceptor_calloc ../../../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x561b032dc800 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
#2 0x561b032e13a9 in VariableAlloc /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#3 0x561b032e1429 in VariableAllocValueAndData /home/kali/projects/fuzzing/fuzz_targets/picoc/va
#4 0x561b032e1701 in VariableAllocValueFromType /home/kali/projects/fuzzing/fuzz_targets/picoc/v
```

```
#5 0x561b032e2aa7 in VariableDefine /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:30
#6 0x561b032e36aa in VariableDefineButIgnoreIdentical /home/kali/projects/fuzzing/fuzz_targets/p
#7 0x561b032cb540 in ParseDeclaration /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:366
#8 0x561b032cdf6e in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:738
#9 0x561b032cf380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#10 0x561b032e7d0e in PicocPlatformScanFile platform/platform_unix.c:129
#11 0x561b032be213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#12 0x7f93cb57a7fc in __libc_start_main ../csu/libc-start.c:332
```

SUMMARY: AddressSanitizer: heap-buffer-overflow ../../../../src/libsanitizer/asan/asan\_interceptors.

Shadow bytes around the buggy address:

```
0x0c0c7fff80b0: fd fd fd fa fa fa fa fd fd fd fd fd fd fd fa
0x0c0c7fff80c0: fa fa fa fa fd fd fd fd fd fd fd fa fa fa fa
0x0c0c7fff80d0: 00 00 00 00 00 00 06 fa fa fa fa 00 00 00 00
0x0c0c7fff80e0: 00 00 00 00 fa fa fa 00 00 00 00 00 00 02 fa
0x0c0c7fff80f0: fa fa fa fa 00 00 00 00 00 00 00 00 fa fa fa
=>0x0c0c7fff8100: 00 00 00 00 00 00[02]fa fa fa fa fa fa fa fa
0x0c0c7fff8110: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8120: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8130: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8140: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8150: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
```

Shadow byte legend (one shadow byte represents 8 application bytes):

```
Addressable:          00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:    fa
Freed heap region:    fd
Stack left redzone:    f1
Stack mid redzone:    f2
Stack right redzone:   f3
Stack after return:    f5
Stack use after scope: f8
Global redzone:        f9
Global init order:    f6
Poisoned by user:      f7
Container overflow:    fc
Array cookie:          ac
Intra object redzone:  bb
ASan internal:         fe
Left alloca redzone:   ca
Right alloca redzone:  cb
Shadow gap:           cc
```

==912341==ABORTING

## StringStrncpy in cstdlib/string.c L19 when called from ExpressionParseFunctionCall in expression.c.

File for Reprotuction:

[StringStrncpy\\_heap\\_overflow.c.zip](#)

```
=====
==912388==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x6060000007d2 at pc 0x7f4683a4db
WRITE of size 22 at 0x6060000007d2 thread T0
#0 0x7f4683a4db44 in __interceptor_strncpy ../../../../src/libsanitizer/asan/asan_interceptors.c
#1 0x55a9a96daf48 in StringStrncpy cstdlib/string.c:19
#2 0x55a9a96c4edd in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#3 0x55a9a96c237c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#4 0x55a9a96b66a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#5 0x55a9a96b8380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#6 0x55a9a96d0d0e in PicocPlatformScanFile platform/platform_unix.c:129
#7 0x55a9a96a7213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#8 0x7f46836a77fc in __libc_start_main ../csu/libc-start.c:332
#9 0x55a9a96a6d49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x6060000007d2 is located 0 bytes to the right of 50-byte region [0x6060000007a0,0x6060000007d2)
allocated by thread T0 here:
#0 0x7f4683aa2987 in __interceptor_calloc ../../../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x55a9a96c5b80 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
```

```

#2 0x55a9a96ca3a9 in VariableAlloc /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#3 0x55a9a96ca429 in VariableAllocValueAndData /home/kali/projects/fuzzing/fuzz_targets/picoc/va
#4 0x55a9a96ca701 in VariableAllocValueFromType /home/kali/projects/fuzzing/fuzz_targets/picoc/v
#5 0x55a9a96cbaa7 in VariableDefine /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:30
#6 0x55a9a96cc6aa in VariableDefineButIgnoreIdentical /home/kali/projects/fuzzing/fuzz_targets/p
#7 0x55a9a96bd450 in ParseDeclaration /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:366
#8 0x55a9a96b6f6e in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:738
#9 0x55a9a96b8380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#10 0x55a9a96d0d0e in PicocPlatformScanFile platform/platform_unix.c:129
#11 0x55a9a96a7213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#12 0x7f46836a77fc in __libc_start_main ../csu/libc-start.c:332

```

SUMMARY: AddressSanitizer: heap-buffer-overflow ../../../../src/libsanitizer/asan/asan\_interceptors.

Shadow bytes around the buggy address:

```

0x0c0c7fff80a0: fd fd fd fd fd fd fa fa fa fa fa fd fd fd fd
0x0c0c7fff80b0: fd fd fd fa fa fa fa fa fd fd fd fd fd fd fa
0x0c0c7fff80c0: fa fa fa fa fd fd fd fd fd fd fa fa fa fa
0x0c0c7fff80d0: 00 00 00 00 00 00 06 fa fa fa fa 00 00 00 00
0x0c0c7fff80e0: 00 00 00 00 fa fa fa 00 00 00 00 00 00 00 00
=>0x0c0c7fff80f0: fa fa fa fa 00 00 00 00 00 00[02]fa fa fa fa
0x0c0c7fff8100: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8110: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8120: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8130: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c0c7fff8140: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa

```

Shadow byte legend (one shadow byte represents 8 application bytes):

```

Addressable:                00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:          fa
Freed heap region:          fd
Stack left redzone:         f1
Stack mid redzone:          f2
Stack right redzone:        f3
Stack after return:         f5
Stack use after scope:      f8
Global redzone:             f9
Global init order:          f6
Poisoned by user:           f7
Container overflow:         fc
Array cookie:               ac
Intra object redzone:       bb
ASan internal:              fe
Left alloca redzone:        ca
Right alloca redzone:       cb
Shadow gap:                 cc
==912388==ABORTING

```

## ExpressionCoerceFP in expression.c when called from ExpressionParseFunctionCall in expression.c.

### File for Reproduction:

[ExpressionCoerceFP heap overflow.c.zip](#)

```

=====
==912597==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x6040000adb8 at pc 0x5555f45b94
READ of size 1 at 0x6040000adb8 thread T0
#0 0x5555f45b9466 in ExpressionCoerceFP /home/kali/projects/fuzzing/fuzz_targets/picoc/expressio
#1 0x5555f45d35c2 in StdioBasePrintf cstdlib/stdio.c:385
#2 0x5555f45d6e9f in StdioPrintf cstdlib/stdio.c:682
#3 0x5555f45c4edd in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#4 0x5555f45c237c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#5 0x5555f45b66a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#6 0x5555f45b56c1 in ParseFor /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:524
#7 0x5555f45b6e02 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:715
#8 0x5555f45b8380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#9 0x5555f45d0d0e in PicocPlatformScanFile platform/platform_unix.c:129
#10 0x5555f45a7213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#11 0x7fa48e4d67fc in __libc_start_main ../csu/libc-start.c:332

```

```
#12 0x5555f45a6d49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)
```

0x6040000adb8 is located 2 bytes to the right of 38-byte region [0x6040000ad90,0x6040000adb6) allocated by thread T0 here:

```
#0 0x7fa48e8d1987 in __interceptor_malloc ../../../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x5555f45c5b80 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
#2 0x5555f45a824a in TableSetIdentifier /home/kali/projects/fuzzing/fuzz_targets/picoc/table.c:1
#3 0x5555f45a845b in TableStrRegister2 /home/kali/projects/fuzzing/fuzz_targets/picoc/table.c:17
#4 0x5555f45ab965 in LexGetStringConstant /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:3
#5 0x5555f45acc4f in LexScanGetToken /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:502
#6 0x5555f45adfc6 in LexTokenize /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:642
#7 0x5555f45ae527 in LexAnalyse /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:704
#8 0x5555f45b81b7 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:874
#9 0x5555f45d0d0e in PicocPlatformScanFile platform/platform_unix.c:129
#10 0x5555f45a7213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#11 0x7fa48e4d67fc in __libc_start_main ../csu/libc-start.c:332
```

SUMMARY: AddressSanitizer: heap-buffer-overflow /home/kali/projects/fuzzing/fuzz\_targets/picoc/expr Shadow bytes around the buggy address:

```
0x0c087fff9560: fa fa 00 00 00 00 fa fa fa 00 00 00 00 fa
0x0c087fff9570: fa fa 00 00 00 00 01 fa fa fa 00 00 00 00 fa
0x0c087fff9580: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 fa
0x0c087fff9590: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 fa
0x0c087fff95a0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 fa
=>0x0c087fff95b0: fa fa 00 00 00 00 06[fa]fa fa 00 00 00 00 fa
0x0c087fff95c0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 fa
0x0c087fff95d0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 fa
0x0c087fff95e0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 03 fa
0x0c087fff95f0: fa fa 00 00 00 00 00 05 fa fa 00 00 00 00 fa
0x0c087fff9600: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 00
```

Shadow byte legend (one shadow byte represents 8 application bytes):

```
Addressable:          00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:    fa
Freed heap region:    fd
Stack left redzone:   f1
Stack mid redzone:    f2
Stack right redzone:  f3
Stack after return:   f5
Stack use after scope: f8
Global redzone:       f9
Global init order:    f6
Poisoned by user:     f7
Container overflow:    fc
Array cookie:          ac
Intra object redzone: bb
ASan internal:         fe
Left alloca redzone:   ca
Right alloca redzone:  cb
Shadow gap:           cc
```

==912597==ABORTING

## StdioOutPutc in cstdlib/stdio.c L64 when called from ExpressionParseFunctionCall in expression.c.

File for Reprotuction:

[StdioOutPutc heap overflow.c.zip](#)

```
=====
==912677==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x6040000aef8 at pc 0x55af1d7092
WRITE of size 1 at 0x6040000aef8 thread T0
#0 0x55af1d709268 in StdioOutPutc cstdlib/stdio.c:64
#1 0x55af1d70baa8 in StdioBasePrintf cstdlib/stdio.c:415
#2 0x55af1d70f768 in StdioSprintf cstdlib/stdio.c:718
#3 0x55af1d6fcedd in ExpressionParseFunctionCall /home/kali/projects/fuzzing/fuzz_targets/picoc/
#4 0x55af1d6fa37c in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#5 0x55af1d6ee6a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#6 0x55af1d6edb07 in ParseBlock /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:558
```



```
#7 0x55af1d6ee74b in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:651
#8 0x55af1d6ea028 in ParseStatementMaybeRun /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:651
#9 0x55af1d6ed55c in ParseFor /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:504
#10 0x55af1d6eee02 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:715
#11 0x55af1d6f0380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#12 0x55af1d708d0e in PicocPlatformScanFile platform/platform_unix.c:129
#13 0x55af1d6df213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#14 0x7fddae07c7fc in __libc_start_main ../csu/libc-start.c:332
#15 0x55af1d6ded49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)
```

0x6040000aef8 is located 0 bytes to the right of 40-byte region [0x6040000aed0,0x6040000aef8) allocated by thread T0 here:

```
#0 0x7fddae477987 in __interceptor_calloc ../../src/libsanitizer/asan/asan_malloc_linux.c:127
#1 0x55af1d6fdb80 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
#2 0x55af1d7023a9 in VariableAlloc /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#3 0x55af1d702429 in VariableAllocValueAndData /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#4 0x55af1d702701 in VariableAllocValueFromType /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#5 0x55af1d703aa7 in VariableDefine /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:30
#6 0x55af1d7046aa in VariableDefineButIgnoreIdentical /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:30
#7 0x55af1d6ec540 in ParseDeclaration /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:366
#8 0x55af1d6eef6e in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:738
#9 0x55af1d6f0380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#10 0x55af1d708d0e in PicocPlatformScanFile platform/platform_unix.c:129
#11 0x55af1d6df213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#12 0x7fddae07c7fc in __libc_start_main ../csu/libc-start.c:332
```

SUMMARY: AddressSanitizer: heap-buffer-overflow cstdlib/stdio.c:64 in StdioOutPutc

Shadow bytes around the buggy address:

```
0x0c087fff9580: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 00 fa
0x0c087fff9590: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 00 fa
0x0c087fff95a0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 00 fa
0x0c087fff95b0: fa fa 00 00 00 00 02 fa fa fa 00 00 00 00 00 fa
0x0c087fff95c0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 00 fa
=>0x0c087fff95d0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 00[fa]
0x0c087fff95e0: fa fa 00 00 00 00 00 fa fa fa 00 00 00 00 00 00
0x0c087fff95f0: fa fa 00 00 00 00 00 fa fa fa fa fa fa fa fa fa
0x0c087fff9600: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c087fff9610: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
0x0c087fff9620: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
```

Shadow byte legend (one shadow byte represents 8 application bytes):

```
Addressable: 00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone: fa
Freed heap region: fd
Stack left redzone: f1
Stack mid redzone: f2
Stack right redzone: f3
Stack after return: f5
Stack use after scope: f8
Global redzone: f9
Global init order: f6
Poisoned by user: f7
Container overflow: fc
Array cookie: ac
Intra object redzone: bb
ASan internal: fe
Left alloca redzone: ca
Right alloca redzone: cb
Shadow gap: cc
```

==912677==ABORTING

## ExpressionCoerceInteger in expression.c when called from ExpressionInfixOperator in expression.c.

File for Reproduction:

[ExpressionCoerceInteger heap overflow.c.zip](#)

```

=====
==912683==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x606000007d8 at pc 0x56335c8a2b
READ of size 4 at 0x606000007d8 thread T0
#0 0x56335c8a2b14 in ExpressionCoerceInteger /home/kali/projects/fuzzing/fuzz_targets/picoc/expr
#1 0x56335c8a9028 in ExpressionInfixOperator /home/kali/projects/fuzzing/fuzz_targets/picoc/expr
#2 0x56335c8aa85c in ExpressionStackCollapse /home/kali/projects/fuzzing/fuzz_targets/picoc/expr
#3 0x56335c8acc7b in ExpressionParse /home/kali/projects/fuzzing/fuzz_targets/picoc/expression.c
#4 0x56335c8a06a0 in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:646
#5 0x56335c8a2380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#6 0x56335c8bad0e in PicocPlatformScanFile platform/platform_unix.c:129
#7 0x56335c891213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#8 0x7fefacb2b7fc in __libc_start_main ../csu/libc-start.c:332
#9 0x56335c890d49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x606000007d8 is located 0 bytes to the right of 56-byte region [0x606000007a0,0x606000007d8)
allocated by thread T0 here:
#0 0x7fefacf26987 in __interceptor_calloc ../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x56335c8afb80 in HeapAllocMem /home/kali/projects/fuzzing/fuzz_targets/picoc/heap.c:127
#2 0x56335c8b43a9 in VariableAlloc /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:77
#3 0x56335c8b4429 in VariableAllocValueAndData /home/kali/projects/fuzzing/fuzz_targets/picoc/va
#4 0x56335c8b4701 in VariableAllocValueFromType /home/kali/projects/fuzzing/fuzz_targets/picoc/v
#5 0x56335c8b5aa7 in VariableDefine /home/kali/projects/fuzzing/fuzz_targets/picoc/variable.c:30
#6 0x56335c8b66aa in VariableDefineButIgnoreIdentical /home/kali/projects/fuzzing/fuzz_targets/p
#7 0x56335c89e540 in ParseDeclaration /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:366
#8 0x56335c8a0f6e in ParseStatement /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:738
#9 0x56335c8a2380 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:897
#10 0x56335c8bad0e in PicocPlatformScanFile platform/platform_unix.c:129
#11 0x56335c891213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#12 0x7fefacb2b7fc in __libc_start_main ../csu/libc-start.c:332

SUMMARY: AddressSanitizer: heap-buffer-overflow /home/kali/projects/fuzzing/fuzz_targets/picoc/expre
Shadow bytes around the buggy address:
 0x0c0c7fff80a0: fd fd fd fd fd fd fd fa fa fa fa fd fd fd fd
 0x0c0c7fff80b0: fd fd fd fa fa fa fd fd fd fd fd fd fd fd fa
 0x0c0c7fff80c0: fa fa fa fa fd fd fd fd fd fd fd fa fa fa fa
 0x0c0c7fff80d0: 00 00 00 00 00 00 06 fa fa fa fa 00 00 00 00
 0x0c0c7fff80e0: 00 00 00 00 fa fa fa 00 00 00 00 00 00 00 00
=>0x0c0c7fff80f0: fa fa fa fa 00 00 00 00 00 00 00[fa]fa fa fa fa
 0x0c0c7fff8100: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
 0x0c0c7fff8110: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
 0x0c0c7fff8120: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
 0x0c0c7fff8130: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
 0x0c0c7fff8140: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
Shadow byte legend (one shadow byte represents 8 application bytes):
Addressable:          00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:    fa
Freed heap region:    fd
Stack left redzone:   f1
Stack mid redzone:    f2
Stack right redzone:  f3
Stack after return:   f5
Stack use after scope: f8
Global redzone:       f9
Global init order:    f6
Poisoned by user:     f7
Container overflow:    fc
Array cookie:          ac
Intra object redzone: bb
ASan internal:         fe
Left alloca redzone:  ca
Right alloca redzone: cb
Shadow gap:           cc
==912683==ABORTING

```

LexSkipComment in lex.c when called from LexScanGetToken in lex.c.

File for Reprotuction:

```
=====
==912887==ERROR: AddressSanitizer: heap-buffer-overflow on address 0x60c0000000b9 at pc 0x55736f5b3e
READ of size 1 at 0x60c0000000b9 thread T0
#0 0x55736f5b3e8f in LexSkipComment /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:430
#1 0x55736f5b521c in LexScanGetToken /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:532
#2 0x55736f5b5fc6 in LexTokenize /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:642
#3 0x55736f5b6527 in LexAnalyse /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c:704
#4 0x55736f5c01b7 in PicocParse /home/kali/projects/fuzzing/fuzz_targets/picoc/parse.c:874
#5 0x55736f5d8d0e in PicocPlatformScanFile platform/platform_unix.c:129
#6 0x55736f5af213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#7 0x7f22e68a87fc in __libc_start_main ../csu/libc-start.c:332
#8 0x55736f5aed49 in _start (/home/kali/projects/fuzzing/fuzz_targets/picoc/picoc+0x16d49)

0x60c0000000b9 is located 0 bytes to the right of 121-byte region [0x60c000000040,0x60c0000000b9)
allocated by thread T0 here:
#0 0x7f22e6ca37cf in __interceptor_malloc ../../src/libsanitizer/asan/asan_malloc_linux.cp
#1 0x55736f5d88a7 in PlatformReadFile platform/platform_unix.c:94
#2 0x55736f5d8bfc in PicocPlatformScanFile platform/platform_unix.c:121
#3 0x55736f5af213 in main /home/kali/projects/fuzzing/fuzz_targets/picoc/picoc.c:62
#4 0x7f22e68a87fc in __libc_start_main ../csu/libc-start.c:332

SUMMARY: AddressSanitizer: heap-buffer-overflow /home/kali/projects/fuzzing/fuzz_targets/picoc/lex.c
Shadow bytes around the buggy address:
 0x0c187fff7fc0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
 0x0c187fff7fd0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
 0x0c187fff7fe0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
 0x0c187fff7ff0: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
 0x0c187fff8000: fa fa fa fa fa fa fa fa 00 00 00 00 00 00 00
=>0x0c187fff8010: 00 00 00 00 00 00 00[01]fa fa fa fa fa fa fa fa
 0x0c187fff8020: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 05
 0x0c187fff8030: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
 0x0c187fff8040: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
 0x0c187fff8050: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
 0x0c187fff8060: fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa fa
Shadow byte legend (one shadow byte represents 8 application bytes):
Addressable:          00
Partially addressable: 01 02 03 04 05 06 07
Heap left redzone:    fa
Freed heap region:    fd
Stack left redzone:   f1
Stack mid redzone:    f2
Stack right redzone:  f3
Stack after return:   f5
Stack use after scope: f8
Global redzone:       f9
Global init order:    f6
Poisoned by user:     f7
Container overflow:   fc
Array cookie:         ac
Intra object redzone: bb
ASan internal:        fe
Left alloca redzone:  ca
Right alloca redzone: cb
Shadow gap:          cc
==912887==ABORTING
```

To upload designs, you'll need to enable LFS and have an admin enable hashed storage. [More information](#)

Tasks 0

No tasks are currently assigned. Use tasks to break down this issue into smaller parts.

Linked items 0

Link issues together to show that they're related or that one is blocking others. [Learn more.](#)

Activity

Please [register](#) or [sign in](#) to reply