☐ jindw / xmldom Public									
<> Code	<ul><li>Issues</li></ul>	93	រ៉ោ Pu	ll requests	45	Actions		☐ Wiki	• • •

New issue Jump to bottom

# Missing error for XML documents with multiple root element nodes #150



markgollnick opened this issue on Jan 19, 2016 · 6 comments

### markgollnick commented on Jan 19, 2016

**Bug Description:** 

xmldom allows incoming documents to have multiple root element nodes. This appears to me to be a violation of the W3C DOM Level 2 Core Specification:

- [...] Each document contains zero or one doctype nodes, **one root element node**, and zero or more comments or processing instructions; the root element serves as the root of the element tree for the document. [...]
- from "What the Document Object Model is" (emphasis mine)

The root node is the unique node that is not a child of any other node. All other nodes are children or other descendants of the root node.

— from the Glossary (emphasis mine)

However, the spec also says this:

- [...] However, the DOM does not specify that documents must be implemented as a tree or a grove, nor does it specify how the relationships among objects be implemented. The DOM is a logical model that may be implemented in any convenient manner. [...]
- from "What the Document Object Model is" (emphasis mine)

The children of a DocumentFragment node are zero or more nodes representing the tops of any subtrees defining the structure of the document. DocumentFragment nodes do not need to be well-formed XML documents (although they do need to follow the rules imposed upon well-formed XML parsed entities, which can have multiple top nodes). For example, a DocumentFragment might have only one child and that child node could be a Text node. Such a structure model represents neither an HTML document nor a well-formed XML document.

— from § 1.2 / Fundamental Interfaces / Interface DocumentFragment (emphasis mine)

In light of this, for the record, I actually don't dislike the fact that xmldom can parse such documents. This comes with a few reservations (outlined below) because it seems like the current behavior is contrary to what the specs (both W3C DOM Level 2 Core and XML 1.1) assert ought to be the case.

**Bug Reproduction:** 

The following code:

```
var DOMParser = require('xmldom').DOMParser;
  var xmlData = '<?xml version="1.0" encoding="UTF-8"?>\n' +
  '<root>\n' +
  ' <branch girth="large">\n' +
       <leaf color="green" />\n' +
    </branch>\n' +
  '</root>\n' +
  '<root>\n' +
  ' <branch girth="twig">\n' +
       <leaf color="gold" />\n' +
    </branch>\n' +
  '</root>\n';
  var xmlDOM = new DOMParser().parseFromString(xmlData);
  console.log(xmlDOM.toString());
...produces the following output:
  <?xml version="1.0" encoding="UTF-8"?><root>
    <branch girth="large">
      <leaf color="green"/>
    </branch>
  </root>
  <root>
    <branch girth="twig">
      <leaf color="gold"/>
    </branch>
  </root>
```

In contrast to this, libxmljs — which relies on libxml2 — refuses to parse such documents, opting to throw an error instead:

```
var xml = require('libxmljs');
var xmlDoc = xml.parseXmlString(xmlData);
Error: Extra content at the end of the document
```

Firefox behaves in a similar way, and refuses to parse the document:

```
console.log(
  new XMLSerializer().serializeToString(
    new DOMParser().parseFromString(xmlData, 'text/xml')));
```

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet href="chrome://global/locale/intl.css" type="text/css"?>
<parsererror xmlns="http://www.mozilla.org/newlayout/xml/parsererror.xml">XML Parsing Error: junk
after document element
Location: about:blank
Line Number 7, Column 1:<sourcetext>&lt;root&gt;
^</sourcetext></parsererror>
```

Chrome goes a *little* bit farther in that it is at least willing to parse/render the first root element node:

#### Expectations/Recommendations/Discussion:

- I expected the above document to fail to parse in xmldom's DOMParser implementation, but it didn't. In light of the specs, this seems like it might be a "false-positive" bug. However, I think there is some utility in being able to parse multiple documents in a single stream, if the API can be re-tooled just a bit. More on this below.
- In order to be more compliant with the specs, I think that if more than one root node is present in an XML stream especially if they appear without corresponding <?xml?> declarations then the DOMParser should, bare-minimum, simply opt to not support such streams, and should raise an error informing the consumer that the given XML stream is invalid.
- Alternatively, if it is desired to keep the ability to parse multiple documents in a single stream which I think would be useful functionality to retain: the alternative of requiring users to manually split XML documents crammed into a single stream before they can pass them into xmldom seems counterintuitive to me, as that should be the job of the parser then perhaps the DOMParser API could be retooled to return an array or a list of multiple document objects, each one with a singular root element node (rather than a single document object with multiple root elements, as is the case today), but only in the event that multiple root elements are detected within the input stream. I think that this behavior would help xmldom to be more compliant with the specs, and it would help to prevent consumers from accidentally generating poorly formed XML output from their parsed document objects, since each parsed document object would have only one root node, as the specs indicate ought to be the case.

On one hand, I think it is a useful thing to be able to parse streams containing multiple XML documents.

On the other hand, to do that silently without issuing even so much as a warning to consumers — especially when the specs say that root nodes should be unique — seems, well, odd. It seems like the current behavior is more of an artifact or a side-effect of xmldom's current architecture than it is an intentional aspect of its design, hence my writing this up as a bug rather than a feature request. (If I'm mistaken, do let me know!)

**Environment/Versions:** 

xmldom v0.1.21







#### markgollnick commented on Jan 19, 2016

Author

Sorry if this has already been documented elsewhere. I searched around and didn't see this behavior being discussed anywhere, so I figured I'd file it here and see where it went.

#### frumioj commented on Oct 14

Ultimately responsible for this security bug: https://nvd.nist.gov/vuln/detail/CVE-2022-39299

frumioj referenced this issue in node-saml/passport-saml on Oct 14



Merge pull request from GHSA-m974-647v-whv7 💭



8b7e3f5

karfau commented on Oct 14 • edited ▼


@frumioj xmldom is currently maintained at https://github.com/xmldom/xmldom.

What would you suggest that we change in the behavior/implementation (as in what should be the preferred behavior in the context of the issue you linked, what assumption was made, which xmldom didn't fulfill)? Feel free to involve/ping me in an already ongoing discussions elsewhere or to kick off the process following our security policy.

Thx for the information.

karfau commented 28 days ago

Fixes have been provided for @xmldom/xmldom in the versions 0.7.7, 0.8.4 and 0.9.0-beta.4. For more details see GHSA-crh6-fp67-6883



Milestone

No milestone

Development

No branches or pull requests

## 4 participants







