


Nama : Khairul Noviyanti

NIM : L200170178


Kelas : D

## Kegiatan Praktikum


### Kegiatan 1




### Kegiatan 2. Membuat Jaringan Peer to Peer



Hasil ping antara PC6 ke PC7




### Kegiatan 3. Membuat Jaringan dengan Switch



Hasil ping antara

a. PC1 ke PC2



The screenshot shows a Packet Tracer PC window for PC8. The 'Desktop' tab is active, displaying a 'Command Prompt' window. The command prompt shows the execution of a ping command to 192.168.1.2. The output indicates that all four packets were received successfully with 0% loss.

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.2


Pinging 192.168.1.2 with 32 bytes of data:

Reply from 192.168.1.2: bytes=32 time=1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>|
```

b. PC3 ke PC5



The screenshot shows a Packet Tracer PC window for PC10. The 'Desktop' tab is active, displaying a 'Command Prompt' window. The command prompt shows the execution of a ping command to 192.168.2.5. The output indicates that all four packets were lost, resulting in 100% loss.


```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.5

Pinging 192.168.2.5 with 32 bytes of data:


Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.2.5:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>|
```



## Mengganti module lan card dengan perangkat linksys WMP 300N



Hasil ping antar kedua PC

