


NAMA : DEWI RAHMAWATI

NIM : L200170188

KELAS : D

MODUL : 2



```
Ping statistics for 192.168.10.12:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>ping 192.168.10.13

Pinging 192.168.10.13 with 32 bytes of data:

Reply from 192.168.10.13: bytes=32 time<1ms TTL=128
Reply from 192.168.10.13: bytes=32 time=1ms TTL=128
Reply from 192.168.10.13: bytes=32 time<1ms TTL=128
Reply from 192.168.10.13: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.13:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.14

Pinging 192.168.10.14 with 32 bytes of data:

Reply from 192.168.10.14: bytes=32 time<1ms TTL=128
Reply from 192.168.10.14: bytes=32 time<1ms TTL=128
Reply from 192.168.10.14: bytes=32 time<1ms TTL=128
Reply from 192.168.10.14: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.14:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.15
Ping request could not find host 192.168.15. Please check the name and try again.
C:\>ping 192.168.10.15
```

```
Pinging 192.168.10.15 with 32 bytes of data:

Reply from 192.168.10.15: bytes=32 time=1ms TTL=128
Reply from 192.168.10.15: bytes=32 time=1ms TTL=128
Reply from 192.168.10.15: bytes=32 time<1ms TTL=128
Reply from 192.168.10.15: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.15:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.16

Pinging 192.168.10.16 with 32 bytes of data:

Reply from 192.168.10.16: bytes=32 time=10ms TTL=128
Reply from 192.168.10.16: bytes=32 time<1ms TTL=128
Reply from 192.168.10.16: bytes=32 time<1ms TTL=128
Reply from 192.168.10.16: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.16:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>ping 192.168.10.17

Pinging 192.168.10.17 with 32 bytes of data:

Reply from 192.168.10.17: bytes=32 time=10ms TTL=128
Reply from 192.168.10.17: bytes=32 time<1ms TTL=128
Reply from 192.168.10.17: bytes=32 time<1ms TTL=128
Reply from 192.168.10.17: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.17:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
```

```
Reply from 192.168.10.17: bytes=32 time=10ms TTL=128
Reply from 192.168.10.17: bytes=32 time<1ms TTL=128
Reply from 192.168.10.17: bytes=32 time<1ms TTL=128
Reply from 192.168.10.17: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.17:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>ping 192.168.10.18

Pinging 192.168.10.18 with 32 bytes of data:

Reply from 192.168.10.18: bytes=32 time<1ms TTL=128
Reply from 192.168.10.18: bytes=32 time=1ms TTL=128
Reply from 192.168.10.18: bytes=32 time<1ms TTL=128
Reply from 192.168.10.18: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.18:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.19

Pinging 192.168.10.19 with 32 bytes of data:

Reply from 192.168.10.19: bytes=32 time=11ms TTL=128
Reply from 192.168.10.19: bytes=32 time<1ms TTL=128
Reply from 192.168.10.19: bytes=32 time<1ms TTL=128
Reply from 192.168.10.19: bytes=32 time=1ms TTL=128
```



```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.20

Pinging 192.168.10.20 with 32 bytes of data:

Reply from 192.168.10.20: bytes=32 time=3ms TTL=128
Reply from 192.168.10.20: bytes=32 time=2ms TTL=128
Reply from 192.168.10.20: bytes=32 time=4ms TTL=128
Reply from 192.168.10.20: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.10.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 2ms, Maximum = 4ms, Average = 3ms

C:\>ping 192.168.10.21

Pinging 192.168.10.21 with 32 bytes of data:

Reply from 192.168.10.21: bytes=32 time<1ms TTL=128
Reply from 192.168.10.21: bytes=32 time<1ms TTL=128
Reply from 192.168.10.21: bytes=32 time<1ms TTL=128
Reply from 192.168.10.21: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.21:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.22

Pinging 192.168.10.22 with 32 bytes of data:

Reply from 192.168.10.22: bytes=32 time=3ms TTL=128
Reply from 192.168.10.22: bytes=32 time<1ms TTL=128
Reply from 192.168.10.22: bytes=32 time<1ms TTL=128
Reply from 192.168.10.22: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.22:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 3ms, Average = 0ms

C:\>ping 192.168.10.23

Pinging 192.168.10.23 with 32 bytes of data:

Reply from 192.168.10.23: bytes=32 time=11ms TTL=128
Reply from 192.168.10.23: bytes=32 time=2ms TTL=128
Reply from 192.168.10.23: bytes=32 time<1ms TTL=128
Reply from 192.168.10.23: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.23:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 11ms, Average = 3ms

C:\>ping 192.168.10.24

Pinging 192.168.10.24 with 32 bytes of data:

Reply from 192.168.10.24: bytes=32 time<1ms TTL=128
Reply from 192.168.10.24: bytes=32 time<1ms TTL=128
Reply from 192.168.10.24: bytes=32 time<1ms TTL=128
Reply from 192.168.10.24: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.24:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.25

Pinging 192.168.10.25 with 32 bytes of data:

Reply from 192.168.10.25: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.25:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.10.26
```

```
Pinging 192.168.10.26 with 32 bytes of data:
```

```
Reply from 192.168.10.26: bytes=32 time=10ms TTL=128  
Reply from 192.168.10.26: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.26: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.26: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.26:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 10ms, Average = 2ms
```

```
C:\>ping 192.168.10.27
```

```
Pinging 192.168.10.27 with 32 bytes of data:
```

```
Reply from 192.168.10.27: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.27: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.27: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.27: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.27:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.10.28
```

```
Pinging 192.168.10.28 with 32 bytes of data:
```

```
Reply from 192.168.10.28: bytes=32 time=1ms TTL=128  
Reply from 192.168.10.28: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.27:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.10.28
```

```
Pinging 192.168.10.28 with 32 bytes of data:
```

```
Reply from 192.168.10.28: bytes=32 time=1ms TTL=128  
Reply from 192.168.10.28: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.28: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.28: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.28:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
C:\>ping 192.168.10.29
```

```
Pinging 192.168.10.29 with 32 bytes of data:
```

```
Reply from 192.168.10.29: bytes=32 time=1ms TTL=128  
Reply from 192.168.10.29: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.29: bytes=32 time=2ms TTL=128  
Reply from 192.168.10.29: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.29:  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 2ms, Average = 0ms
```



Packet Tracer PC Command Line 1.0

C:\>ping 192.168.10.30

Pinging 192.168.10.30 with 32 bytes of data:

Reply from 192.168.10.30: bytes=32 time<1ms TTL=128

Reply from 192.168.10.30: bytes=32 time=3ms TTL=128

Reply from 192.168.10.30: bytes=32 time=1ms TTL=128

Reply from 192.168.10.30: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.30:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>ping 192.168.10.31

Pinging 192.168.10.31 with 32 bytes of data:

Reply from 192.168.10.31: bytes=32 time<1ms TTL=128

Reply from 192.168.10.31: bytes=32 time<1ms TTL=128

Reply from 192.168.10.31: bytes=32 time<1ms TTL=128

Reply from 192.168.10.31: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.31:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.32

Pinging 192.168.10.32 with 32 bytes of data:

Reply from 192.168.10.32: bytes=32 time=10ms TTL=128

Reply from 192.168.10.32: bytes=32 time<1ms TTL=128

Reply from 192.168.10.32: bytes=32 time<1ms TTL=128

Reply from 192.168.10.32: bytes=32 time<1ms TTL=128

```
Ping statistics for 192.168.10.32:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>ping 192.168.10.33

Pinging 192.168.10.33 with 32 bytes of data:

Reply from 192.168.10.33: bytes=32 time<1ms TTL=128
Reply from 192.168.10.33: bytes=32 time<1ms TTL=128
Reply from 192.168.10.33: bytes=32 time<1ms TTL=128
Reply from 192.168.10.33: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.33:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.34

Pinging 192.168.10.34 with 32 bytes of data:

Reply from 192.168.10.34: bytes=32 time=11ms TTL=128
Reply from 192.168.10.34: bytes=32 time<1ms TTL=128
Reply from 192.168.10.34: bytes=32 time<1ms TTL=128
Reply from 192.168.10.34: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.34:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 11ms, Average = 2ms

C:\>ping 192.168.10.35

Pinging 192.168.10.35 with 32 bytes of data:

Reply from 192.168.10.35: bytes=32 time<1ms TTL=128
Reply from 192.168.10.35: bytes=32 time<1ms TTL=128
```

```
C:\>ping 192.168.10.36
```

```
Pinging 192.168.10.36 with 32 bytes of data:
```

```
Reply from 192.168.10.36: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.36: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.36: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.36: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.36:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.10.37
```

```
Pinging 192.168.10.37 with 32 bytes of data:
```

```
Reply from 192.168.10.37: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.37: bytes=32 time=2ms TTL=128  
Reply from 192.168.10.37: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.37: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.37:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 2ms, Average = 0ms
```

```
C:\>ping 192.168.10.38
```

```
Pinging 192.168.10.38 with 32 bytes of data:
```

```
Reply from 192.168.10.38: bytes=32 time<1ms TTL=128  
Reply from 192.168.10.38: bytes=32 time<1ms TTL=128
```

```
C:\>ping 192.168.10.38

Pinging 192.168.10.38 with 32 bytes of data:

Reply from 192.168.10.38: bytes=32 time<1ms TTL=128
Reply from 192.168.10.38: bytes=32 time<1ms TTL=128
Reply from 192.168.10.38: bytes=32 time<1ms TTL=128
Reply from 192.168.10.38: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.38:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.39

Pinging 192.168.10.39 with 32 bytes of data:

Reply from 192.168.10.39: bytes=32 time<1ms TTL=128
Reply from 192.168.10.39: bytes=32 time<1ms TTL=128
Reply from 192.168.10.39: bytes=32 time<1ms TTL=128
Reply from 192.168.10.39: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.39:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.40

Pinging 192.168.10.40 with 32 bytes of data:

Reply from 192.168.10.40: bytes=32 time=3ms TTL=128
Reply from 192.168.10.40: bytes=32 time=4ms TTL=128
Reply from 192.168.10.40: bytes=32 time=3ms TTL=128
Reply from 192.168.10.40: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.10.40:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 4ms, Average = 3ms

C:\>ping 192.168.10.41

Pinging 192.168.10.41 with 32 bytes of data:

Reply from 192.168.10.41: bytes=32 time<1ms TTL=128
Reply from 192.168.10.41: bytes=32 time=1ms TTL=128
Reply from 192.168.10.41: bytes=32 time<1ms TTL=128
Reply from 192.168.10.41: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.41:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```



```
C:\>ping 192.168.10.42

Pinging 192.168.10.42 with 32 bytes of data:

Reply from 192.168.10.42: bytes=32 time<1ms TTL=128
Reply from 192.168.10.42: bytes=32 time<1ms TTL=128
Reply from 192.168.10.42: bytes=32 time<1ms TTL=128
Reply from 192.168.10.42: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.42:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.43

Pinging 192.168.10.43 with 32 bytes of data:

Reply from 192.168.10.43: bytes=32 time<1ms TTL=128
Reply from 192.168.10.43: bytes=32 time<1ms TTL=128
Reply from 192.168.10.43: bytes=32 time<1ms TTL=128
Reply from 192.168.10.43: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.43:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.44

Pinging 192.168.10.44 with 32 bytes of data:

Reply from 192.168.10.44: bytes=32 time=10ms TTL=128
Reply from 192.168.10.44: bytes=32 time<1ms TTL=128
Reply from 192.168.10.44: bytes=32 time<1ms TTL=128
Reply from 192.168.10.44: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.44:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 10ms, Average = 2ms
```

```
C:\>ping 192.168.10.45

Pinging 192.168.10.45 with 32 bytes of data:

Reply from 192.168.10.45: bytes=32 time=1ms TTL=128
Reply from 192.168.10.45: bytes=32 time<1ms TTL=128
Reply from 192.168.10.45: bytes=32 time=1ms TTL=128
Reply from 192.168.10.45: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.45:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.46

Pinging 192.168.10.46 with 32 bytes of data:

Reply from 192.168.10.46: bytes=32 time<1ms TTL=128
Reply from 192.168.10.46: bytes=32 time<1ms TTL=128
Reply from 192.168.10.46: bytes=32 time<1ms TTL=128
Reply from 192.168.10.46: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.46:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.10.47

Pinging 192.168.10.47 with 32 bytes of data:

Reply from 192.168.10.47: bytes=32 time<1ms TTL=128
Reply from 192.168.10.47: bytes=32 time<1ms TTL=128
Reply from 192.168.10.47: bytes=32 time<1ms TTL=128
Reply from 192.168.10.47: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.47:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.48

Pinging 192.168.10.48 with 32 bytes of data:

Reply from 192.168.10.48: bytes=32 time=1ms TTL=128
Reply from 192.168.10.48: bytes=32 time<1ms TTL=128
Reply from 192.168.10.48: bytes=32 time<1ms TTL=128
Reply from 192.168.10.48: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.48:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.49

Pinging 192.168.10.49 with 32 bytes of data:

Reply from 192.168.10.49: bytes=32 time=1ms TTL=128
Reply from 192.168.10.49: bytes=32 time<1ms TTL=128
Reply from 192.168.10.49: bytes=32 time<1ms TTL=128
Reply from 192.168.10.49: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.49:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.50

Pinging 192.168.10.50 with 32 bytes of data:

Reply from 192.168.10.50: bytes=32 time<1ms TTL=128
Reply from 192.168.10.50: bytes=32 time<1ms TTL=128
Reply from 192.168.10.50: bytes=32 time=1ms TTL=128
Reply from 192.168.10.50: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.50:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.51

Pinging 192.168.10.51 with 32 bytes of data:

Reply from 192.168.10.51: bytes=32 time<1ms TTL=128
Reply from 192.168.10.51: bytes=32 time=4ms TTL=128
Reply from 192.168.10.51: bytes=32 time=21ms TTL=128
Reply from 192.168.10.51: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.51:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 21ms, Average = 6ms

C:\>ping 192.168.10.52

Pinging 192.168.10.52 with 32 bytes of data:

Reply from 192.168.10.52: bytes=32 time<1ms TTL=128
Reply from 192.168.10.52: bytes=32 time<1ms TTL=128
Reply from 192.168.10.52: bytes=32 time<1ms TTL=128
Reply from 192.168.10.52: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.52:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
```

```
C:\>ping 192.168.10.53

Pinging 192.168.10.53 with 32 bytes of data:

Reply from 192.168.10.53: bytes=32 time=11ms TTL=128
Reply from 192.168.10.53: bytes=32 time<1ms TTL=128
Reply from 192.168.10.53: bytes=32 time<1ms TTL=128
Reply from 192.168.10.53: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.53:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 2ms

C:\>ping 192.168.10.54

Pinging 192.168.10.54 with 32 bytes of data:

Reply from 192.168.10.54: bytes=32 time<1ms TTL=128
Reply from 192.168.10.54: bytes=32 time<1ms TTL=128
Reply from 192.168.10.54: bytes=32 time=1ms TTL=128
Reply from 192.168.10.54: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.54:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 192.168.10.55

Pinging 192.168.10.55 with 32 bytes of data:

Reply from 192.168.10.55: bytes=32 time<1ms TTL=128
Reply from 192.168.10.55: bytes=32 time<1ms TTL=128
Reply from 192.168.10.55: bytes=32 time<1ms TTL=128
Reply from 192.168.10.55: bytes=32 time<1ms TTL=128
```



```
C:\>ping 192.168.10.56
```

```
Pinging 192.168.10.56 with 32 bytes of data:
```

```
Reply from 192.168.10.56: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.56: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.56: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.56: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.56:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.10.57
```

```
Pinging 192.168.10.57 with 32 bytes of data:
```

```
Reply from 192.168.10.57: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.57: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.57: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.57: bytes=32 time<1ms TTL=128
```

```
Ping statistics for 192.168.10.57:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.10.58
```

```
Pinging 192.168.10.58 with 32 bytes of data:
```

```
Reply from 192.168.10.58: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.58: bytes=32 time<1ms TTL=128
```

```
Reply from 192.168.10.58: bytes=32 time<1ms TTL=128
```

```

C:\>ping 192.168.10.58

Pinging 192.168.10.58 with 32 bytes of data:

Reply from 192.168.10.58: bytes=32 time<1ms TTL=128
Reply from 192.168.10.58: bytes=32 time<1ms TTL=128
Reply from 192.168.10.58: bytes=32 time<1ms TTL=128
Reply from 192.168.10.58: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.58:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.10.59

Pinging 192.168.10.59 with 32 bytes of data:

Reply from 192.168.10.59: bytes=32 time<1ms TTL=128
Reply from 192.168.10.59: bytes=32 time<1ms TTL=128
Reply from 192.168.10.59: bytes=32 time<1ms TTL=128
Reply from 192.168.10.59: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.59:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

```

