


Nama :Tito Andika Wahyu Purwa
NIM :L200180007
Kelas :A

Modul 2 Pengenalan Cisco Packet Tracer



Kegiatan 1




Penjelasan :

- Lampu Merah : Jika ada yang error atau jika ada yang belum dihidupkan
- Lampu Orange : Proses penyambungan
- Lampu Hijau : Sudah tersambung

Kegiatan 2



Kegiatan 3



a

The image shows a screenshot of the PC8 configuration window in Cisco Packet Tracer. The 'Command Prompt' tab is active, displaying the output of a ping command. The text in the command prompt is as follows:

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.2

Pinging 192.168.1.2 with 32 bytes of data:

Reply from 192.168.1.2: bytes=32 time=1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128


Ping statistics for 192.168.1.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

At the bottom left of the window, there is a checkbox labeled 'Top' which is currently unchecked.

Penjelasan :

PC 1 ke 2 bisa connect karena servernya sama, PC 3 ke 5 tidak RTO karena servernya berbeda.



The screenshot shows a Packet Tracer PC Command Line window for PC10. The window has tabs for Physical, Config, Desktop, Programming, and Attributes. The Command Prompt is open, displaying the following text:

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.5

Pinging 192.168.2.5 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.


Ping statistics for 192.168.2.5:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>|
```


At the bottom left of the window, there is a checkbox labeled "Top" which is currently unchecked.

b


Kegiatan 4




Tambahan



Tugas





Penjelasan:

karena masih satu server PC 1 dengan PC 48 bisa terhubung.