


Name : Shidqi Aditya Falah

NIM : L202173001

Class : X

Tugas Modul 10



1. Melakukan Konfigurasi pada Server2

The screenshot shows a window titled "Server2" with a tabbed interface. The "Config" tab is selected, and the "IP Configuration" sub-tab is active. The "IP Configuration" section has two radio buttons: "DHCP" (unselected) and "Static" (selected). Below these are four text input fields: "IP Address" (192.168.124.1), "Subnet Mask" (255.255.255.0), "Default Gateway" (0.0.0.0), and "DNS Server" (0.0.0.0). The "IPv6 Configuration" section also has three radio buttons: "DHCP" (unselected), "Auto Config" (unselected), and "Static" (selected). Below these are four text input fields: "IPv6 Address" (empty), "Link Local Address" (FE80::260:70FF:FE7D:5AB0), "IPv6 Gateway" (empty), and "IPv6 DNS Server" (empty). A "Top" button is located at the bottom left of the window.

Server2

Physical Config Services Desktop Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IP Address 192.168.124.1

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /


Link Local Address FE80::260:70FF:FE7D:5AB0

IPv6 Gateway

IPv6 DNS Server

☐ Top

2. Melakukan Konfigurasi pada masing masing PC



The screenshot shows a configuration window for PC1. The window has a title bar with 'PC1' and standard window controls. Below the title bar are tabs for 'Physical', 'Config', 'Desktop', 'Programming', and 'Attributes'. The 'Config' tab is selected, and within it, the 'IP Configuration' sub-tab is active. The 'IP Configuration' section has a blue header bar with a close button. It contains two main sections: 'IP Configuration' and 'IPv6 Configuration'. In the 'IP Configuration' section, the 'Static' radio button is selected. The fields are filled with: IP Address: 192.168.124.2, Subnet Mask: 255.255.255.0, Default Gateway: 0.0.0.0, and DNS Server: 192.168.124.1. In the 'IPv6 Configuration' section, the 'Static' radio button is also selected. The fields are: IPv6 Address (empty), Link Local Address: FE80::290:2BFF:FEB4:7CAB, IPv6 Gateway (empty), and IPv6 DNS Server (empty). At the bottom left of the window is a 'Top' button.

PC1

Physical Config Desktop Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IP Address 192.168.124.2

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 192.168.124.1

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address /

Link Local Address FE80::290:2BFF:FEB4:7CAB

IPv6 Gateway

IPv6 DNS Server

Top

PC2

PhysicalConfigDesktopProgrammingAttributes

IP Configuration

X

IP Configuration

DHCP

Static

IP Address

192.168.124.3

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

192.168.124.1

IPv6 Configuration

DHCP

Auto Config

Static

IPv6 Address

/

Link Local Address

FE80::201:97FF:FE93:7598

IPv6 Gateway

IPv6 DNS Server

Top

PC3

PhysicalConfigDesktopProgrammingAttributes

IP Configuration

X

IP Configuration

DHCP

Static

IP Address

192.168.124.4

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

192.168.124.1

IPv6 Configuration

DHCP

Auto Config

Static

IPv6 Address

/

Link Local Address

FE80::2E0:A3FF:FEE2:D95C

IPv6 Gateway

IPv6 DNS Server

Top

PC4

PhysicalConfigDesktopProgrammingAttributes

IP Configuration

X

IP Configuration

☐ DHCP

☒ Static

IP Address

192.168.124.5

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

192.168.124.1

IPv6 Configuration

☐ DHCP

☐ Auto Config

☒ Static

IPv6 Address

/

Link Local Address

FE80::204:9AFF:FED2:42A9

IPv6 Gateway

IPv6 DNS Server

Top

PC5

PhysicalConfigDesktopProgrammingAttributes

IP Configuration

X

IP Configuration

☐ DHCP

☒ Static

IP Address

192.168.124.6

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

192.168.124.1

IPv6 Configuration

☐ DHCP

☐ Auto Config

☒ Static

IPv6 Address

/

Link Local Address


FE80::2D0:BAFF:FEBB:2699

IPv6 Gateway

IPv6 DNS Server

☐ Top

3. Melakukan Konfigurasi DNS pada Server



The screenshot shows the 'Server2' configuration window with the 'Services' tab selected. The 'DNS' service is configured as follows:

- DNS Service:** ☒ On ☐ Off
- Resource Records:**
 - Name:**
 - Type:** A Record
 - Address:**
- Buttons:** Add, Save, Remove
- Table:**

No.	Name	Type	Detail
0	shidqicorp.com	A Record	192.168.124.1
- Buttons:** DNS Cache

At the bottom left, there is a checkbox labeled 'Top'.

4. Melihat Domain yang telah dientry DNS Server

