

NAME: LAKSHANIKA VS

REG. NO: 241801131

EXP.NO: 3

EXP.NAME: MINIMAX ALGORITHM

```
3  PLAYER_X = 1
4  PLAYER_0 = -1
5  EMPTY = 0
6
7  # Evaluate the board
8  def evaluate(board):
9      for row in range(3):
10         if board[row][0] == board[row][1] == board[row][2] != EMPTY:
11             return board[row][0]
12         for col in range(3):
13             if board[0][col] == board[1][col] == board[2][col] != EMPTY:
14                 return board[0][col]
15         if board[0][0] == board[1][1] == board[2][2] != EMPTY:
16             return board[0][0]
17         if board[0][2] == board[1][1] == board[2][0] != EMPTY:
18             return board[0][2]
19         return 0
20
21 # Check if moves are left
22 def isMovesLeft(board):
23     for row in range(3):
24         for col in range(3):
25             if board[row][col] == EMPTY:
26                 return True
27     return False
28
29 # Minimax function
30 def minimax(board, isMax):
31     score = evaluate(board)
32     if score == PLAYER_X:
33         return score
34     if score == PLAYER_0:
35         return score
36     if not isMovesLeft(board):
37         return 0
38
39     if isMax:
40         best = -float('inf')
41         for row in range(3):
42             for col in range(3):
43                 if board[row][col] == EMPTY:
```

```

        board[row][col] = PLAYER_X
        best = max(best, minimax(board, not isMax))
        board[row][col] = EMPTY

    return best
else:
    best = float('inf')
    for row in range(3):
        for col in range(3):
            if board[row][col] == EMPTY:
                board[row][col] = PLAYER_O
                best = min(best, minimax(board, not isMax))
                board[row][col] = EMPTY

    return best

# Find the best move for PLAYER_X
def findBestMove(board):
    bestVal = -float('inf')
    bestMove = (-1, -1)
    for row in range(3):
        for col in range(3):
            if board[row][col] == EMPTY:
                board[row][col] = PLAYER_X
                moveVal = minimax(board, False)
                board[row][col] = EMPTY
                if moveVal > bestVal:
                    bestMove = (row, col)
                    bestVal = moveVal

    return bestMove

# Print the board
def printBoard(board):
    for row in board:
        print(" ".join(["X" if x == PLAYER_X else "O" if x == PLAYER_O else "." for x in row]))

# Example game
board = [
    [PLAYER_X, PLAYER_O, PLAYER_X],
    [PLAYER_O, PLAYER_X, EMPTY],
    [EMPTY, PLAYER_O, PLAYER_X]
]

print("Current Board:")
printBoard(board)
move = findBestMove(board)
print(f"Best Move: {move}")
board[move[0]][move[1]] = PLAYER_X
print("\nBoard after best move:")
printBoard(board)

```

## Output

```

Current Board:
X O X
O X .
. O X
Best Move: (1, 2)

```

```

Board after best move:
X O X
O X X
. O X

```

```

=== Code Execution Successful ===

```